

**Focus on *Crassostrea virginica*, Oyster Reef Ecology/Restoration and Related Topics**

**(LDC Revision date 11/14/11)**

**Recent Reviews**

- ASMFC, 2007. The Importance of Habitat Created by Shellfish and Shell Beds Along the Atlantic Coast of the U.S., prepared by Coen, L.D., and R. Grizzle, with contributions by J. Lowery and K.T. Paynter, Jr., 106pp.
- Beck, M.W., R.D. Brumbaugh, L. Airoidi, A. Carranza, L.D. Coen, C. Crawford, O. Defeo, G.J. Edgar, B. Hancock, M. Kay, H. Lenihan, M.W. Luckenbach, C.L. Toropova, and G. Zhang, 2009. Shellfish reefs at risk: a global analysis of problems and solutions, 52pp.
- Beck, M.W., R.D. Brumbaugh, L. Airoidi, A. Carranza, L.D. Coen, C. Crawford, O. Defeo, G.J. Edgar, B. Hancock, M.C. Kay, H.S. Lenihan, M.W. Luckenbach, C.L. Toropova, G. Zhang, and X. Guo, 2011. Oyster reefs at risk and recommendations for conservation, restoration and management. *BioScience* 61:107–116.
- Burreson, E.M. and S.E. Ford, 2004. A review of recent information on the Haplosporidia, with special reference to *Haplosporidium nelsoni* (MSX disease). *Aquat. Living Resources* 17:499-517.
- Coen, L.D., M.W. Luckenbach, and D.L. Breitburg, 1999. The role of oyster reefs as essential fish habitat: a review of current knowledge and some new perspectives. Pp. 438-454, in L.R. Benaka, (ed.). *Fish habitat: essential fish habitat and rehabilitation*. American Fisheries Society, Symposium 22, Bethesda, MD.
- Coen, L.D. and M.W. Luckenbach. 2000. Developing success criteria and goals for evaluating oyster reef restoration: ecological function or resource exploitation? *Ecological Engineering* 15:323-343.
- Coen, L., K. Walters, D. Wilber, and N. Hadley, 2007. A SC Sea Grant Report of a 2004 Workshop to Examine and Evaluate Oyster Restoration Metrics to Assess Ecological Function, Sustainability and Success Results and Related Information, Sea Grant Publication, 27pp.
- Coen, L.D., R.D. Brumbaugh, D. Bushek, R. Grizzle, M.W. Luckenbach, M.H. Posey, S.P. Powers, and G. Tolley, 2007. AS WE SEE IT. A broader view of ecosystem services related to oyster restoration. *Mar. Ecol. Prog. Ser.* 341: 303–307.
- Coen, L.D., B.R. Dumbauld, and M.L. Judge, 2010. Expanding shellfish aquaculture: a review of the ecological services provided by and impacts of native and cultured bivalves in shellfish-dominated ecosystems. In: *Shellfish aquaculture and the environment*, S.E. Shumway, ed., Wiley-Blackwell.
- Dame, R.F., 1993. Bivalve Filter Feeders and Coastal and Estuarine Ecosystem Processes. NATO ASI Series, Vol. G 33. Springer, Heidelberg, Germany, 579pp.
- Dame, R., 1996. Ecology of marine bivalves: an ecosystem approach. CRC Marine Science Series, Boca Raton, 254pp.

- Dame, R. and S. Olenin, Eds., 2005. The Comparative Roles of Suspension- Feeders in Ecosystems. Proceedings of the NATO Advanced Research Workshop on The Comparative Roles of Suspension-Feeders in Ecosystems, Nida, Lithuania, 4-9 October 2003. NATO Science Series: IV: Earth and Environmental Sciences, Vol. 47, Springer-Verlag, Dordrecht, The Netherlands, 359pp.
- Dame, R., D. Bushek, and T. Prins, 2001. The role of suspension feeders as ecosystem transformers in shallow coastal environments. In K. Reise (Ed), *The Ecology of Sedimentary Coasts*. Springer-Verlag, Berlin. Pp. 11-37.
- Dame, R., D. Bushek, D. Allen, E. Koepfler, A. Lewitus, and D. Edwards. 2002. Ecosystem response to bivalve density reduction: management implications. *Aquatic Ecology* 36:51-65.
- Dame, R., D. Bushek, D. Allen, A. Lewitus, D. Edwards, E. Koepfler, and L. Gregory. 2002. Ecosystem response to bivalve density reduction: management implications. *Aquatic Ecology* 36:51-65.
- Duarte, C.M., W.C. Dennison, R.J.W. Orth, T.J.B. Carruthers, 2008. The charisma of coastal ecosystems: addressing the imbalance. *Estuaries and Coasts*, 31:233-238. (SAV focus)
- Dumbauld, B.R., J.L. Ruesink, and S.S. Rumrill, 2009. The ecological role of bivalve shellfish aquaculture in the estuarine environment: A review with application to oyster and clam culture in West Coast (USA) estuaries. *Aquaculture* 290:196–223.
- French McCay, D.P., C.H. Peterson, J.T. DeAlteris and J. Catena, 2003. Restoration that targets function as opposed to structure: replacing lost bivalve production and filtration. *Mar. Ecol. Prog. Ser.* 264: 197-212.
- Grabowski, J.H., and C.H. Peterson, 2007. Restoring oyster reefs to recover ecosystem services. Ch. 15, pp. 281-298, in *Ecosystem Engineers: Concepts, Theory and Applications*, Eds., K. Cuddington, J.E. Byers, W.G. Wilson, and A. Hastings, Elsevier/Academic Press, Netherlands.
- Gutiérrez, J.L., C.G. Jones, J.E. Byers, K.K. Arkema, K. Berkenbusch, J.A. Commito, C.M. Duarte, S.D. Hacker, I.E. Hendriks, P.J. Hogarth, J.G. Lambrinos, M.G. Palomo, C. Wild, in press. Chapter 5, Physical ecosystem engineers and the functioning of estuaries and coasts. In Vol. 7: *Functioning of Estuaries and Coastal Ecosystems*. Eds., C.H.R. Heip, C.J.M., Philippart, and J.J. Middelburg, In the *Treatise on Estuarine and Coastal Science* (Series, Eds., E. Wolanski, and D. McLusky), Elsevier.
- Hargis, W.J., Jr., and D.S. Haven, 1999. Chesapeake oyster reefs, their importance, destruction and guidelines for restoring them, pp 5-23. In: M. W. Luckenbach, R. Mann and J. A. Wesson, editors. *Oyster reef habitat restoration: a synopsis and synthesis of approaches*. VIMS Press, Gloucester Point, VA.
- Higgins, C.B., K. Stephenson, and B.L. Brown, 2011. Nutrient bioassimilation capacity of aquacultured oysters: quantification of an ecosystem service. *J. Environ. Qual.* 40:271–277.

- Jackson, J.B.C., 2008. Ecological extinction and evolution in the brave new ocean. PNAS 105 Suppl. 1:11458–11465.
- Kennedy, V.S., R.I.E. Newell, A.F. Eble, Eds., 1996. The Eastern Oyster: *Crassostrea virginica*. Maryland Sea Grant, College Park, MD, 734 pp.
- Kimbrough, K.L., W.E. Johnson, G.G. Lauenstein, J.D. Christensen and D.A. Apeti, 2008. An assessment of two decades of contaminant monitoring in the nation's coastal zone. Silver Spring, MD. NOAA Technical Memorandum NOS NCCOS 74. 105pp.
- Kirby, M.X., 2004. Fishing down the coast: historical expansion and collapse of oyster fisheries along coastal margins. Proc. Natl. Acad. Sci. 101(35):13096-13099.
- Lafferty, K.D., J.W. Porter, and S.E. Ford, 2004. Are diseases increasing in the ocean? Ann. Rev. Ecol. Syst. 35:31-54.
- Lotze, H.K., H.S. Lenihan, B.J. Bourque, R.H. Bradbury, R.G. Cooke, M.C. Kay, S.M. Kidwell, M.X. Kirby, C.H. Peterson, and J.B.C. Jackson, 2006. Depletion, degradation, and recovery potential of estuaries and coastal seas. Science 312:1806-1809.
- Luckenbach, M.W., R. Mann and J.A. Wesson (eds.) 1999. Oyster Reef Habitat Restoration. A Synopsis and Synthesis of Approaches. Virginia Institute of Marine Science Press. Virginia Institute of Marine Science Press, Gloucester Point, VA, 358 pp.
- McGraw, K.A., 2009. The Olympia oyster, *Ostrea lurida* Carpenter, 1864 along the west coast of North America. J. Shellfish Res. 28:5-10.
- Mann, R. and E.N. Powell, 2007. Why oyster restoration goals in the Chesapeake Bay are not probably cannot be achieved. J. Shellfish Res. 26:1-13.
- Millennium Ecosystem Assessment, 2005. Ecosystems and human well-being: synthesis. Island Press, Washington, DC.
- Molnar, J.L., R.L. Gamboa, C. Revenga, and M.D. Spalding, 2008. Assessing the global threat of invasive species to marine biodiversity. Frontiers in Ecology and the Environment 6:485-492.
- National Research Council (NRC), 2004. Nonnative Oysters in the Chesapeake Bay. National Academies Press. Washington, D.C., 325pp.
- National Research Council (NRC), 2009. Shellfish mariculture in Drakes Estero, Point Reyes National Seashore, California. Committee on Best Practices for Shellfish Mariculture and the Effects of Commercial Activities in Drakes Estero, Pt. Reyes National Seashore, California, 139pp.
- National Research Council (NRC), 2010. Ecosystem concepts for sustainable bivalve mariculture. Committee on Best Practices for Shellfish Mariculture and the Effects of Commercial Activities in Drakes Estero, Pt. Reyes National Seashore, California, 198pp.

- Newell, R.I.E. 2004. Ecosystem influences of natural and cultivated populations of suspension-feeding bivalve mollusks: A review. *J. Shellfish Res.* 23: 51-61.
- Newell, R., T. Fisher, R. Holyoke, and J. Cornwell, 2005. Influence of Eastern oysters on nitrogen and phosphorus regeneration in Chesapeake Bay, USA. In: The comparative roles of suspension feeders in ecosystems. R. Dame and S. Olenin, eds. Vol. 47, NATO Science Series: IV – Earth and Environmental Sciences. Springer, Netherlands, 93-120pp.
- Metadata Analysis of Restoration and Monitoring Activity Database. J.G. Kramer and K.G. Sellner (eds.), Native Oyster (*Crassostrea virginica*) Restoration in Maryland and Virginia. An evaluation of lessons learned 1990-2007. Maryland Sea Grant Publication #UM-SG-TS-2009-02; CRC Publ. No. 09-168, College Park, MD, 40pp.
- Piehl, M.F. and A.R. Smyth, 2011. Habitat-specific distinctions in estuarine denitrification affect both ecosystem function and services. *Ecosphere* 2:1-16.
- Pomeroy, L.R., C.F. D'Elia and L.C. Schaffner, 2006. Limits to top-down control of phytoplankton by oysters in Chesapeake Bay. *Mar. Ecol. Prog. Ser.* 325: 301–309.
- Ruesink, J.L., H.S. Lenihan, A.C. Trimble, K.W. Heiman, F. Micheli, J.E. Byers, and M.C. Kay, 2005. Introduction of non-native oysters: ecosystem effects and restoration implications. *Ann. Rev. Ecol. Evol. Syst.* 36:643–689.
- Sousa, R., J.L. Gutiérrez and D.C. Aldridge, 2009. Non-indigenous invasive bivalves as ecosystem engineers. *Biol. Invasions*
- Smith, G.F., D.G. Bruce, E.B. Roach, A. Hansen, R.I.E. Newell, and A.M. McManus, 2005. Habitat conditions of mesohaline oyster bars in the Maryland Chesapeake Bay: An assessment of 40 years of oyster management. *North American Journal of Fisheries Management* 25:1569-1590.
- White, M. E., and E. A. Wilson, 1996. Predators, pests and competitors. Pages 559-580 in V. S. Kennedy, R. I. E. Newell and A. F. Eble, editors. *The eastern oyster Crassostrea virginica*. Maryland Sea Grant College, College Park, MD.
- Wilberg, M.J., M.E. Livings, J.S. Barkman, B.T. Morris, and J.M. Robinson, 2011. Overfishing, disease, habitat loss, and potential extirpation of oysters in upper Chesapeake Bay. *Mar. Ecol. Prog. Ser.* 436:131–144.
- Wildish, D. and D. Kristmanson, 1997. Benthic suspension feeders and flow. Cambridge University Press, UK. 409 pp.
- Wood, R., 1998. The ecological evolution of reefs. *Ann. Rev. Ecol. Syst.* 29:179-206.
- Wood, R., 1999. Reef evolution. Oxford University Press, England, 414pp.

**Recent Contributions (includes Ecosystem Services and Related):**

- Allen, D.M., S.S. Haertel-Borer, B.J. Milan, D. Bushek, and R.F. Dame, 2007. Geomorphological determinants of nekton use of intertidal salt marsh creeks. *Mar. Ecol. Prog. Ser.* 329:57–71.
- Anderson, M.J., and S.D. Connell, 1999. Predation by fish on intertidal oysters. *Marine Ecology Progress Series* 187:203-211.
- Baker, S.M. and R. Mann, 1992. effects of hypoxia and anoxia on larval settlement, juvenile growth, and juvenile survival of the oyster *Crassostrea virginica*. *Biol. Bull* 192 265-269.
- Baldwin, B. S., and R. I. E. Newell. 1995. Relative importance of different food particles in the natural diet of oyster larvae (*Crassostrea virginica*). *Marine Ecology Progress Series* 120:135-145.
- Barnes, B.B., M.W Luckenbach, and P.R. Kingsley-Smith, 2010. Oyster reef community interactions: The effect of resident fauna on oyster (*Crassostrea* spp.) on larval recruitment. *J. Exp. Mar. Biol. Ecol.* 391:169-177.
- Bartol, I. K., and R. Mann, 1997. Small-scale settlement patterns of the oyster *Crassostrea virginica* on a constructed intertidal reef. *Bulletin of Marine Science* 61:881-897.
- Bartol, I.K. and R. Mann, 1999. Small-scale patterns of recruitment on a constructed intertidal reef: the role of refugia, 159-170pp. In: Luckenbach, M.W., R. Mann, and J.A. Wesson. *Oyster Reef Habitat Restoration: A Synopsis and Synthesis of Approaches*. Proceedings from the Symposium, Williamsburg, VA, April 1995. VIMS Press, Virginia Institute of Marine Sciences, College of William and Mary, Gloucester Point, VA.
- Bartol, I.K, R. Mann, and M. Luckenbach, 1999. Growth and mortality of oysters (*Crassostrea virginica*) on constructed intertidal reefs: effects of tidal height and substrate level. *Journal Experimental Marine Biology and Ecology* 237:157-187.
- Berg, J. A., and R.I.E. Newell. 1986. Temporal and spatial variation in the composition of seston available to the suspension feeder *Crassostrea virginica*. *Estuarine, Coastal and Shelf Science* 23:375-386.
- Berquist, D.C., J.A. Hale, P. Baker and S.M. Baker, 2006. Development of ecosystem indicators for the Suwannee River estuary: oyster reef habitat quality along a salinity gradient. *Estuaries and Coasts* 29: 353-360.
- Bishop, M.J., and C.H. Peterson, 2006. Direct effects of physical stress can be counteracted by indirect benefits: oyster growth on a tidal elevation gradient. *Oecologia* 147:426-433.
- Bishop, M.J., R.B. Carnegie, N.A. Stokes, C.H. Peterson, and E.M. Burreson, 2006. Complications of a non-native oyster introduction: facilitation of a local parasite. *Marine Ecology Progress Series* 325:145–152.

- Boesch, D.F., R.B. Brinsfield and R.E. Magnien, 2001. Chesapeake Bay eutrophication: scientific understanding, ecosystem restoration, and challenges for agriculture. *J. Environ. Qual.* 30:303–320.
- Boesch, D., E. Burrenson, W. Dennison, E. Houde, M. Kemp, V. Kennedy, R. Newell, K. Paynter, R. Orth, and R. Ulanowicz. 2001. Factors in the decline of coastal ecosystems. *Science* 293:1589-1590.
- Bolton-Warberg, M., L.D. Coen and J. Weinstein, 2007. Acute toxicity and acetylcholinesterase inhibition in grass shrimp (*Palaemonetes pugio*) and oysters (*Crassostrea virginica*) exposed to the organophosphate dichlorvos: laboratory and field studies. *Archives of Environmental Contamination and Toxicology*
- Booker, M.M., 2006. Oyster growers and oyster pirates in San Francisco Bay. *Pacific Historical Review* 75(1):63-88.
- Breitburg, D.L., M.A. Palmer, and T. Loher, 1995. Larval distributions and the spatial patterns of settlement of an oyster reef fish: responses to flow and structure. *Mar. Ecol. Prog.* 125:45-60.
- Boudreaux, M.L., J.L. Stiner, and L.J. Walters, 2006. Biodiversity of sessile and motile macrofauna on intertidal oyster reefs in Mosquito Lagoon Florida. *J. Shellfish Res.* 25:1079–1089.
- Breitburg, D.L., 1999. Are three-dimensional structure and healthy oyster populations the keys to an ecologically interesting and important fish community? Pages 239-250, in M. Luckenbach, R. Mann and J. A. Wesson, editors. *Oyster reef habitat restoration: a synopsis and synthesis of approaches*. VIMS Press, Gloucester Point, VA.
- Breitburg, D., L.D. Coen, M.W. Luckenbach, R. Mann, M. Posey, and J.A. Wesson, 2000. Oyster reef restoration: convergence of harvest and conservation strategies. *Journal of Shellfish Research* 19:371-377.
- Breitburg, D.L., and R.S. Fulford, 2006. Oyster-sea nettle interdependence and altered control within the Chesapeake Bay ecosystem. *Estuaries and Coasts* 29:776–784.
- Brodthmann, N.V., Jr., 1991. Engineering and biological studies of reconstructed oyster habitat. *J. Shellfish Res.* 10:399-403.
- Burrenson, EM, Stokes NA, Friedman C.S., 2000. Increased virulence in an introduced pathogen: *Haplosporidium nelsoni* (MSX) in the eastern oyster *Crassostrea virginica*. *J. Aquatic Animal Health* 12:1-8.
- Bushek, D., D. Richardson, M.Y. Bobo, and L.D. Coen, 2004. Short-term shell pile quarantine reduces the abundance of *Perkinsus marinus* remaining in tissues attached to oyster shell. *J. Shellfish Res.* 23:369-373.
- Bushek, D., A. Kornbluh, H. Wang, X. Guo, G. DeBrosse and J. Quinlan, 2008. Fertilization interference between *Crassostrea ariakensis* and *Crassostrea virginica*: a gamete sink? *J. Shellfish Res.* 27:593-600.

- Byers, J.E., K. Cuddington, C.G. Jones, T.S. Talley, A. Hastings, J.G. Lambrinos, J.A. Crooks, and W.G. Wilson, 2006. Using ecosystem engineers to restore ecological systems. *TREE* 21:493-500.
- Campbell, A.H., D.W. Meritt, R.B. Franklin, E.L. Boone, C.T. Nicely, and B.L. Brown, 2011. Effect of age and composition of field-produced biofilms on oyster larval setting. *Biofouling* 27:255-265.
- Carnegie, R.B., N.A. Stokes, C. Audemard, E.M. Burreson, M.J. Bishop, C.H. Peterson, A.E. Wilbur, T.D. Alphin, M.H. Posey, and L.D. Coen, in prep. *Bonamia* sp. infection in the crested oyster, *Ostreola equestris*, in the southeastern United States.
- Cerco, C.F., and M.R. Noel. 2007. Can oyster restoration reverse cultural eutrophication in Chesapeake Bay? *Estuaries and Coasts* 30:331-343.
- Christmas, J.F., M.R. McGinty, D.A. Randle, G.F. Smith, and S.J. Jordan, 1997. Oyster shell disarticulation in three Chesapeake Bay tributaries. *J. Shellfish Res* 16:115-123.
- Coen, L.D., D.M. Knott, E.L. Wenner, N.H. Hadley, A.H. Ringwood, 1999a. Intertidal Oyster Reef Studies in South Carolina: Design, Sampling and Experimental Focus for Evaluating Habitat Value and Function. Pages 131-156, In: M.W. Luckenbach, R. Mann, J.A. Wesson (eds.), *Oyster Reef Habitat Restoration: A Synopsis and Synthesis of Approaches*. VIMS Press, Gloucester Point, VA.
- Coen, L.D., D.H. Wilber, and D. Knott, in review. Development of intertidal oyster reef resident communities on natural and constructed reefs in the southeastern U.S.: Can we restore native oyster habitats? *Mar. Ecol. Prog. Ser.*
- Cressman, K. A., M. H. Posey, M. A. Mallin, L. A. Leonard, and T. D. Alphin, 2003. Effects of oyster reefs on water quality in a tidal creek estuary. *Journal of Shellfish Research* 22:753-762.
- Crosby, M.P., C.F. Roberts, and P.D. Kenny, 1991. Effects of immersion time and tidal position on in situ growth rates of naturally settled eastern oysters, *Crassostrea virginica* (Gmelin, 1791). *J Shellfish Res.* 10:95-103.
- Custer, J.F. and K.R. Doms, 1990. Analysis of microgrowth patterns of the American oyster (*Crassostrea virginica*) in the middle Atlantic region of North America: Archaeological applications. *J. Archaeol. Sci.* 17:151-160.
- Dame, R.F., J.D. Spurrier, R.G. Zingmark, 1992. *In situ* metabolism of an oyster reef. *Journal Experimental Marine Biology and Ecology* 164,147-159.
- Dame, R., S. Libes. 1993. Oyster reefs and nutrient retention in tidal creeks. *Journal Experimental Marine Biology and Ecology* 171,251-258.
- Dame, R., Alber, M., Allen, D., Mallin, M., Montague, C., Lewitus, A., Chalmers, A., Gardner, R., Gilman, C., Kjerfve, B., Pinckney, J., Smith, N., 2000. Estuaries of the South Atlantic Coast of North America: their geographical signatures. *Estuaries* 23:793- 819.

- Dame, R., D. Bushek, D. Allen, D. Edwards, L. Gregory, A. Lewitus, S. Crawford, E. Koepfler, C. Corbett, B. Kjerfve, and T. Prins, 2000. The experimental analysis of tidal creeks dominated by oyster reefs: the premanipulation year. *J. Shellfish Res.* 19:361-369.
- Dame, R., D. Bushek, D. Allen, E. Koepfler, A. Lewitus, and D. Edwards, 2002. Ecosystem response to bivalve density reduction: management implications. *Aquatic Ecology* 36:51-65.
- DeAlteris, J.T., 1988. The geomorphic development of Wreck Shoal, a subtidal oyster reef of the James River, Virginia. *Estuaries* 11:240-249.
- Dumbauld, B.R., B.E. Kauffman, A.C. Trimble and J.L. Ruesink, 2011. The Willapa bay oyster reserves in Washington state: fishery collapse, creating a sustainable replacement, and the potential for habitat conservation and restoration. *J. Shellfish Res.* 30:71-83.
- Eggleston, D. B., W. E. Elis, L. L. Etherington, C. P. Dahlgren, and M. H. Posey, 1999. Organism responses to habitat fragmentation and diversity: habitat colonization by estuarine macrofauna. *Journal Experimental Marine Biology and Ecology* 236:107-132.
- Fodrie, F.J., M.D. Kenworthy and S.P. Powers, 2008. Unintended facilitation between marine consumers generates enhanced mortality for their shared [oyster] prey. *Ecology* 89:3268-3274.
- Ford, S.E., M.J. Cummings, and E.N. Powell, 2006. Estimating mortality in natural assemblages of oysters. *Estuaries and Coasts* 29:361–374.
- Franz, D.R., 1982. An historical perspective on mollusks in lower New York Harbor, with emphasis on oysters. In: G.F. Mayer (Ed.). *Ecological Stress and the New York Bight: Science and Management*, Estuarine Research Foundation, Columbia, SC.
- Fredriksson, D.W., C.N. Steppe, L. Wallendorf, S. Sweeney, and D. Kriebel, 2010. Biological and hydrodynamic design considerations for vertically oriented oyster grow out structures. *Aquacult. Engineering* 42:57-69.
- Fulford, R.S., D. L. Breitburg, R.I.E. Newell, W.M. Kemp and M.W. Luckenbach, 2007. Effects of oyster population restoration strategies on phytoplankton biomass in Chesapeake Bay: a flexible modeling approach. *Marine Ecology Progress Series* 336:43–61.
- Fulford, R.S., D.L. Breitburg, M.W. Luckenbach and R.I.E. Newell, 2010. Evaluating responses of estuarine food webs to oyster restoration and nutrient load reduction with a multi-species bioenergetics model. *Ecological Applications* 20:915-934.
- Fulford, R.S., D.L. Breitburg, and M.W. Luckenbach, 2011. Differences in relative predation vulnerability between native and non-native oyster larvae and the influence on restoration planning in an estuarine ecosystem. *Estuaries and Coasts* 34:618–629.

- Geraldi, N.R., S.P. Powers, K.L. Heck, and J. Cebrian, 2009. Can habitat restoration be redundant? Response of mobile fishes and crustaceans to oyster reef restoration in marsh tidal creeks. *Marine Ecology Progress Series* 389:171-180.
- Gerritsen, J., A.F. Holland and D.E. Irvine, 1994. Suspension-feeding bivalves and the fate of primary production: an estuarine model applied to Chesapeake Bay. *Estuaries* 17:403-416.
- Gilbert, P.M., J. Alexander, D.W. Meritt, E.W. North, and D.K. Stoecker, 2007. Harmful algae pose additional challenges for oyster restoration: impacts of the harmful algae *Karlodinium veneficum* and *Prorocentrum minimum* on early life stages of the oysters *Crassostrea virginica* and *Crassostrea ariakensis*. *J. Shellfish Res.* 26:919-925.
- Gillmor, R.B., 1982. Assessment of intertidal growth and capacity adaptations in suspension-feeding bivalves. *Marine Biology* 68:277-286.
- Glancy, T.P., K. T.K. Frazer, C.E. Cichra and W.J. Lindberg, 2003. Comparative patterns of occupancy by decapod crustaceans in seagrass, oyster, and marsh-edge habitats in a northeast Gulf of Mexico estuary. *Estuaries*. 26:1291-1301.
- Grabowski, J.H., 2002. The influence of trophic interactions, habitat complexity, and landscape setting on community dynamics and restoration of oyster reefs. Ph.D. dissertation, University of North Carolina at Chapel Hill, Ecology curriculum, 169 pp.
- Grabowski, J. H. 2004. Habitat complexity disrupts predator-prey interactions yet preserves the trophic cascade in oyster-reef communities. *Ecology* 85:995-1004.
- Grabowski, J.H., A.R. Hughes, D.L. Kimbro, and M.A. Dolan, 2005. How habitat setting influences restored oyster reef communities. *Ecology* 86:1926-1935.
- Grabowski, J.H., A.R. Hughes, and D.L. Kimbro, 2008. Habitat complexity influences cascading effects of multiple predators. *Ecology* 89:3413-3422.
- Gregalis, K.C., M.W. Johnson and S.P. Powers, 2009. Restored oyster reef location and design affect responses of resident and transient fish, crab, and shellfish species in Mobile Bay, Alabama. *Trans. Am. Fish. Soc.* 138:314-327
- Grizzle, R.E., Adams, J.R., and L.J. Walters, 2002. Historical changes in intertidal oyster (*Crassostrea virginica*) reefs in a Florida lagoon potentially related to boating activities. *Journal of Shellfish Research* 21:749-756.
- Grizzle, R.E., J.K. Greene, M.W. Luckenbach, and L.D. Coen, 2006. Measuring and modeling seston uptake by suspension feeding bivalve molluscs. *J. Shellfish Res.* 25:643-649.
- Grizzle, R.E., J.K. Greene, and L.D. Coen, 2008. Seston removal by natural and constructed intertidal eastern oyster (*Crassostrea virginica*) reefs: a comparison with previous laboratory studies, and the value of *in situ* methods. *Estuaries and Coasts* 31:1208-1220.
- Gutiérrez, J.L., C.G. Jones, D.L. Strayer and O.O. Iribarne, 2003. Mollusks as ecosystem engineers: the role of shell production in aquatic habitats. *Oikos* 101:79-90.

- Haertel-Borer, S.S., D.M. Allen, and R.F. Dame, 2004. Fishes and shrimps are significant sources of dissolved inorganic nutrients in intertidal marsh creeks. *Journal of Experimental Marine Biology and Ecology* 311:79-99.
- Hawkins, A.J.S., R.F.M. Smith, B.L. Bayne, and M. Héral, 1996. Novel observations underlying fast growth of suspension-feeding shellfish in turbid environments: *Mytilus edulis*. *Mar. Ecol. Prog. Ser.* 131:179-190.
- Harding, J. M., 1999. Selective feeding behavior of larval naked gobies *Gobiosoma bosc* and blennies *Chasmodes bosquianus* and *Hypsoblennius hentzi*: preferences for bivalve veligers. *Marine Ecology Progress Series* 179:145-153.
- Harding, J.M. and R. Mann, 1999. Fish species richness in relation to restored oyster reefs, Piankatank River, VA. *Bull. Mar. Sci.* 65:289-300.
- Harding, J.M. and R. Mann, 2000. Estimates of naked goby (*Gobiosoma bosc*), striped blenny (*Chasmodes bosquianus*) and eastern oyster (*Crassostrea virginica*) larval production around a restored Chesapeake Bay oyster reef. *Bull. Mar. Sci.* 66:29-45.
- Harding, J.M. and R. Mann, 2001. Habitat use by bluefish (*Pomatomus saltatrix*) in relation to restored oyster reefs in the Chesapeake Bay. *Environ. Biol. Fish.* 60:401-409.
- Harding, J.M., 2001. Seasonal, diurnal, and tidal patterns of zooplankton abundance in distribution in relation to a restored Chesapeake Bay oyster reef. *Estuaries* 24:453-466.
- Harding, J.M. and R. Mann, 2001. Oyster reef habitat use by estuarine fishes: Optimal or essential fish habitat? *J. Shellfish Res.* 20:951-959
- Harding, J.M., R. Mann, P. Kingsley-Smith, and D. Savini, 2007. Comparison of predation signatures left by Atlantic oyster drills (*Urosalpinx cinerea* Say; Muricidae) and veined rapa whelks (*Rapana venosa* Valenciennes, Muricidae) in bivalve prey. *J. Exp. Mar. Biol. Ecol.* 352:1-11.
- Harding, J.M., 2007. Comparison of growth rates between diploid DEBY eastern oysters (*Crassostrea virginica*, Gmelin 1791), triploid eastern oysters, and triploid Suminoe oysters (*C. ariakensis*, Fugita 1913). *J. Shellfish Res.* 26:961-972.
- Harding, J.M., R. Mann, and M. Southworth, 2008. Shell length-at-age relationships in James River, Virginia oysters (*Crassostrea virginica*) collected four centuries apart. *J. Shellfish Res.* 27:1109-1115.
- Harding, J.M. and R. Mann, 2010. Observations on the distribution, size, and sex ratio of mature blue crabs *Callinectes sapidus* Rathbun from a Chesapeake Bay tributary in relation to oyster habitat and environmental factors. *Bull. Mar. Sci.* 86:75-91.
- Harding, J.M., R. Mann, M.J. Southworth, and J.A. Wesson, 2010. Management of the Piankatank River, Virginia in support of Oyster (*Crassostrea virginica*, Gmelin 1791) Fishery repletion. *J. Shellfish Res.* 29:867-888.
- Harding, J.M., M.J. Southworth, and R. Mann, 2010. Observations of blue crabs (*Callinectes sapidus*, Rathbun, 1896) on Shell Bar oyster reef, Great Wicomico River, Virginia, USA. *J. Shellfish Res.* 29:995-1004.

- Harwell, H.D., P.R. Kingsley-Smith, M.L. Kellogg, S.M. Allen, S.K. Allen, Jr., D.W. Meritt, K.T. Paynter, Jr., and M.W. Luckenbach, 2010. A comparison of *Crassostrea virginica* and *C. ariakensis* in Chesapeake Bay: does oyster species affect habitat function? *J. Shellfish Res.* 29:253–269.
- Harwell, H.D., 2010. Habitat complexity and habitat function of native (*Crassostrea virginica*) and non-native (*Crassostrea ariakensis*) oysters in the Chesapeake Bay region. Ph.D. Dissertaton, VIMS, 202pp.
- Harwell, H.D., M.H. Posey and T.D. Alphin, 2011. Landscape aspects of oyster reefs: Effects of fragmentation on habitat utilization. *J. Exp. Mar. Biol. Ecol.* 409:30–41.
- Harsh, D.A. and M.W. Luckenbach, 1999. Materials processing by oysters in patches: interactive roles of current speed and seston composition. In: Luckenbach, M.W., R. Mann and J.A. Wesson, Eds. *Oyster Reef Habitat Restoration. A Synopsis and Synthesis of Approaches.* Virginia Institute of Marine Science Press. Virginia Institute of Marine Science Press, Gloucester Point, VA, pp. 251-265.
- Heck, K.L., Jr. J. Cebrian, S.P. Powers, N. Geraldi, R. Plutchak, D. Byron, and K. Major (In Review). Ecosystem services provided by oyster reefs: an experimental assessment. *Mar. Ecol. Prog. Ser.*
- Heffernan, P.B., R.L. Walker, and J.L. Carr, 1989. Gametogenic cycles of three marine bivalves in Wassaw Sound, Georgia II: *Crassostrea virginica* (Gmelin, 1791). *J. Shellfish Res.* 8:61-70.
- Hégaret, H., S.E. Shumway, G.H. Wikfors, S. Pate and J.M. Burkholder, 2008. Potential transport of harmful algae through relocation of bivalve molluscs. *Mar. Ecol. Prog. Ser.* 361:169-179.
- Hofmann, E.E., J.M. Klinck, E.N. Powell, S. Boyles, and M. Ellis, 1994. Modeling oyster populations II. Adult size and reproductive effort. *J. Shellfish Res.* 13:165–182.
- Hofmann, E.E., E.N. Powell, J.M. Klinck, and E.A. Wilson, 1992. Modeling oyster populations. III. Critical feeding periods, growth and reproduction. *J. Shellfish Res.* 11:399–416.
- Hosack, G.R., B.R. Dumbauld, J.L. Ruesink, and D.A. Armstrong, 2006. Habitat associations of estuarine species: comparisons of intertidal mudflat, seagrass (*Zostera marina*), and oyster (*Crassostrea gigas*) habitats. *Estuaries and Coasts* 29(6B):1150–1160.
- Humphries, A.T., M.K. La Peyre, M.E. Kimball, and L.P. Rozas, 2011. Testing the effect of habitat structure and complexity on nekton assemblages using experimental oyster reefs. *J. Exp. Mar. Biol. Ecol.* 409:172–179.
- Jackson, J.B.C., M.X. Kirby, W.H. Berger, K.A. Bjorndal, L.W. Botsford, B. J. Bourque, R.H. Bradbury, R. Cooke, E. Jon, J.A. Estes, T.P. Hughes, S. Kidwell, C.B. Lange, H.S. Lenihan, J.M. Pandolfi, C.H. Peterson, R.S. Steneck, M.J. Tegner, and R.R. Warner, 2001. Historical overfishing and the recent collapse of coastal ecosystems. *Science* 293:629-638.

- Johnson, M.W., S.P. Powers, J. Senne, and K. Park, 2009. Assessing in situ tolerances of Eastern oysters (*Crassostrea virginica*) under moderate hypoxic regimes: implications for restoration. *J. Shellfish Res.* 28:185–192.
- Jones, C.G., J.H. Lawton and M. Shachak, 1994. Organisms as ecosystem engineers. *Oikos* 69:373-386.
- Jordan, S.J., and J.M. Coakley, 2004. Long-term projections of eastern oyster populations under various management scenarios. *J. Shellfish Res.* 23:63–72.
- Kaufman, L.; P.K. Dayton, 1997. Impacts of marine resource extraction on ecosystem services and sustainability, In: Daily, G.C., (Ed.), *Nature's Services: Societal Dependence on Natural Ecosystems*. Island Press, Washington, D.C., pp. 275-293.
- Kennedy, V.S., K.S. Shaw and R.I.E. Newell, 2009. Discriminatory predation by three invertebrates on eastern oysters (*Crassostrea virginica*) compared to non-native Suminoe oysters (*C. ariakensis*). *Invertebrate Biology.* 128:16-25.
- Kimbro, D.L., and E.D. Grosholz, 2006. Disturbance influences oyster community richness and evenness, but not diversity. *Ecology* 87:2378-2388.
- Kimbro, D.L., J. Largier, and E.D. Grosholz, 2009. Coastal oceanographic processes influence the growth and size of a key estuarine species, the Olympia oyster. *Limnol. Oceanogr.* 54:1425–1437.
- Kimbro, D. L. E. D. Grosholz, A. Baukus, N. Nesbitt, N. Travis, S. Attoe, and C. Coleman-Hulbert. 2009. Invasive species cause large-scale loss of native California oysters by disrupting trophic cascades. *Oecologia* 160: 563-575.
- Knights, A.M., and K. Walters, 2010. Recruit-recruit interactions, density-dependent processes and population persistence in the eastern oyster *Crassostrea virginica*. *Marine Ecology-Progress Series* 404:79-90.
- Koehn, R.K., and S.E. Shumway, 1982. A genetic/physiological explanation for differential growth rate among individuals of the American oyster, *Crassostrea virginica* (Gmelin). *Marine Biology Letters* 3:35-42.
- Kochmann, J., C. Buschbaum, N. Volkenborn, and K. Reise, 2008. Shift from native mussels to alien oysters: Differential effects of ecosystem engineers. *J. Exp. Mar. Biol. Ecol.* 364:1–10.
- Krassoi, K.R., K.R. Brown, M.J. Bishop, B.P. Kelaher, and S. Summerhayes, 2008. Condition-specific competition allows coexistence of competitively superior exotic oysters with native oysters. *J. of Anim. Ecol.* 77:5
- Krauter, J.N., S. Ford, and M. Cummings, 2007. Oyster growth analysis: a comparison of methods. *J. Shellfish Res.* 26:479-491.
- Lenihan, H.S., 1996. Physical-biological coupling on oyster reefs: hydrodynamics, sedimentation, and the production of oysters. Ph.D. Dissertation. University of North Carolina at Chapel Hill.

- Lenihan, H.S., C.H. Peterson, and J.M. Allen, 1996. Does flow speed also have a direct effect on growth of active suspension feeders: an experimental test on oysters, *Crassostrea virginica* (Gmelin). *Limnol. Oceanogr.* 41:1359-1366.
- Lenihan, H.S., C.H. Peterson, 1998. How habitat degradation through fishery disturbance enhances impacts of hypoxia on oyster reefs. *Ecological Applications* 8:128-140.
- Lenihan, H.S., F. Micheli, S.W. Shelton, and C.H. Peterson, 1999. The influence of multiple environmental stressors on susceptibility to parasites: an experimental determination with oysters. *Limnol. Oceanogr.* 44:910-924.
- Lenihan, H.S., 1999. Physical-biological coupling on oyster reefs: how habitat structure influences individual performance. *Ecological Monographs* 69:251-275.
- Lenihan, H. S., and F. Micheli, 2000. Biological effects of shellfish harvesting on oyster reefs: resolving a fishery conflict by ecological experimentation. *Fishery Bulletin* 98:86-95.
- Lenihan, H.S., C.H. Peterson, J.E. Byers, J.H. Grabowski, G.W. Thayer, and D.R. Colby, 2001. Cascading of habitat degradation: oyster reefs invaded by refugee fishes escaping stress. *Ecological Applications* 11:764-782.
- Loftin, L.B., H.D. Hoese, and M.A. Konikoff, 2011. Will overfishing and proposed Mississippi River diversions imperil Louisiana oyster fisheries: commentary and review. *Gulf of Mexico Science* 2011:1-12.
- Luckenbach, M.W., L.D. Coen, P. G. Ross, Jr., and J.A. Stephen, 2005. Oyster reef habitat restoration: relationships between oyster abundance and community development based on two studies in Virginia and South Carolina. *J. of Coastal Research Special Issue* 40:64-78.
- Luckenbach, M.W. and P.G. Paige, 2003. An experimental evaluation of the effects of scale on oyster reef restoration. A final report to VA Sea Grant Consortium, 120pp.
- Mann, R., 2000. Restoring the oyster reef communities in the Chesapeake Bay: a commentary. *J. Shellfish Res.* 19:335-339.
- Mann, R., M. Southworth, J.M. Harding, and J. Wesson, 2004. A comparison of dredge and patent tongs for estimation of oyster populations. *J. Shellfish Res.* 23:387-390.
- Mann, R., M. Southworth, J.M. Harding, and J.A. Wesson, 2009. Population studies of the native oyster *Crassostrea virginica* (Gmelin) in the James River, Virginia, USA. *J. Shellfish Res.* 28:1-30.
- Mann, R., J.M. Harding, and M.J. Southworth, 2009. Reconstructing pre-colonial oyster demographics in the Chesapeake Bay, USA. *Estuar. Coast. Shelf Sci.* 85:217-222.
- Manley, J., A. Power, R. Walker, D. Hurley, C. Belcher and J. Richardson, 2010. Ecological succession on restored intertidal oyster habitat in the tidal creeks of coastal Georgia *J. Shellfish Res.* 29: 917-926.

- Marenghi, F.P. and G. Ozbay, 2010. Floating oyster, *Crassostrea virginica* Gmelin 1791, aquaculture as habitat for fishes and macroinvertebrates in Delaware Inland Bays: the Comparative value of oyster clusters and loose shell. *J. Shellfish Res.* 29:889-904.
- Milbury, C.A., D.W Meritt, R.I.E. Newell, and P.M. Gaffney, 2004. Mitochondrial DNA markers allow monitoring of oyster stock enhancement in the Chesapeake Bay. *Marine Biology.* 145:351-359.
- Meyer, D.L., E.C. Townsend; G.W. Thayer, 1997. Stabilization and erosion control value of oyster cultch for intertidal marsh. *Restoration Ecology* 5:93-99.
- Meyer, D.L., E.C. Townsend, 2000. Faunal utilization of created intertidal eastern oyster (*Crassostrea virginica*) reefs in the southeastern United States. *Estuaries* 23:33-45.
- Michener, W.K., and P.D. Kenny, 1991. Spatial and temporal patterns of *Crassostrea virginica* (Gmelin) recruitment: relationship to scale and substratum. *J. Exp. Mar. Biol. Ecol.* 154:97-121.
- Nelson, K.A., L.A. Leonard, M.H. Posey, T.D. Alphin and M.A. Mallin, 2004. Using transplanted oyster beds to improve water quality in small tidal creeks: a pilot study. *J. Exp. Mar. Bio. Ecol.* 298:347-368.
- Nestlerode, J.A., 2004. Evaluating restored oyster reefs in Chesapeake Bay: how habitat structure influences ecological function. Ph.D. Dissertation, VIMS, 262 pp.
- Nestlerode, J.A., M.W. Luckenbach, F.X. O'Beirn, 2007. Settlement and survival of the oyster *Crassostrea virginica* on constructed oyster reef habitats in Chesapeake Bay. *Restoration Ecology* 15:273-283.
- Newell, R.I.E. and S.J. Jordan, 1983. Preferential ingestion of organic material by the American oyster *Crassostrea virginica*. *Marine Ecology Progress Series* 13:47-53.
- Newell, R.I.E., G.S.J. Alspach, V.S. Kennedy, and D. Jacobs, 2000. Mortality of newly metamorphosed eastern oysters (*Crassostrea virginica*) in mesohaline Chesapeake Bay. *Marine Biology* 136:665-676.
- Newell, R.I.E., Cornwell, J.C., and M.S. Owens, 2002. Influence of simulated bivalve biodeposition and microphytobenthos on sediment nitrogen dynamics: a laboratory study. *Limnol. Oceanogr.* 47(5):1367-1379.
- Newell, R.I.E. and E.W. Koch, 2004. Modeling seagrass density and distribution in response to changes in turbidity stemming from bivalve filtration and seagrass sediment stabilization. *Estuaries.* 27:793-806.
- Newell, R.I.E., T.R. Fisher, R.R. Holyoke, and J.C. Cornwell. 2005. Influence of eastern oysters on N and P regeneration in Chesapeake Bay, USA. Page 93-120, In: *The comparative Roles of Suspension Feeders in Ecosystems.* R. Dame and S. Olenin, Eds., Vol. 47 NATO Science Series: IV - Earth and Environmental Sciences. Springer, Netherlands.

- Newell, R.I.E., W.M. Kemp, J.D. Hagy, and C.F. Cerco, J.M. Testa, W.R. Boynton, 2007. Top-down control of phytoplankton by oysters in Chesapeake Bay, USA: Comment on Pomeroy et al. (2006). *Mar. Ecol. Prog. Ser.* 341: 293–298.
- Newell, R.I.E., V.S. Kennedy, and K. S. Shaw, 2007. Comparative vulnerability to predators, and induced defense responses, of eastern oysters *Crassostrea virginica* and non-native *Crassostrea ariakensis* oysters in Chesapeake Bay. *Marine Biology* 152:449-460.
- North, E.W., J. Xu, R.R. Hood, R.I.E. Newell, D.F. Boesch, M.W. Luckenbach, and K.T. Paynter, in manuscript. Quantifying the ability of eastern oysters to filter the waters of Chesapeake Bay.
- North, E.W., Z. Schlag, R.R. Hood, M. Li, L. Zhong, T. Gross, and V.S. Kennedy, 2008. Vertical swimming behavior influences the dispersal of simulated oyster larvae in a coupled particle-tracking and hydrodynamic model of Chesapeake Bay. *Mar. Ecol. Prog. Ser.* 359: 99-115.
- North, E.W., D.M. King, J. Xu, R.R. Hood, R.I.E. Newell, K.T. Paynter, M.L. Kellogg, M.K. Liddel, and D.F. Boesch, 2010. Linking optimization and ecological models in a decision support tool for oyster restoration and management. *Ecological Applications* 20: 851–866.
- O’Beirn, F.X., P.B. Heffernan, R.L. Walker, and M.L. Jansen, 1996a. Young of the year oyster, *Crassostrea virginica*, reproduction in coastal Georgia. *Estuaries* 19(3):651-658.
- O’Beirn, F.X., P.B. Heffernan, and R.L. Walker, 1996b. Recruitment of the eastern oyster in coastal Georgia: patterns and recommendations. *North American Journal of Fisheries Management* 16:413-426.
- O’Beirn, F.X., M.W. Luckenbach, J.A. Nestlerode, and G.M. Coates, 2000. Toward design criteria in constructed oyster reefs: oyster recruitment as a function of substrate type and tidal height. *Journal of Shellfish Research* 19:387-395.
- Ogburn, D.M., I. White and D.P. McPhee, 2007. The disappearance of oyster reefs from eastern Australian estuaries - Impact of colonial settlement or mudworm invasion? *Coastal Management* 35:271–287.
- Ortega, S. and J. P. Sutherland, 1992. Recruitment and growth of the eastern oyster, *Crassostrea virginica*, in North Carolina. *Estuaries* 15:158-170.
- Osman, R.W., R.B. Whitlatch, and R.N. Zajac, 1989. Effects of resident species on recruitment into a community: larval settlement versus post-settlement mortality in the oyster *Crassostrea virginica*. *Marine Ecology Progress Series* 54:61-73.
- Paynter, K.T., V. Politano, H.A. Lane, S.M. Allen, and D. Meritt, 2010. Growth rates and prevalence of *Perkinsus marinus* in restored oyster populations in Maryland. *J. of Shellfish Res.* 29:309-317.
- Pascoe, P.L., H.E. Parry, and A.J.S. Hawkins, 2009. Observations on the measurement and interpretation of clearance rate variations in suspension-feeding bivalve shellfish. *Aquat. Biol.* 6: 181–190.

- Peterson, C.H., J. Jackson, M. Kirby, H. Lenihan, B. Bourque, R. Bradbury, R. Cooke, and S. Kidwell. 2001. Response to Boesch et al. *Science* 293:1590-1591.
- Peterson, C.H., J. Lubchenco, 1997. Marine ecosystem services. In: Daily, G.C., (Ed.), *Nature's Services: Societal Dependence On Natural Ecosystems*. Island Press, Washington, D.C., pp. 177-194.
- Peterson, C.H., and R.N. Lipcius, 2003. Conceptual progress towards predicting quantitative ecosystem benefits of ecological restorations. *Marine Ecology Progress Series* 264: 297-307.
- Piazza, B.P., P.D. Banks, and M.K. La Peyre, 2005. The potential for created oyster shell reefs as a sustainable shoreline protection strategy in Louisiana. *Restoration Ecology* 13:499–506.
- Pietros, J.M. and M.A. Rice, 2003. The impacts of aquacultured oysters, *Crassostrea virginica* (Gmelin, 1791) on water column nitrogen and sedimentation: results of a mesocosm study. *Aquaculture* 220:407-422.
- Plunket, J.T., and M. La Peyre, 2005. Oyster beds as fish and macroinvertebrate habitat in Barataria Bay, Louisiana. *Bulletin of Marine Science* 77:155-164. Notes
- Plutchak, R., K. Major, J. Cebrian, C.D. Foster, M.-E.C. Miller, A. Anton, K.L. Sheehan, K.L. Heck, Jr. and S.P. Powers, 2010. Impacts of oyster reef restoration on primary productivity and nutrient dynamics in tidal creeks of the north central Gulf of Mexico. *Estuaries and Coasts* 33:1355–1364.
- Pomeroy, L.R., C.F. D’Elia, L.C. Schaffner, 2007. Top-down control of phytoplankton by oysters in Chesapeake Bay, USA: Reply to Newell et al. (2007). *Mar. Ecol. Prog. Ser.* 341: 299–301.
- Porter, E.T., J.C. Cornwell, L.P. Sanford, and R.I.E. Newell, 2004. Effect of oysters *Crassostrea virginica* and bottom shear velocity on benthic-pelagic coupling and estuarine water quality. *Mar. Ecol. Prog. Ser.* 271:61-75.
- Posey, M. H., T. D. Alphin, C. M. Powell, and E. Townsend, 1999. Oyster reefs as habitat for epibenthic fish and decapods. In: M. Luckenbach, R. Mann and J. Wesson, editors, pp. 229-237. *Oyster reef habitat restoration: a synopsis of approaches*. VIMS Press, Williamsburg, VA.
- Powell, E.N., and J.M. Klinck, 2007. Is oyster shell a sustainable estuarine resource? *Journal of Shellfish Research* 26:181-194.
- Powell, E.N., J.N. Krauter, and K.A. Ashton-Alcox, 2006. How long does oyster shell last on an oyster reef? *Estuarine Coastal and Shelf Science* 69:531-542.
- Powell, E.N., K.A. Ashton-Alcox, J.N. Krauter, S.E. Ford and D. Bushek, 2008. Long-term trends in oyster population dynamics in Delaware Bay: regime shifts and response to disease. *J. Shellfish Res.* 27:729-755.
- Powers, S. P., C. H. Peterson, J. H. Grabowski, and H. S. Lenihan. 2009. Success of constructed oyster reefs in no-harvest sanctuaries: implications for restoration. *Mar. Ecol. Prog. Ser.* 389:159–170.

- Quan, W.M., J.X. Zhu, Y. Ni, L.Y. Shi, and Y.Q. Chen. 2009. Faunal utilization of constructed intertidal oyster (*Crassostrea rivularis*) reef in the Yangtze River estuary, China. *Ecological Engineering* 35: 1466–1475.
- Quan, W.M., A.T. Humphries, and L.Y. Shi, and Y.Q. Chen, 2011. Determination of trophic transfer at a created intertidal oyster (*Crassostrea ariakensis*) reef in the Yangtze River estuary using stable isotope analyses. *Estuaries Coasts* DOI 10.1007/s12237-011-9414-6.
- Rainer, J.S., and R. Mann, 1992. A comparison of methods for calculating condition index in eastern oysters, *Crassostrea virginica*, (Gmelin, 1791). *J. Shellfish Res.* 11:55-58.
- Robillard, M.M.R., G.W. Stunz and J. Simons, 2010. Relative value of deep subtidal oyster reefs to other estuarine habitat types using a novel sampling method. *J. Shellfish Res.* 29:291-302.
- Rodney, W.S., and K.T. Paynter, 2006. Comparisons of macrofaunal assemblages on restored and non-restored oyster reefs in mesohaline regions of Chesapeake Bay in Maryland. *J. Exp. Mar. Biol. Ecol.* 335:39-51.
- Roegner, G.C., and R. Mann, 1995. Early recruitment and growth of the American oyster *Crassostrea virginica* (Bivalvia: Ostreidae) with respect to tidal zonation and season. *Mar. Ecol. Prog. Ser.* 117:91-101.
- Rothschild, B.J., J.S. Ault, P. Gouletquer, M. Héral, 1994. Decline of the Chesapeake Bay oyster population: a century of habitat destruction and overfishing. *Mar. Ecol. Prog. Ser.* 111:29-39.
- Schulte, D.M., R.P. Burke, and R.N. Lipcius, 2009. Unprecedented restoration of a native oyster metapopulation. *Science* 325:1124-1128.
- Shervette, V.R., and F. Gelwick, 2008. Seasonal and spatial variations in fish and macroinvertebrate communities of oyster and adjacent habitats in a Mississippi estuary. *Estuaries Coasts* 31:584-596.
- Shervette, V.R., F. Gelwick, and N. Hadley, 2011. Decapod utilization of adjacent oyster, vegetated marsh, and non-vegetated bottom habitats in a Gulf of Mexico estuary. *Journal of Crustacean Biology* 31:660-667.
- Simonsen, K.A., 2008. The effect of an inshore artificial reef on the community structure and feeding ecology of estuarine fishes in Barataria Bay, Louisiana. Unpublished MS thesis, LSU, Baton Rouge, LA.
- Smaal, A.C., and H.A. Haas, 1997. Seston dynamics and food availability on mussel and cockle beds. *Estuarine, Coastal and Shelf Science* 45:247-259.
- Smith, G.F., D.G. Bruce, E.B. Roach, A. Hansen, R.I.E. Newell, and A.M. McManus, 2005. Habitat conditions of mesohaline oyster bars in the Maryland Chesapeake Bay: An assessment of 40 years of oyster management. *North American Journal of Fisheries Management* 25:1569-1590.
- Soniat, T.M., and M.S. Brody, 1989. Field validation of a habitat suitability index model for the American oyster. *Estuaries* 11:87-95.

- Soniat, T.M., C.M. Finelli and J.T. Ruiz, 2004. Vertical structure and predator refuge mediate oyster reef development and community dynamics. *J. Exp. Mar. Biol. Ecol.* 310:163-182.
- Southworth, M., and R. Mann, 1998. Oyster reef broodstock enhancement in the Great Wicomico River, Virginia. *Journal of Shellfish Research* 17:1101-1114.
- Southworth, M.J., J.M. Harding, R. Mann, and J.A. Wesson, 2010. Oyster (*Crassostrea virginica*; Gmelin 1791) population dynamics on public reefs in the Great Wicomico River, Virginia, USA. *J. Shellfish Res.* 29:271-290.
- Stunz, G.W., T.J. Minello, and P.S. Levin, 2002. A comparison of early juvenile red drum densities among various habitat types in Galveston Bay, Texas. *Estuaries* 25:76–85.
- Stunz, G.W., T.J. Minello, and L.R. Rozas, 2010. Relative value of oyster reef as habitat for estuarine nekton in Galveston Bay, Texas. *Mar. Ecol. Prog. Ser.* 406:147-159.
- Summerhayes, S.A., M.J. Bishop, A. Leigh, and B.P. Kelaher, 2009a. Effects of oyster death and shell disarticulation on associated communities of epibiota. *J. Exp. Mar. Biol. Ecol.* 379:60–67.
- Summerhayes, S.A., Kelaher, B.P., Bishop, M.J., 2009b. Spatial patterns of wild oysters in the Hawkesbury River, NSW, Australia. *J. Shellfish Res.* 28:447–451.
- Tallman, J.C., and G.E. Forrester, 2007. Oyster grow-out cages function as artificial reefs for temperate fishes. *Trans. Amer. Fish. Soc.* 136:790–799.
- Tamburri, M.N., R.K. Zimmer-Faust, M.L. Tamplin, 1992. Natural sources and properties of chemical inducers mediating settlement of oyster larvae: a re-examination. *Biological Bulletin* 183:327-338.
- Thomsen, M.S., B.R. Silliman, and K.J. McGlathery, 2007. Spatial variation in recruitment of native and invasive sessile species onto oyster reefs in a temperate soft-bottom lagoon. *Estuarine, Coastal Shelf Science* 72:89-101.
- Tolley, S.G., A.K. Volety, and M. Savarese, 2005. Influence of salinity on the habitat use of oyster reefs in three southwest Florida estuaries. *J. Shellfish Res.* 24:127-138.
- Tolley, S.G. and A.K. Volety, 2005. The role of oysters in habitat use of oyster reefs by resident fishes and decapod crustaceans. *J. Shellfish Res.* 24:1007-1012.
- Tolley, S.G., A.K. Volety, M. Savarese, L.D. Walls, C. Linardich, and E.M. Everham, 2006. Impacts of salinity and freshwater inflow on oyster-reef communities in SW Florida. *Aquatic Living Resources.* 19: 371-387.
- Turner, E.J., R.K. Zimmer-Faust, M.A. Palmer, M. Luckenbach, N.D. Pentcheff, 1994. Settlement of oyster (*Crassostrea virginica*) larvae: effects of water flow and a water-soluble chemical cue. *Limnol. Oceanogr.* 39:1579-1593.
- Turner, R.E., 2006. Will lowering estuarine salinity increase Gulf of Mexico oyster landings? *Estuaries Coasts* 29:345-352.
- Ulanowicz, R.E., J.H. Tuttle, 1992. The trophic consequences of oyster stock rehabilitation in Chesapeake Bay. *Estuaries* 15:298-306.

- Volety, A.K., M. Savarese, S.G. Tolley, W.S. Arnold, P. Sime, P. Goodman, R.H. Chamberlain, P.H. Doering, 2009. Eastern oysters (*Crassostrea virginica*) as an indicator for restoration of Everglades ecosystems. *Ecological Indicators* 9(6) Supplement 1: S120-S136.
- Walters, K., and L.D. Coen, 2006. A comparison of statistical approaches to analyzing community convergence between natural and constructed oyster reefs. *J. Exp. Mar. Biol. Ecol.* 330:81-95.
- Walters, L.J., P.E. Sacks, M.Y. Bobo, D.L. Richardson and L.D. Coen, 2007. Impact of hurricanes on intertidal oyster reefs in Florida: reef profiles and disease prevalence. *Florida Scientist* 70:506–521.
- Wenner, E., H.R. Beatty and L. Coen. 1996. A quantitative system for sampling nekton on intertidal oyster reefs. *J. Shellfish Res.* 15:769-775.
- Wrast, J.L., 2008. Spatiotemporal and habitat-mediated food web dynamics in Lavaca Bay, Texas. M.S. thesis, Texas A&M University.
- Zimmer-Faust, R.K., M.N. Tamburri, 1994. Chemical identity and ecological implications of a waterborne, larval settlement cue. *Limnology and Oceanography* 39:1075-1087.

### **Relevant Genetics for Restoration**

- Buroker, N.E., 1983. Population genetics of the American oyster *Crassostrea virginica* along the Atlantic coast and Gulf of Mexico. *Marine Biology* 75:99-112.
- Carlsson, J., Carnegie, R.B., Cordes, J.F., Hare, M.P., Leggett, A.T. and K.S. Reece, 2008. Evaluating recruitment contribution of a selectively bred *Crassostrea virginica* oyster aquaculture line used in restoration efforts. *J. Shellfish Res.* 27:1117-1124.
- Cordes, J.F., Xiao J. and K.S. Reece, 2008. Discrimination of oyster species (*Crassostrea*: Mollusca) based on restriction fragment-length polymorphism (RFLP) analysis of nuclear and mitochondrial DNA markers. *J. Shellfish Res.* 27:1155-1161.
- Carlsson, J., Morrison, C. and K.S. Reece, 2006. Wild and aquaculture populations of the Eastern oyster compared using microsatellites. *J. Hered.* 97:595-598.
- Gaffney, P.M., 2006. The role of genetics in shellfish restoration. *Aquat. Living Resources* 19:277-282.
- Hare, M.P. and J.C. Avise, 1996. Molecular genetic analysis of a stepped multilocus cline in the American oyster (*Crassostrea virginica*). *Evolution* 50:2305-2315.
- Hare, M., Allen, S.K., Jr., Bloomer, P., Camara, M.D., Carnegie, R.B., Murfree, J., Luckenbach, M., Meritt, D., Morrison, C., Paynter, K.T., Reece, K.S. and C. Rose, 2006. A genetic test for recruitment enhancement in Chesapeake Bay oysters, *Crassostrea virginica*, after population supplementation with a disease tolerant strain. *Cons. Genetics.* 7:717-734.

- Hoover, C.A., and P.M. Gaffney, 2005. Geographic variation in nuclear genes of the eastern oyster, *Crassostrea virginica* Gmelin. *J. Shellfish Res.* 24:103-112
- Hedgecock, D., Gaffney, P.M., Gouletquer, P., Guo, X., Reece, K. and G.W. Warr, 2005. The case for sequencing the Pacific oyster genome. *J. Shellfish Res.* 24:429-441.
- Inmaculada López-Flores • Carmelo Ruiz-Rejón , I.Cross, L. Rebordinos, F. Robles, R. Navajas-Pérez, and R. de la Herrán, 2011. Molecular characterization and evolution of an interspersed repetitive DNA family of oysters. *Genetica* DOI 10.1007/s10709-010-9517-1
- Murray, M. and M.P. Hare, 2006. Genomic evidence for divergent selection between Atlantic and Gulf of Mexico oysters, *Crassostrea virginica*. *Molecular Ecology* 15:4229-4242.
- Milbury, C.A., D.W Meritt, R.I.E. Newell, and P.M. Gaffney, 2004. Mitochondrial DNA markers allow monitoring of oyster stock enhancement in the Chesapeake Bay. *Marine Biology* 145:351-359.
- Reece, K.S., Ribeiro, W.L., Gaffney, P.M., Carnegie, R.B. and S.K. Allen, Jr., 2004. Microsatellite marker development and analysis in the eastern oyster, *Crassostrea virginica*: Confirmation of null alleles and non-Mendelian segregation ratios. *J. Heredity* 95:346-352.
- Reece, K.S., J.F. Cordes, J.B. Stubbs, E. Francis, and K. Hudson, 2008. Molecular phylogeny of *Crassostrea* spp. as inferred from mitochondrial and nuclear DNA sequences. *Mar. Biol.* 153(4): 709-721.
- Robinson T.B., C.L. Griffiths, A. Tonin, P. Bloomer, and M.P. Hare, 2005. Naturalized populations of *Crassostrea gigas* along the South African coast: distribution, abundance and population structure. *J. of Shellfish Res.* 24(2):443-450.
- Rose, C. G., K. T. Paynter, and M. Hare, 2006. Isolation by distance in the eastern oyster, *Crassostrea virginica*, in Chesapeake Bay. *J. Heredity* 97(2):158-170.
- Wang, H., L. Qian, X. Liu, G. Zhang and X. Guo, 2010. Classification of a common cupped oyster from southern China *J. Shellfish Res.* 29:857-866.
- Zhang, Q., Allen, S.K., Jr. and K.S. Reece, 2005. Genetic variation in wild and hatchery stocks of Suminoe oyster (*Crassostrea ariakensis*) assessed by PCR-RFLP and microsatellite markers. *Mar. Biotechnol.* 7(6):588-599.

### **Ocean Acidification, Climate and Related Topics**

- Bamber, R.N., 1987 The effects of acidic sea water on young carpetshell clams *Venerupis decussata* (L.) (Mollusca: Veneracea). *J. Exp. Mar. Biol. Ecol.* 108:241–260.
- Bamber, R.N., 1990. The effects of acidic seawater on three species of lamellibranch mollusc. *J. Exp. Mar. Biol. Ecol.* 143:181–191.

- Berge, J.A., B. Bjerkeng, O. Pettersen, M.T. Schaanning, and S. Øxnevad, 2006. Effects of increased sea water concentrations of CO<sub>2</sub> on growth of the bivalve *Mytilus edulis* L. *Chemosphere* 62:6814–6817.
- Bibby, R., S. Widdicombe, H. Parry, J. Spicer, and R. Pipe, 2008. Effects of ocean acidification on the immune response of the blue mussel *Mytilus edulis*. *Aquat. Biol.* 2:67–74.
- Borges, A.V. and N. Gypens, 2010. Carbonate chemistry in the coastal zone responds more strongly to eutrophication than to ocean acidification. *Limnol. Oceanogr.* 55:346–353.
- Byrne, M., N.A. Soars M.A. Ho, E. Wong, D. McElroy, P. Selvakumaraswamy, S.A. Dworjanyn, and A.R. Davis, 2010. Fertilization in a suite of coastal marine invertebrates from SE Australia is robust to near-future ocean acidification. *Mar. Biol.* 157:2061–2069.
- Doney, S.C., V.J. Fabry, R.A. Feely, and J.A. Kleypas, 2009. Ocean acidification: the other CO<sub>2</sub> problem. *Ann. Rev. Mar. Sci.* 1:169–192.
- Dove, M.C., and J. Sammut 2007. Impacts of estuarine acidification on survival, growth of Sydney rock oysters *Saccostrea glomerata* (Gould 1850). *J. Shellfish Res.* 26:519–527.
- Fabry, V.J., B.A. Seibel, R.A. Feely, and J.C. Orr, 2008. Impacts of ocean acidification on marine fauna and ecosystem processes. *ICES J. Mar. Sci.* 65:414–432.
- Kleypas, J.A., R.W. Buddemeier, D. Archer, J-P. Gattuso, C. Langdon, and B.N. Opdyke, 2005. Impacts of ocean acidification on coral reefs and other marine calcifiers: a guide for future research. Report on workshop held 18–20 April 2005, sponsored by NSF, NOAA, and the US Geological Survey, St. Petersburg, FL.
- Gazeau, F., C. Quiblier. J.M. Jansen, J-P. Gattuso, J.J. Middelburg, C. Heip, and H.R. Carlo, 2007. Impact of elevated CO<sub>2</sub> on shellfish calcification. *Geophys. Res. Lett.* 34(7):L07603 doi:10.1029/2006GL 028554
- Gooding, R.A., C.D.G. Harley, and E. Tang, 2009. Elevated water temperature and carbon dioxide concentration increase the growth of a keystone echinoderm. *PNAS* 106:9316–9321.
- Green, M.A., M.E. Jones, C.L. Boudreau, R.L. Moore, and B.A. Westman, 2004. Dissolution mortality of juvenile bivalves in coastal marine deposits. *Limnol. Oceanogr.* 49:727–734.
- Havenhand, J.N., and P. Schlegel, 2009. Near future levels of ocean acidification do not affect sperm motility and fertilization kinetics in the oyster *Crassostrea gigas*. *Biogeosci. Discuss.* 6:4573–4586.
- Hoegh-Guldberg, O., P.J. Mumby, A.J. Hooten, R.S. Steneck, P. Greenfield, E. Gomez, C.D. Harvell, P.F. Sale, A.J. Edwards, K. Caldeira, N. Knowlton, C.M. Eakin CM, R. Iglesias-Prieto, N. Muthiga, R.H. Bradbury, A. Dubi, and M.E. Hatziolos, 2007. Corals reefs under rapid climate change and ocean acidification. *Science* 318:1737–1742.

- Hofmann, G.E., M.J. O'Donnell, and A.E. Todgham, 2008. Using functional genomics to explore the effects of ocean acidification on calcifying marine organisms. *Mar. Ecol. Prog. Ser.* 373:219–225.
- Hopkins, F.E., S.M. Turnera, P.D. Nightingale, M. Steinke, D. Bakker, and P.S. Lissa, 2010. Ocean acidification and marine trace gas emissions. *PNAS* 107:760-765.
- Kimmel, D.G., and R.I.E. Newell, 2007. The influence of climate variation on eastern oyster (*Crassostrea virginica*) juvenile abundance in Chesapeake Bay. *Limnol. Oceanogr.* 52:959–965.
- Kirby, M.X., and H.M. Miller, 2005. Response of a benthic suspension feeder (*Crassostrea virginica* Gmelin) to three centuries of anthropogenic eutrophication in Chesapeake Bay. *Estuarine, Coastal Shelf Science* 62:679-689.
- Kurihara, H., 2008. Effects of CO<sub>2</sub>-driven ocean acidification on the early developmental stages of invertebrates. *Mar. Ecol. Prog. Ser.* 373:275–284.
- Kurihara, H., S. Kato, and A. Ishimatsu, 2007. Effects of increased seawater pCO<sub>2</sub> on early development of the oyster *Crassostrea gigas*. *Aquat. Biol.* 1:91–98.
- Levinton, J., Doall M., Ralston D., Starke A., Allam B. 2011. Climate change, precipitation and impacts on an estuarine refuge from disease. *PLoS ONE* 6(4):e18849. doi:10.1371/journal.pone.0018849
- Miller, A.W., A.C. Reynolds, C. Sobrino, and G.F. Riedel, 2009. Shellfish face uncertain future in high CO<sub>2</sub> world: influence of acidification on oyster larvae calcification and growth in estuaries. *Plus One* 4 (5):1–8.
- Orr, J.C., V.J. Fabry, O. Laurent Aumont, et al. 2005. Anthropogenic ocean acidification over the 21st century and its impact on calcifying organisms. *Nature* 437:681–686.
- Parker, L.M., P.M. Ross, W.A. O'Connor, 2009. The effect of ocean acidification and temperature on the fertilization and embryonic development of the Sydney rock oyster *Saccostrea glomerata* (Gould 1850). *Global Change Biol.* 15:2123–2136.
- Parker, L.M., P.M. Ross, W.A. O'Connor, 2011. Comparing the effect of elevated pCO<sub>2</sub> and temperature on the fertilization and early development of two species of oysters. *Mar Biol.* 157: 2435-2452.
- Parker, L.M., P.M. Ross, W.A. O'Connor, 2011. Populations of the Sydney rock oyster, *Saccostrea glomerata*, vary in response to ocean acidification. *Mar. Biol.* 158:689–697.
- Powell, E.N., J.D. Gauthier, E.A. Wilson, A. Nelson, R.R. Fay, and J.M. Brooks, 1992. Oyster disease and climate change. Are yearly changes in *Perkinsus marinus* parasitism in oysters (*Crassostrea virginica*) controlled by climatic cycles in the Gulf of Mexico? *P.S.Z.N.I.: Mar. Ecol.* 13:243–270.
- Ries, J.B., A.L. Cohen and D.C. McCorkle, 2009. Marine calcifiers exhibit mixed responses to CO<sub>2</sub>-induced ocean acidification. *Geology* 37:1131–1134.

- Society Royal, 2005. Ocean acidification due to increasing atmospheric carbon dioxide. Policy Document 12/05. The Royal Society, London, p 66.
- Waldbusser, G.G., E.P. Voigt, H. Bergschneider, M.A. Green, and R.I.E. Newell, 2011. Biocalcification in the Eastern oyster (*Crassostrea virginica*) in relation to long-term trends in Chesapeake Bay pH. *Estuaries and Coasts* 34:221-231.
- Wilbur, K.M., and N.G. Anderson, 1950. Carbonic anhydrase and growth in the oyster and busycon. *Biol Bull* 98:19–24.
- Zeebe, R.E., and D. Wolf-Gladrow, 2001. CO<sub>2</sub> in seawater: Equilibrium, kinetics, isotopes. Elsevier Oceanography Series 65:655, Amsterdam.

### **Shellfish-SAV, Bloom Interactions, Some Aquaculture**

- Bologna, P.A.X., M.L. Fetzner, S. McDonnell, and E.M. Moody, 2005. Assessing the potential benthic pelagic coupling in episodic blue mussel (*Mytilus edulis*) settlement events within eelgrass (*Zostera marina*) communities. *J. Exp. Mar. Biol. Ecol.* 316:117-131.
- Booth, D., and K. Heck, 2009. Impacts of the American oyster (*Crassostrea virginica*) on growth rates of the seagrass *Halodule wrightii*. *Mar. Ecol. Prog. Ser.* 389: 117–126.
- Carroll, J., C. J. Gobler and B. J. Peterson. 2008. Resource limitation of eelgrass in New York estuaries: Alleviation of nutrient limitation by hard clams. *Mar. Ecol. Prog. Ser.* 369:51-63.
- Cerrato, R.M., D.A. Caron, D.J. Lonsdale, J.M. Rose and R.A. Schaffner. 2004. Effect of the northern quahog *Mercenaria mercenaria* on the development of blooms of the brown tide alga *Aureococcus anophagefferens*. *Mar. Ecol. Prog. Ser.* 281:93-108.
- Cicchetti, G., and H. Greening, 2011. Estuarine biotope mosaics and habitat management goals: an application in Tampa Bay, FL, USA. *Estuaries and Coasts* DOI 10.1007/s12237-011-9408-4
- Eggleston, D. B., W. E. Elis, L. L. Etherington, C. P. Dahlgren, and M. H. Posey, 1999. Organism responses to habitat fragmentation and diversity: habitat colonization by estuarine macrofauna. *J. Exp. Mar. Biol. Ecol.* 236:107-132.
- Fertig, B. T.J.B. Carruthers, W.C. Dennison, A.B. Jones, F. Pantus and B. Longstaff , 2009. Oyster and macroalgae bioindicators detect elevated  $\delta^{15}\text{N}$  in Maryland's coastal bays. *Estuaries and Coasts* 32:773-786.
- Glancy, T.P., K. T.K. Frazer, C.E. Cichra and W.J. Lindberg, 2003. Comparative patterns of occupancy by decapod crustaceans in seagrass, oyster, and marsh-edge habitats in a northeast Gulf of Mexico estuary. *Estuaries.* 26:1291-1301.
- Hosack, G.R., B.R. Dumbauld, J.L. Ruesink, and D.A. Armstrong, 2006. Habitat associations of estuarine species: comparisons of intertidal mudflat, seagrass (*Zostera marina*), and oyster (*Crassostrea gigas*) habitats. *Estuaries and Coasts* 29:1150–1160.

- Micheli, F., and C. H. Peterson, 1999. Estuarine vegetated habitats as corridors for predator movements. *Conservation Biology* 13:869-881.
- Newell, R.I.E., E.W. Koch, 2004. Modeling seagrass density and distribution in response to changes in turbidity stemming from bivalve filtration and seagrass sediment stabilization. *Estuaries* 27:793-806.
- Palmer, R.E., 1980. Behavioral and rhythmic aspects of filtration in the bay scallop *Argopectin irradians* (Say), and the oyster *Crassostrea-virginica* (Gmelin). *J. Exp. Mar. Biol. Ecol.* 45:273-295.
- Palmer, R.E., and L.G. Williams, 1980. Effect of particle concentration on filtration efficiency of the Bay Scallop *Argopecten-irradians* and the Oyster *Crassostrea-virginica*. *Ophelia* 19:163-174.
- Park, S.R. Y.K. Kim, J-H. Kim, C-K. Kang, and K-S. Lee, 2011. Rapid recovery of the intertidal seagrass *Zostera japonica* following intense Manila clam (*Ruditapes philippinarum*) harvesting activity in Korea. *J. Exp. Mar. Biol. Ecol.* 407:275–283.
- Peterson, B.J., K.L. Heck, 1999. The potential for suspension feeding bivalves to increase seagrass productivity. *J. Exp. Mar. Biol. Ecol.* 240:37-52.
- Peterson, B.J., and K.L. Heck, 2001a. An experimental test of the mechanism by which suspension feeding bivalves elevate seagrass productivity. *Marine Ecology-Progress Series* 218:115-125.
- Peterson, B.J., and K.L. Heck, Jr., 2001b. Positive interactions between suspension feeding bivalves and seagrass assemblages - a facultative mutualism. *Mar. Ecol. Prog. Ser.* 213:143-155.
- Plutchak, R., K. Major, J. Cebrian, C.D. Foster, M.-E.C. Miller, A. Anton, K.L. Sheehan, K.L. Heck, Jr. and S.P. Powers, 2010. Impacts of oyster reef restoration on primary productivity and nutrient dynamics in tidal creeks of the north central Gulf of Mexico. *Estuaries and Coasts* 33:1355–1364.
- Smith, K.A., E.W. North, F. Shi, S. Chen, R.R. Hood, E.W. Koch and R.I.E. Newell, 2009. Modeling the effects of oyster reefs and breakwaters on seagrass growth. *Estuaries and Coasts* 32:748-757.
- Tallis, H.M., J.L. Ruesink, B. Dumbauld, S. Hacker, and L.M. Wisheart, 2009. Oysters and aquaculture practices affect eelgrass density and productivity in a Pacific northwest estuary. *J. Shellfish Res.* 28:251-261.
- Valentine, J.F., and K.L. Heck, Jr., 1993. Mussels in seagrass meadows: their influence on macroinvertebrate abundance and secondary production in the Northern Gulf of Mexico. *Marine Ecology Progress Series* 96:63-74.
- Vaudrey, J.M.P., T. Getchis, K. Shaw, J. Markow, R. Britton, and J.N. Kremer, 2009. Effects of oyster depuration gear on eelgrass (*Zostera marina* L.) in a low density aquaculture site in Long Island Sound. *J. Shellfish Res.* 28:243-250.
- Vinther, H.F., and M. Holmer, 2008. Experimental test of biodeposition and ammonium excretion from blue mussels (*Mytilus edulis*) on eelgrass (*Zostera marina*) performance. *J. Exp. Mar. Biol. Ecol.* 364:72–79.

- Wall, C. C., B. J. Peterson, and C. J. Gobler. 2008. The facilitation of seagrass *Zostera marina* productivity by suspension feeding bivalves. *Marine Ecology Progress Series* 357:165-174.
- Wall, C. C., B. J. Peterson, and C. J. Gobler, 2011. The growth of estuarine resources (*Zostera marina*, *Mercenaria mercenaria*, *Crassostrea virginica*, *Argopecten irradians*, *Cyprinodon variegatus*) in response to nutrient loading and enhanced suspension feeding by adult shellfish. *Estuaries and Coasts* DOI 10.1007/s12237-011-9377-7.
- Yuan, X., M. Zhang, Y. Liang, D. Liu, D. Guan, 2010. Self-pollutant loading from a suspension aquaculture system of Japanese scallop (*Patinopecten yessoensis*) in the Changhai sea area, Northern Yellow Sea of China. *Aquaculture* 304:79–87.

### **Paleobiology, Anthropology, Geomorphology of Oysters and Reefs**

- Brewster-Wingard, G.L., S.E. Ishman, D.A. Willard, L.E. Edwards, and C.W. Holmes, 1997. Preliminary paleontologic report on cores 19A and 19B, from Russell Bank, Everglades National Park, Florida Bay. U.S. Geological Survey Open-file Report 97-460, 29 pp.
- Brewster-Wingard, G.L., S.E. Ishman, N.J. Waibel, D.A. Willard, L.E. Edwards, and C.W. Holmes, 1998a. Preliminary paleontologic report on Core 37, from Pass Key, Everglades National Park, Florida Bay. U.S. Geological Survey Open-file Report 98-122, 22 pp.
- Brewster-Wingard, G.L., S.E. Ishman, and C.W. Holmes, 1998b. Environmental impacts on the southern Florida Coastal Waters: A history of change in Florida Bay. *Journal of Coastal Research*, Special Issue 26:162-172.
- Brewster-Wingard, G.L., and S.E. Ishman, 1999. Historical trends in salinity and substrate in central Florida Bay: A paleoecological reconstruction using modern analogue data. *Estuaries* 22:369-383.
- Brewster-Wingard, L., G.J.R. Stone, and C.W. Holmes, 2001. Molluscan faunal distribution in Florida Bay, past and present: an integration of down-core and modern data, Ch. 10. *Bulletins of American Paleontology* 361:199-231.
- Carbotte, S.M., Bell, R.E., Ryan, W.B.F., McHugh, C., Slagle, A., Nitsche, F.O. and J. Rubenstone. 2004. Environmental change and oyster colonization within the Hudson River estuary linked to Holocene climate. *Geo-Marine Letters*. 24(4):212-224.
- Ceci, L., 1984. Shell Midden deposits as coastal resources world archaeology. *Coastal Archaeology* 16:62-74.
- Cortés-Sánchez M, A., Morales-Muñiz, M.D. Simón-Vallejo, M.C. Lozano-Francisco, J.L. Vera-Peláez, et al. 2011. Earliest known use of marine resources by neanderthals. *PLoS ONE* 6(9): e24026. doi:10.1371/journal.pone.0024026
- Cummins, H., E.N. Powell, R.J. Stanton, Jr., and G. Staff, 1986. The size-frequency distribution in palaeoecology: The effects of taphonomic processes during

- formation of death assemblages in Texas bays. *Palaeontology* (London) 29:495–518.
- DeAlteris, J.T., 1988. The geomorphic development of Wreck Shoal, a subtidal oyster reef of the James River, Virginia. *Estuaries* 11:240-249.
- Flessa, K.W., A.H. Cutler, and K.H. Meldahl, 1993. Time and taphonomy: quantitative estimates of time-averaging and stratigraphic disorder in a shallow marine habitat. *Paleobiology* 19(2):266-286.
- Grinnell, R.S., Jr., 1971. Structure and development of oyster reefs on the Suwannee River Delta, Florida. Ph.D. Dissertation. SUNY, Binghamton, 186pp.
- Gunter, G., 1979. The grit principle and the morphology of oyster reefs. *Proc. Nat. Shellfish Assoc.* 69:1-5.
- Harding, J.M., H.J. Spero, R. Mann, G.S. Herbert, and J.L. Sliko, 2010. Reconstructing early 17<sup>th</sup> century estuarine drought conditions from Jamestown oysters. *PNAS*. 107(23):10549-10554.
- Kent, B.W., 1992. Making Dead Oysters Talk: Techniques for Analyzing Oysters from Archaeological Sites (2<sup>nd</sup> Edition). Maryland Historical and Cultural Publ., Crownsville, MD, 76 pp.
- Kiessling, W., C. Simpson, and M. Foote, 2010. Reefs as cradles of evolution and sources of biodiversity in the Phanerozoic. *Science* 327:196-198.
- Kirby, M.X., T.M. Soniat, and H.J. Spero, 1998. Stable isotope sclerochronology of Pleistocene and Recent oyster shells (*Crassostrea virginica*). *Palaaios* 13(6):560-569.
- Kirby, M.X., 2000. Paleoecological differences between Tertiary and Quaternary *Crassostrea* oysters, as revealed by stable isotope sclerochronology. *Palaaios* 15(2):132-141.
- Kirby, M.X., 2001. Differences in growth rates and environment between Tertiary and Quaternary *Crassostrea* oysters. *Paleobiology* 27:84-103.
- Kirby, M.X., and J.B.C. Jackson, 2004. Extinction of a fast-growing oyster and changing ocean circulation in Pliocene tropical America. *Geology* 32:1025-1028.
- Kowalewski, M., G.A. Goodfriend, and K.W. Flessa, 1998. High resolution estimates of temporal mixing within shell beds: the evils and virtues of time-averaging. *Paleobiology* 24(3):287-304.
- Lyons, W.G., 1999. Responses of benthic fauna to salinity shifts in Florida Bay: evidence from a more robust sample of the molluscan community: *in* Program and Abstracts, Florida Bay and Adjacent Marine Systems Science Conference, November 1999, Key Largo, Florida, p. 52-54.
- McCormick-Ray, J., 2005. Historical oyster reef connections to Chesapeake Bay - a framework for consideration. *Estuarine, Coastal and Shelf Science* 64:119-134.

- Macintyre, I.G., O.H. Pilkey, and R. Stuckenrath, 1978. Relict oysters on the United States Atlantic continental shelf: a reconsideration of their usefulness in understanding Late Quaternary sea-level history. *Geological Soc. America Bull.* 89:277-282.
- Mann, R., J.M. Harding, and M.J. Southworth, 2009. Reconstructing pre-colonial oyster demographics in the Chesapeake Bay, USA. *Estuarine, Coastal Shelf Science* 85:217-222.
- Marshall, N., 1954. Changes in the physiography of oyster bars in the James River. *Virginia Natl. Shellfish. Assoc. Conv. Add.* 113-121.
- Matteson, M.R., 1960. Reconstruction of prehistoric environments through the analysis of molluscan collections from shell middens. *American Antiquity* 26(1):117-120.
- Meldahl, K.H., K.W. Flessa, and A.H. Cutler, 1997. Time-averaging and postmortem skeletal survival in benthic fossil assemblages: Quantitative comparisons among Holocene environments. *Paleobiology* 23(2):207-229.
- Parras, A., and S. Casadío, 2006. The oyster *Crassostrea? hatcheri* (Ortmann, 1897), a Physical Ecosystem Engineer from the Upper Oligocene – Lower Miocene of Patagonia, Southern Argentina. *Palaios* 21(2):168-186.
- Parsons-Hubbard, K.M., W.R. Callender, E.N. Powell, C.E. Brett, S.E. Walker, A.L. Raymond and G.M. Staff, 1999. Rates of burial and disturbance of experimentally-deployed molluscs: implications for preservation potential. *Palaios* 14(4):337-351.
- Perry, L.M., and Schwengel, J.S., 1955. *Marine shells of the western coast of Florida*: Ithaca, N.Y., Paleontological Research Institution, 318pp.
- Powell, E.N., 1992. A model for death assemblage formation. Can sediment shelliness be explained? *J. Mar. Res.* 50:229-265.
- Powell, E.N. and R.J. Stanton, Jr., 1996. The application of size-frequency distribution and energy flow in paleoecologic analysis: an example using parautochthonous death assemblages from a variable salinity bay. *Palaeogeogr. Palaeoclimatol. Palaeoecol.* 124:195-231.
- Powell, E.N., J.N. Kraeuter, and K.A. Ashton-Alcox, 2006. How long does oyster shell last on an oyster reef? *Estuar. Coast. Shelf Sci.* 69:531-542.
- Sanders, D., 1999. Shell disintegration and taphonomic loss in rudist biostromes. *Lethaia* 32:101-112.
- Schroeder, W.W., J.W. Cowan, J.R. Pennock, S.A. Luker, and W.J. Wiseman, 1998. Response of resource excavations in Mobile Bay, Alabama, to extreme forcing. *Estuaries* 21A:652-657.
- Shackleton, J.C. and Tj. H. van Andel, 1986. Prehistoric shore environments, shellfish availability, and shellfish gathering at Franchthi, Greece. *Geoarchaeology* 1:127-143.
- Surge, D.M., K.C. Lohmann, and G.A. Goodfriend, 2003. Reconstructing estuarine conditions: oyster shells as recorders of environmental change, southwest Florida. *Estuarine, Coastal Shelf Science* 57:737-756.

- Twichell, D., L. Edmiston, B. Andrews, W. Stevenson, J. Donoghue, R. Poore, and L. Osterman, 2010. Geologic controls on the recent evolution of oyster reefs in Apalachicola Bay and St. George Sound, Florida. *Estuarine, Coastal and Shelf Science* 88:385-394.
- Wang, H., and M. Van Strydonck, 1997. Chronology of Holocene cheniers and oyster reefs on the coast of Bohai Bay, China. *Quaternary Research* 47:192-205
- Woods, H., W J. Hargis, C.H. Hershner, and P.Mason, 2005. Disappearance of the natural emergent 3-dimensional oyster reef system of the James River, Virginia, 1871–1948. *J. Shellfish Res.* 24:139–142.

See <http://archaeology.about.com/od/boneandivory/a/shellmidden.htm>

### **General Restoration Approaches**

- Block, W. M., A. B. Franklin, J. P. Ward, Jr., J. L. Ganey, and G. C. White. 2001. Design and implementation of monitoring studies to evaluate the success of ecological restoration on wildlife. *Restoration Ecology* 9:293-303.
- Bell, J.D., P.C. Rothlisberg, J.L. Munro, N.R. Loneragan, W.J. Nash, R.D. Ward, and N.L. Andrew, 2005. Restocking and stock enhancement of marine invertebrate fisheries. *Advances in Marine Biology* 49:1-370.
- Caddy, J.F. and O. Defeo, 2003. Enhancing or restoring the productivity of natural populations of shellfish and other marine invertebrate resources. *FAO Fisheries Technical Paper* 448, 166pp.
- Callaway, J.C., 2005. The challenge of restoring functioning salt marsh ecosystems. *Journal of Coastal Research* 40:24-36.
- Nichols, J.D., and B.K. Williams, 2006. Monitoring for conservation. *Trends in Ecology and Evolution* 21:668-673.
- Peterson, C.H., and R.N. Lipcius, 2003. Conceptual progress towards predicting quantitative ecosystem benefits of ecological restorations. *Marine Ecology Progress Series* 264: 297-307.
- Thayer, G.W., T.A. McTigue, R.J. Bellmer, F.M. Burrows, D.H. Merkey, A.D. Nickens, S.J. Lozano, P.F. Gayaldo, P.J. Polmateer, and P.T. Pinit, 2003. *Science-Based Restoration Monitoring of Coastal Habitats, Volume One: A Framework for Monitoring Plans Under the Estuaries and Clean Waters Act of 2000 (Public Law 160-457)*. NOAA Coastal Ocean Program Decision Analysis Series No. 23. NOAA National Centers for Coastal Ocean Science, Silver Spring, MD. 35 pp. plus appendices.
- Thayer, G.W., T.A. McTigue, R.J. Salz, D.H. Merkey, F.M. Burrows, and P.F. Gayaldo, (eds.), 2005. *Science-Based Restoration Monitoring of Coastal Habitats, Volume Two: Tools for Monitoring Coastal Habitats*. NOAA Coastal Ocean Program Decision Analysis Series No. 23. NOAA National Centers for Coastal Ocean Science, Silver Spring, MD. 628 pp. plus appendices.

Weinstein, M.P., J.H. Balletto, J.M. Teal, and D.F. Ludwig, 1997. Success criteria and adaptive management for a large-scale wetland restoration project. *Wetlands Ecology and Management* 4:111-127.

### **Alternative Substrates for Restoration**

Brumbaugh, R.D., 2000. An analysis of limestone marl as a settlement substrate for oysters in Chesapeake Bay. Report to the Virginia Marine Resources Commission. Chesapeake Bay Foundation, Norfolk VA, 12 pp.

Brumbaugh, R.D., M.W. Beck, L.D. Coen, L. Craig and P. Hicks, 2006. A Practitioners' Guide to the Design and Monitoring of Shellfish Restoration Projects: An Ecosystem Services Approach. The Nature Conservancy, Arlington, VA., MRD Educational Report No. 22:28pp.

Chapman, M.G., and B.G. Clynick, 2006. Experiments testing the use of waste material in estuaries as habitat for subtidal organisms. *Journal Experimental Marine Biology and Ecology* 338:164-178.

Chatry, M., C. Dugas, and G. Laiche, 1986. Comparison of oyster settling rates on clamshell and crushed limestone. Louisiana Wildlife and Fisheries Commission Technical Bulletin 1986: 54–60.

Coen, L.D. and M.W. Luckenbach, 2000. Developing success criteria and goals for evaluating oyster reef restoration: ecological function or resource exploitation? *Ecological Engineering* 15:323-343.

Dugas, R., R. Leard, and M.E. Berrigan, 1991. A partial bibliography of oyster cultch materials and resource management projects Gulf States Mar. Fish. Comm., 12 pp.

Hargis, W.J., Jr., and D.S. Haven, 1999. Chesapeake oyster reefs, their importance, destruction and guidelines for restoring them, pages 329-358, In, M. W. Luckenbach, R. Mann and J. A. Wesson, eds. *Oyster reef habitat restoration: a synopsis and synthesis of approaches*. VIMS Press, Gloucester Point, VA.

Haven, D.S., J.M. Zeigler, J.T. Dealteris, and J.P. Whitcomb, 1987. Comparative attachment, growth, and mortalities of oyster (*Crassostrea virginica*) spat on slate and oyster shell in the James River, Virginia. *Journal of Shellfish Research* 45–48.

Haven, D. S., W. J. Hargis Jr., and P. C. Kendall, 1978. The oyster industry of Virginia: its status, problems and promise. Virginia Sea Grant Special Paper #4, 1024pp.

Haywood, E.L., and T.M. Soniat, 1992. The use of cement-stabilized gypsum as cultch for the eastern oyster, *Crassostrea virginica* (Gmelin, 1791). *Journal of Shellfish Research* 11:417-420.

Kennedy, V.S., 1989. The Chesapeake Bay oyster fishery: traditional management practices. Pp, 455-477 in J. F. Caddy, Editor. *Marine invertebrate fisheries: their assessment and management*. John Wiley & Sons, New York.

Kreutzer, A.D., 2010. The role of crab traps in oyster restoration. M.S. Thesis, College of Charleston, 55pp.

- Loosanoff, V.L., 1958. Some aspects of behavior of oysters at different temperatures. Biol. Bull. 114:57-70.
- Loosanoff, V.L., and C.A. Nomejko, 1956. Relative intensity of oyster setting in different years in the same areas of Long Island Sound. Biol. Bull. 111:387-392.
- Louisiana Department of Wildlife and Fisheries, 2004. Louisiana's oyster shell recovery pilot project. Final Report for NOAA Award No. NA96FK0188, Socioeconomics Research and Development Section and Marine Fisheries Division, 253pp.
- Luckenbach, M.W., R. Mann and J.A. Wesson, Eds., 1999. Oyster reef habitat restoration. a synopsis and synthesis of approaches. VIMS, Virginia Institute of Marine Science Press, Gloucester Point, VA, 358 pp.
- Lunz, R.G., 1958. Unused oyster shell in South Carolina suitable for seed oyster production. Proceedings of the National Shellfish Association 48:44-51.
- O'Beirn, F., M. Luckenbach, R. Mann, J. Harding and J. Nestlerode, 1999. Ecological functions of constructed oyster reefs along an environmental gradient in Chesapeake Bay. Final Report, Aquatic Reef Habitat Program, Chesapeake Bay Program, 69pp.
- Piazza, B.P., P.D. Banks, and M.K. La Peyre, 2005. The potential for created oyster shell reefs as a sustainable shoreline protection strategy in Louisiana. Restoration Ecology 13:499-506.
- Powell, E.N., J.N. Kraeuter, and K.A. Ashton-Alcox, 2006. How long does oyster shell last on an oyster reef? Estuarine, Coastal and Shelf Science 69:531-542.
- Putman, G., 1995. Oyster enhancement and restoration efforts among Gulf and Atlantic coast states. North Carolina Division of Marine Fisheries, North Carolina Department of Environment and Natural Resources, Morehead City, NC, 43pp.
- Schulte, D., G. Ray, and D. Schafer, 2009. Use of alternative materials for oyster reef reconstruction. U.S. Army Corps of Engineers Environmental Labs Report. ERDCEMRRP-ER-12.
- Soniat, T. M., R. C. I. I. Broadhurst, and E. L. Haywood III, 1991. Alternatives to clamshell as cultch oysters, and the use of gypsum for the production of cultchless oysters. Journal of Shellfish Research 10:405-410.
- Soniat, T. M., and G. M. Burton, 2005. A comparison of the effectiveness of sandstone and limestone as cultch for oysters, *Crassostrea virginica*. Journal of Shellfish Research 24:483-485.
- Street, M.W., A.S. Deaton, W.S. Chappell, and P.D. Mooreside, 2005. North Carolina Coastal Habitat Protection Plan. North Carolina Department of Environment and Natural Resources, Division of Marine Fisheries, Morehead City, NC. 656pp.
- Toline, C.A., P. Kenny and K. Bushek, 2005. Cement-coated stakes enhance recruitment of damaged oyster reefs (South Carolina). Ecological Restoration 23:277-278.
- Yoon, H., S. Park, S. Lee, and J. Park, 2004. Oyster shell as substitute for aggregate in mortar. Waste Manage. Res. 22:158-170.

### **Predation/Competition (other Bivalve also)**

- Bisker, R. and M. Castagna. 1987. Predation of single spat oysters *Crassostrea virginica* (Gmelin) by blue crabs *Callinectes sapidus* Rathbun and mud crabs *Panopeus herbstii* Milne-Edwards. J. Shellfish Res. 6:37-40.
- Brown, K.M., G.J. George, G.W. Peterson, B.A. Thompson, and J.H. Cowan, Jr., 2008. Oyster predation by black drum varies spatially and seasonally. Estuaries and Coasts 31:597–604.
- Chintala, M.A., and V.S. Kennedy, 1993. Reproduction of *Stylochus ellipticus* (Platyhelminthes: Polycladia) in response to temperature, food and presence or absence of a partner. Biol. Bull. 185: 373-387.
- Christensen, D.J., 1973. Prey preference of *Stylochus ellipticus* in Chesapeake Bay. Proc. National Shellfish. Assoc. 63:35-38.
- Eggleston, D.B., 1990. Foraging behavior of the blue crab, *Callinectes sapidus*, on juvenile oysters, *Crassostrea virginica*: effects of prey density and size. Bull. Mar. Sci. 46:62–82.
- Elnor, R.W., and R.E. Lavoie, 1983. Predation on American oysters (*Crassostrea virginica* [Gmelin]) by American lobsters (*Homarus americanus* Milne-Edwards), rock crabs (*Cancer irroratus* Say), and mud crabs (*Neopanope sayi* [Smith]). J. Shellfish Res. 3:129–134.
- Fisher, R.A., G.C. Call and R.D. Grubbs, 2011. Cownose ray (*Rhinoptera bonasus*) predation relative to bivalve ontogeny. J. Shellfish Res. 30: 187–196.
- Grabowski, J.H., 2004. Habitat complexity disrupts predator–prey interactions but not the trophic cascade on oyster reefs. Ecology 85:995–1004.
- Harding, J.M., M.J. Southworth, and R. Mann, 2010. Observations of blue crabs (*Callinectes sapidus*, Rathbun, 1896) on Shell Bar oyster reef, Great Wicomico River, Virginia, USA. J. Shellfish Res. 29:995-1004.
- Harwell, H.D., P.R. Kingsley-Smith, M.L. Kellogg, S.M. Allen, S.K. Allen, Jr., D.W. Meritt, K.T. Paynter, Jr., and M.W. Luckenbach1, 2010. A comparison of *Crassostrea virginica* and *C. ariakensis* in Chesapeake Bay: does oyster species affect habitat function? J. Shellfish Res. 29:253–269.
- Hunt, H.L., and R.E. Scheibling, 1997. Role of post-settlement mortality in recruitment of benthic marine invertebrates. Mar. Ecol. Prog. Ser. 155:269-301.
- Kennedy, V.S., 1996. Biology of larvae and spat, 371-421pp. In: V.S. Kennedy, R.I.E. Newell and A.F. Eble, Eds. The eastern oyster, *Crassostrea virginica*. Maryland Sea Grant Publication, College Park, MD.
- Juanes, F., 1992. Why do decapod crustaceans prefer small-sized molluscan prey? Mar. Ecol. Prog. Ser. 87:239–249.
- Krantz, G.E. and J.V. Chamberlain, 1978. Blue crab predation on cultchless oyster spat. Proc. Natl. Shellfish. Assoc. 8:38–41.

- Kulp, R.E., V. Politano, H.A. Lane, S.A. Lombardi and K.T. Paynter, 2011. Predation of juvenile *Crassostrea virginica* by two species of mud crabs found in the Chesapeake Bay. *Shellfish Res.* 30: 261–266.
- Landers, W.S., and R.C. Toner, 1962. Survival and movements of the flatworm, *Stylochus ellipticus* in different salinities and temperatures. *Biol. Bull.* 123:146-153.
- Landers, W.S., and E.W. Rhodes, Jr., 1970. Some factors influencing predation by the flatworm, *Stylochus ellipticus* (Girard), on oysters. *Chesapeake Sci.* 11:55-60.
- Littlewood, D.T.J. and L.A. Marsbe, 1990. Predation on cultivated oysters, *Crassostrea rhizophorae* (Guilding), by the polyclad turbellarian flatworm, *Stylochus* (*Stylochus*) *frontalis* Verrill. *Aquaculture* 88:145-150.
- McDermott, J.J., 1960. The predation of oysters and barnacles by crabs of the family Xanthidae. *Proc. Penn. Acad. Sci.* 34:199–211.
- Meyer, D.L., 1984. Habitat partitioning between the xanthid crabs *Panopeus herbstii* and *Eurypanopeus depressus* on intertidal oyster reefs (*Crassostrea virginica*) in southeastern North Carolina. *Estuaries* 17:674-679.
- Milke, L.M. and V. S. Kennedy, 2001. Mud crabs (Xanthidae) in Chesapeake Bay: claw characteristics and predation on epifaunal bivalves. *Invertebr. Biol.* 120:67–77.
- Newell, R.I.E., G.S. Alspach, V.S. Kennedy, and D. Jacobs, 2000. Mortality of a newly metamorphosed Eastern oysters (*Crassostrea virginica*) in mesohaline Chesapeake Bay. *Mar. Biol.* 136:665–676.
- Newell, R.I.E., V.S. Kennedy, and K.S. Shaw, 2007. Comparative vulnerability of predators, and induced defense responses, of Eastern oysters *Crassostrea virginica* and non-native *Crassostrea ariakensis* oysters in Chesapeake Bay. *Mar. Biol.* 152:449–460.
- O’Conner, N.E., J.H. Grabowski, L.M. Ladwig, and J.F. Bruno, 2008. Simulated predator extinctions: predator identity affects survival and recruitment of oysters. *Ecology* 89:428–438.
- Osman, R.W., R.B. Whitlatch, and R.J. Malatesta, 1992. Potential role of micro-predators in determining recruitment into a marine community. *Mar. Ecol. Prog. Ser.* 83:35-43.
- Osman, R.W., R.B. Whitlatch, and R.N. Zajac, 1989. Effects of resident species on recruitment into a community: larval settlement versus post-settlement mortality in the oyster *Crassostrea virginica*. *Mar. Ecol. Prog. Ser.* 54: 61-73.
- Pearse, A. S. and G.W. Wharton, 1938. The oyster "leech," *Stylochus inimicus* Palombi, associated with oysters on the coasts of Florida. *Ecological Monographs* 8:605-656.
- Rindone, R.R. and D.B. Eggleston, 2011. Predator–prey dynamics between recently established stone crabs (*Menippe* spp.) and oyster prey (*Crassostrea virginica*). *J. Exp. Mar. Biol. Ecol.* 407:216–225.

- Ryan, E.P., 1956. Observations on the life histories and the distribution of the Xanthidae (mud crabs) of Chesapeake Bay. *Am. Midl. Nat.* 56:138–162.
- Seed, R., 1980. Predator–prey relationships between the mud crab *Panopeus herbstii*, the blue crab, *Callinectes sapidus* and the Atlantic ribbed mussel *Geukensia* (= *Modiolus demissa*). *Estuar. Coast. Mar. Sci.* 11:445–458.
- Whetstone, J.M., and A.G. Eversole, 1981. Effects of size and temperature on mud crab, *Panopeus herbstii*, predation on hard clams, *Mercenaria mercenaria*. *Estuaries* 4:153–156.

### **Classic Works**

- Austin, H.M., D. Evans, and D.S. Haven, 1996. A retrospective time series analysis of oyster, *Crassostrea virginica*, recruitment (1946–1993). *J. Shellfish Res* 15:565–582.
- Bahr, L.M., Jr., 1976. Energetic aspects of the intertidal oyster reef community at Sapelo Island, Georgia, USA. *Ecology* 57: 121-131.
- Bahr, L.M. and W.P. Lanier. 1981. The ecology of intertidal oyster reefs of the South Atlantic Coast: a community profile. U. S. Fish Wildl. Serv. Program FWS/OBS/-81/15, 105pp.
- Brooks, W.K., 1891. The oyster, re-issued, 1996 Edition with a foreword by K.T. Paynter, Jr. Johns Hopkins University Press, Baltimore, MD, 230 pp.
- Burrell, V.G., Jr., 1986. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (South Atlantic)-- American oyster. U.S. Fish Wildl. Serv. Biological Report 82 (11.57), U.S. Army Corps of Engineers TR EL-82-4, 17 pp.
- Carriker, M.R., 1951. Ecological observations on the distribution of oyster larvae in New Jersey estuaries. *Ecological Monographs* 21:19-38.
- Chestnut, A.F., and W.E. Fahy, 1952. Studies on the setting intensity of oysters in Bogue Sound, North Carolina. *Proceedings Natl. Shellfish Assoc.* 43:79-89.
- Chestnut, A.F., 1974. Oyster Reefs, 171-203pp, In: Odum, H.T., B.J. Copeland, and E.A. McMahan. 1974. *Coastal ecological systems of the United States II. The Conservation Foundation, Washington, DC.*
- Comfort, A., 1957. The duration of life in mollusks. *Proc. Malacol. Soc. Lond* 32:219–241.
- Crisp, D.J., 1967. Chemical factors inducing settlement in *Crassostrea virginica* (Gmelin). *J. Anim. Ecol.* 36,329-335.
- Dame, R.F., R.G. Zingmark, E. Haskin, 1984. Oyster reefs as processors of estuarine materials. *Journal Experimental Marine Biology* 83:239-247.
- Dame, R., E. Haskin, and B. Kjerfve. 1984. Water flow over an intertidal oyster reef and its relationship to nutrient dynamics. *Journal of Shellfish Research* 4:86-87.
- Dame, R.F., J.D. Spurrier, and T.G. Wolaver, 1989. Carbon, nitrogen and phosphorus processing by an oyster reef. *Marine Ecology Progress Series* 54:249-256.

- Dame, R.F., J.D. Spurrier, and R.G. Zingmark, 1992. In situ metabolism of an oyster reef. *Journal Experimental Marine Biology and Ecology* 164:147-159.
- Elton, C.S., 1958. The ecology of invasions by animals and plants, reissued 2000 Edition. Univ. of Chicago Press, Chicago, IL. (exotic oyster introductions)
- Galstoff, P.S. and R.H. Luce, 1930. Oyster investigations in Georgia. Report of the United States Commissioner of Fisheries for 1930, Fisheries Document 1077, 61-100pp.
- Galtsoff, P. S. 1964. The American oyster *Crassostrea virginica* Gmelin. U.S. Fish Wildl. Serv. Fishery Bulletin 64:1-480.
- Glaser, O.C., 1905. Observations and experiments on the growth of oysters. Rept. US Fish Commission for 1903 Vol. 29:329-341.
- Grave, C., 1905. Investigations for the promotion of the oyster industry of North Carolina, 247-329pp. in Report of the US Fish Commission for 1903.  
[http://penbay.org/cof/cof\\_1903\\_11.pdf](http://penbay.org/cof/cof_1903_11.pdf)
- Gunter, G., 1955. Mortality of oysters and abundance of certain associates as related to salinity. *Ecology* 36:601-605.
- Gunter, G. 1979. The grit principle and the morphology of oyster reefs. *Proc Nat Shellfish Assoc.* 69:1-5.
- Haven, D. S., and R. Morales-Alamo, 1966. Aspects of biodeposition by oysters and other invertebrate filter feeders. *Limnol.Oceanogr.* 11:487-498.
- Haven, D.S., and R. Morales-Alamo, 1970. Filtration of particles from suspension by the American oyster *Crassostrea Virginica*. *Biol. Bull.* 139:248-264.
- Haven, D.S., and L.W. Fritz, 1985. Setting of the American oyster *Crassostrea virginica* in the James River, Virginia, USA. *Marine Biology* 86:271-282.
- Heck, K.L., Jr., 1987. Benthos, In: Ecological studies in the middle reach of Chesapeake Bay: Calvert Cliffs, K.L. Heck, Jr., Ed. Lecture notes on coastal and estuarine studies #23, pp. 97-110, Springer-Verlag, Berlin.
- Hidu, H. and H.H. Haskin, 1971. Setting of the American oyster related to environmental factors and larval behavior. *Proc. Natl. Shellfish. Assoc.* 61:35-50.
- Hoskin, C.M., 1974. Oyster reef sedimentation, Biloxi Bay, Mississippi. *Southeastern Geology* 16:41-57.
- Ingle, R.M., and C.E. Dawson, Jr., 1952. Growth of the American oyster, *Crassostrea virginica* (Gmelin) in Florida Waters. *Bull. Mar. Sci.* 2:393-404.
- Loosanoff, V.L., 1958. Some aspects of behavior of oysters at different temperatures. *Biological Bulletin* 114:57-70.
- Loosanoff, V.L., 1966. Time and intensity of setting of the oyster *Crassostrea virginica*, in Long Island Sound. *Biol. Bull (Woods Hole)*. 130:211-227.
- MacKenzie, C.L., Jr., 1996. History of oystering in the United States and Canada, featuring the eight greatest oyster estuaries. *Marine Fisheries Review* 58:1-87.

- Moore, H.F., 1911. Condition and extent of the natural oyster beds of Delaware. U.S. Bureau Fish. Doc. 745:1-29.
- Newell, R.I.E., 1988. Ecological changes in Chesapeake Bay: are they the result of overharvesting the American oyster, *Crassostrea virginica*? In: Lynch, M.P., Krome, E.C., (Eds.), Understanding the Estuary: Advances in Chesapeake Bay Research. Chesapeake Research Consortium, Publication 129 CBP/TRS 24/88, Gloucester Point, VA., pp. 536-546.
- Oemler, A. 1894. The past, present, and future of the oyster industry of Georgia. Bulletin of the United States Fish Commission 13: 263-272.
- Rhoads, D.C., 1973. The influence of deposit-feeding benthos on water turbidity and nutrient recycling. American Journal of Science 273:1-22.
- Stephenson, T.A. and A. Stephenson, 1952. Life between tide marks in North America: II. Northern Florida and the Carolinas. Journal of Ecology 40 (1):1-49.
- Ward, J.E., R.I.E. Newell, R.J. Thompson, and B.A. MacDonald, 1994. *In vivo* studies of suspension-feeding processes in the eastern oyster, *Crassostrea virginica* (Gmelin). Biological Bulletin 186:221-240.
- Wells, H.W., 1961. The fauna of oyster beds, with special reference to the salinity factor. Ecological Monographs 31:266-329.
- Winslow, L.F., 1886. Report on the waters of North Carolina with reference to their possibilities for oyster culture. P.M. Hale, state printer and Binder, Raleigh, N.C.

### **Community Restoration Work:**

- Brumbaugh, R.D., L.A. Sorabella, C. Johnson, and W.J. Goldsborough, 2000a. Small scale aquaculture as a tool for oyster restoration in Chesapeake Bay. Marine Technology Society Journal 34:79-86.
- Brumbaugh, R.D., L.A. Sorabella, C.O. Garcia, W.J. Goldsborough, and J.A. Wesson. 2000b. Making a case for community-based oyster restoration: an example from Hampton Roads, Virginia, U.S.A. Journal of Shellfish Research 19:467-472.
- Brumbaugh, R.D., M.W. Beck, L.D. Coen, L. Craig and P. Hicks, 2006. A Practitioners' Guide to the Design and Monitoring of Shellfish Restoration Projects: An Ecosystem Services Approach. The Nature Conservancy, Arlington, VA., MRD Educational Report No. 22:28pp.
- Brumbaugh, R.D. and L.D. Coen, 2009. Contemporary approaches for small-scale oyster reef restoration to address substrate versus recruitment limitation: a review and comments relevant for the Olympia oyster, *Ostrea lurida* (Carpenter, 1864). J. Shellfish Res. 28:147-161.
- Hadley, N. H. and L.D. Coen, 2002. Community-based program engages citizens in oyster reef restoration (South Carolina). Ecological Restoration 20:297-298.
- Hadley, N.H., M. Hodges, D.H. Wilber, and L.D. Coen, 2010. Evaluating intertidal oyster reef development in South Carolina using associated faunal indicators. Restoration Ecology 18(5):691-701.

- Leslie, L.L., C.E. Velez, and S.A. Bonar, 2004. Utilizing volunteers on fisheries projects: benefits, challenges and management techniques. *Fisheries* 29(10):10-14.
- Marsh, T.D., M.W. Beck, S.E. Reisewitz, 2002. Leasing and Restoration of Submerged Lands: Strategies for Community-based, Watershed-scale Conservation. The Nature Conservancy, Arlington, VA, 33pp.
- O'Beirn, F.X., P.G. Ross and M.W. Luckenbach, 2004. Organisms associated with oysters cultured in floating systems in Virginia, USA. *J. Shellfish Res.* 23:825-829.
- Taylor, J., and D. Bushek, 2008. Intertidal oyster reefs can persist and function in a temperate North American Atlantic estuary. *Mar. Ecol. Prog. Ser.* 361: 301–306.

**Pertinent Grey Literature or Other:**

- Anderson, W.D., W.J. Keith, W.R. Tuten and F.H. Mills 1979. A survey of South Carolina's washed shell resource. South Carolina Wildlife and Marine Resources Department Technical Rpt. No. 36, 81pp.
- Berrigan, M., T. Candies, J. Cirino, R. Dugas, C. Dyer, J. Gray, T. Herrington, W. Keithly, R. Leard, J.R. Nelson, and M. van Hoose, 1991. The oyster fishery of the Gulf of Mexico, United States: a regional management plan. Gulf States Marine Fisheries Commission. Ocean Springs, MS.
- Bobo, M.Y., D.L. Richardson, L.D. Coen, V.G. Burrell, 1997. A Report on the Protozoan Pathogens *Perkinsus marinus* (Dermo) and *Haplosporidium nelsoni* (MSX) in South Carolina Shellfish Populations. SCDNR-MRD-MRRI Technical Report #86, 50 pp.
- Bohn, R.E., D. Webster, and D. Meritt, 1995. Producing oyster seed by remote setting. NRAC Bulletin No. 220 Maryland Sea Grant Extension Program Oyster Aquaculture Factsheet UM-SG-MAP-95-03.
- Brumbaugh, R.D. and C. Toropova. 2008. Economic valuation of ecosystem services: a new impetus for shellfish restoration. *Basins and Coasts* 2:8-15.
- Burrell, V.G., Jr., 2003. The Oyster Industry of South Carolina, 67pp. Self published
- Cake, Edwin W., 1983. Habitat suitability index models: Gulf of Mexico American Oyster, FWS/OBS-82/10.57, U.S. Fish & Wildlife Service, Washington, DC. 38pp.
- Cerco, C. F., and M. R. Noel. 2005. Assessing a ten-fold increase in the Chesapeake Bay native oyster population. A report to the EPA Chesapeake Bay Program.
- Coen, L.D., 1995. A review of the potential impacts of mechanical harvesting on subtidal and intertidal shellfish resources. SCDNR-MRRI, 46 pp. + three Appendices.
- Coen, L.D., M. Bolton-Warberg, Y. Bobo, D. Richardson, A.H. Ringwood, and G.I. Scott, 2004. Oyster Beds, pp. 127-147. In: R.F. Van Dolah, D.M. Sanger, and A.B. Filipowicz, Eds. A Baseline Assessment of Environmental and Biological

- Conditions in the May River, Beaufort County, South Carolina: Final Report Submitted to the Town of Bluffton.
- Coen, L.D., and R. Walker, 2005. Intertidal oysters and the reef-habitat they generate, SC SWG habitat review, 21pp. see <http://www.dnr.sc.gov/cwcs/>
- Coen, L.D., and M. Bolton-Warberg, 2005. An examination of the impacts of various harvesting/ management strategies and boat wakes on oyster bed condition, recovery rates, shoreline erosion and restoration. A Marine Recreational Fisheries Stamp Program Final Report, 96pp.
- Coen, L.D., M. Bolton-Warberg, and J.A. Stephen, 2006. An Examination of Oyster Reefs as a Biologically-Critical Estuarine Ecosystems. Final Report, Grant R/ER-10, Submitted to the South Carolina Sea Grant Consortium, 214pp. plus appendices.
- Coen, L., K. Walters, D. Wilber, and N. Hadley, 2007. A SC Sea Grant Report of a 2004 Workshop to Examine and Evaluate Oyster Restoration Metrics to Assess Ecological Function, Sustainability and Success Results and Related Information, Sea Grant Publication, 27pp.
- Dodd, M.G. and T.M. Murphy, 1994. Seasonal distribution, abundance and habitat use of foraging wading birds in the Charleston Harbor Estuary. Project: CHP 94-1.4, Habitat Identification – Birds Final Report, 28pp.
- Drake, J.C., 1891. On the sounds and estuaries of Georgia with reference to oyster culture. U.S. Coast and Geodetic Survey Bulletin 19, 1891, 179-209pp, Washington D.C.
- Gambordella, M., L. McEachron, C. Beals, and W. S. Arnold, 2007. Establishing baselines for monitoring the response of oysters in southeast Florida to changes in freshwater input, Final Report, 176p. (can be downloaded at <ftp://ftp.floridamarine.org/users/fishbio/CESI/>)
- Goodwin, L.K., 2007. Evaluating the impacts of environmental parameters on shoreline erosion and related aspects: assessing the current status of vegetation, sediments, and biota. M.S. Thesis, College of Charleston, SC, 117pp.
- Goodwin, L., L. Coen, L. Walters, and P. Sacks, 2006. Evaluating natural and human factors influencing habitat change, for ameliorating observed shoreline losses. ICSR 2006 Abstract, Charleston, SC.
- Harding, J. M. et al., 1999. Oyster reef communities in the Chesapeake Bay: a brief primer (VORTEX): Virginia's Oyster Reef Teaching Experience).
- Hicks, R.L., T.C. Haab, T.C., and D. Lipton, 2004. The economic benefits of oyster reef restoration in the Chesapeake Bay. Final Report prepared for the Chesapeake Bay Foundation, 113p.
- Hicks, R. 2004. Recreational fishing and the benefits of oyster reef restoration in the Chesapeake Bay." Working Paper #1, College of William and Mary.

- Kilgen, R. H. and R. J. Dugas, 1989. The ecology of oyster reefs of the northern Gulf of Mexico: an open file report. NWRC, 89-02. 113pp.  
<http://www.gomr.boemre.gov/PI/PDFImages/ESPIS/3/3757.pdf>
- Lipton, D., 2004. The value of improved water quality to Chesapeake Bay Boaters. *Marine Resource Economics* 19: 265–270.
- Lipton, D. Final draft economic analysis for oyster restoration alternatives.  
[www.nao.usace.army.mil/OysterEIS](http://www.nao.usace.army.mil/OysterEIS)
- Manley, J. A.J. Power, R. Walker, D. Hurley, C. Belcher, and M. Gilligan, 2010. Evaluation of eastern oysters, *Crassostrea virginica* (Gmelin, 1791), restoration techniques for use in intertidal southeastern United States habitats characterized by heavy siltation rates. *Occasional Papers of the University of Georgia Marine Extension Service*, Vol. 9, 32pp.
- Mazzotti, F.J., L.G. Pearlstine, T. Barnes, A. Volety, K. Chartier, A. Weinstein, and D. DeAngelis, 2006. Stressor response models for the Eastern oyster, *Crassostrea virginica*. JEM Technical Report. Final report to the South Florida Water Management District and U.S. Geological Survey. University of Florida, Florida Lauderdale Research and Education Center, Fort Lauderdale, Florida, 15pp.
- North Carolina Division of Marine Fisheries, 2001. North Carolina Oyster Fishery Management Plan: North Carolina Department of Environment and Natural Resources, Morehead City, NC. Rev. 1/03, 218pp.
- NRC (National Research Council), 1990. Mitigating coastal erosion. National Academy Press, Washington, D.C., 204pp.
- NRC (National Research Council), 2007. Mitigating shore erosion along sheltered coasts. National Research Council, National Academies Press, Washington, D.C., 174pp.
- Paynter, K., 2007. A 10-Year review of Maryland's Hatchery-based oyster restoration program: 1997-2006. A Summary of Monitoring and Research conducted by the Paynter Laboratory at the University of Maryland. Report to the Army Corps of Engineers, NOAA, Maryland Department of Natural Resources and the Oyster Recovery Partnership.
- Peter-Contesse, T., B. Peabody, 2005. Reestablishing Olympia oyster populations in Puget Sound, Washington. Washington Sea Grant Publication WSG-AS 05-04. 9pp
- Sanders, F. J., Murphy, T. M., Spinks, M. D. 2004. Winter abundance of the American oystercatcher in South Carolina. *Waterbirds* 27: 83-88.
- Sanders, F. and T. Murphy, 2005. American oystercatcher, SC SWG report, 6pp.  
<http://www.dnr.sc.gov/cwcs/pdf/AmericanOystercatcher.pdf>
- Shumway, S.E. and J.N. Kraeuter, eds., 2004. Molluscan Shellfish and Research Management: Charting a Course for the Future. Final Proceedings from the Workshop. Charleston, SC. January 2000. National Oceanic and Atmospheric Administration, U.S. Department of Commerce. 156 pp.
- Simons, J.D., J. Harper, T. Dellapenna, J. Bronikowski, W. Sager, and M. Patch, 2004. Mapping bathymetry, oyster reefs, sedimentary facies, subbottom structures and

- anthropogenic impacts in Lavaca Bay, Texas. Final report submitted to Texas General Land Office. Texas Parks and Wildlife Department, Austin, TX, pp. 207.
- Smith, E., R. Griffin, J. Opaluch, and R. Brumbaugh, 2008. Non-Extractive Ecosystem Services of Shellfish. Workshop background document, prepared for workshop: economic value of non-extractive ecosystem services associated with bivalve shellfish, Kingston, Rhode Island, September 24-25, 2008.
- Sellers, M.A., and J. G. Stanley, 1984. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (North Atlantic)-- American oyster. U.S. Fish Wildl. Serv. FWS/OBS-82/11.23. U.S. Army Corps of Engineers, TR EL-82-4. 15 pp.
- Stanley, D.W., M.A. Sellers. 1986. Species profile: life histories and environmental requirements of coastal fishes and invertebrates (Gulf of Mexico)-American Oyster. U.S. Fish Wildl. Serv. Biol. Rep. 82(11.64) U.S. Army Corps of Engineers, TR EL-82-4, 25 pp.
- Street, M.W., A.S. Deaton, W.S. Chappell, and P.D. Mooreside, 2005. Chapter 3 Shell Bottom, 201-256pp, In: North Carolina Coastal Habitat Protection Plan. North Carolina Department of Environment and Natural Resources, Division of Marine Fisheries, Morehead City, NC.
- Street, M.W., A.S. Deaton, W.S. Chappell, and P.D. Mooreside, 2005. North Carolina Coastal Habitat Protection Plan. North Carolina Department of Environment and Natural Resources, Division of Marine Fisheries, Morehead City, NC. 662 pp.
- Turgeon, D.D., J.F. Quinn, Jr. A.E. Bogan, E.V. Coan, F.G. Hochberg, W.G. Lyons, P.M. Mikkelsen, R.J. Neves, C.F.E. Roper, G. Rosenberg, B. Roth, A. Scheltema, F.G. Thompson, M. Vecchione, and J.D. Williams, 1998. Common and scientific names of aquatic invertebrates from the United States and Canada: mollusks, 2nd edition. American Fisheries Society, Special Publication 26, Bethesda, MD, 526pp.
- Turney, W.J. and B.F. Perkins, 1972. Molluscan distribution in Florida Bay. University of Miami, Miami, Florida, Sedimenta, Vol. III, 37 pp.
- Walker, R.L. and C. Cotton, 2001. Oyster bed distribution as a long term environmental indicator for the Duplin River, Sapelo Island National Estuarine Research Reserve. University of Georgia School of Marine Programs, Marine Technical Report No. 01-1. Athens, GA, 23 pp.
- Warmke, G.L., and R.T. Abbott, 1961. Caribbean Seashells: Narberth, PA, Livingston Publishing Co., 348pp.
- Webster, D. and D. Meritt, 1985. Purchasing seed oysters. Maryland Sea Grant Extension Oyster Aquaculture Factsheet #1. Publication Number UM-SG-MAP-85-02.
- Webster, D. and D. Meritt. 1988. Stabilizing oyster ground. Maryland Sea Grant Extension Oyster Aquaculture Factsheet #2. Publication Number UM-SG-MAP-88-04.

Zimmerman, R., T. Minello, T. Baumer, and M. Castiglione, 1989. Oyster reef as habitat for estuarine macrofauna. NOAA Tech. Mem. NMFS-SEFC-249, 16pp.

**Boat Wakes/Anthropogenic Impacts/Diversions/Erosion/Living Shorelines**

Anderson, F.E., 1972. Resuspension of estuarine sediments by small amplitude waves. *Journal of Sedimentary Petrology* 42:602-607.

Anderson, F.E., 1976. Rapid settling rates observed in sediments resuspended by boat waves over a tidal flat. *Netherlands Journal of Sea Research* 10:44-58.

Anderson, F., 2000. Effect of wave-wash from personal watercraft on salt marshes. A Final Report submitted to the NOAA/UNH Cooperative Institute for Coastal and Estuarine Environmental Technology (CICEET), 1-29 pp.

Anderson, F.E., 2002. Effect of wave-wash from personal watercraft on salt marsh channels. *Journal of Coastal Research Special Issue* 37:33-49.

Anderson, W.D. and G.M. Yianopoulos, 2003. Final Report to NOAA-RC, Intertidal oyster and clam bed restoration in the ACE Basin, South Carolina using recycled oyster shell, hatchery raised clam seed, and other cultch material, Project Period, July 2000 –September 2002, 18pp.

Backhurst, M., R. Cole, 2000. Biological impacts of boating at Kawau Island, north-eastern New Zealand. *J. Environ. Mgmt.* 60(3):239-251.

Bauer, B. O., M. S. Lorang, and D. J. Sherman, 2002. Estimating boat-wake-induced levee erosion using sediment suspension measurements. *Journal of Waterway, Port, Coastal and Ocean Engineering* July/August:152-162.

Bell, E.C., and M.W. Denny, 1994. Quantifying "wave exposure": a simple device for recording maximum velocity and results of its use at several field sites. *Journal Experimental Marine Biology and Ecology* 181:9-29.

Bilkovic, D.M., and M.M. Roggero, 2008. Effects of coastal development on nearshore estuarine nekton. *Mar. Ecol. Prog. Ser.* 358: 27–39.

Bishop, M.J., 2003. Making waves: the effects of boat-wash on macrobenthic assemblages of estuaries. Ph.D. Dissertation, University of Sydney, 257 pp.

Bishop, M.J., 2005. Artificial sampling units: a tool for increasing the sensitivity of tests for impact in soft sediments. *Environmental Monitoring and Assessment.* 107:203-220.

Bishop, M.J., 2004. A posteriori evaluation of strategies of management: the effectiveness of no-wash zones in minimizing the impacts of boat-wash on macrobenthic infauna. *Environmental Management* 34:140–149.

Bishop, M.J and M.G. Chapman, 2004. Managerial decisions as experiments: an opportunity to determine the ecological impact of boat-generated waves on macrobenthic infauna. *Estuarine, Coastal and Shelf Science* 61:613–622.

Bishop, M.J., 2007. Impacts of boat-generated waves on macroinfauna: towards a mechanistic understanding. *J. Exp. Mar. Biol. Ecol.* 343:187–196.

- Breitburg, D. L. 1988. Effects of turbidity on prey consumption by striped bass larvae. *Transactions of the American Fisheries Society* 117:72-77.
- Bricelj, V. M., R. E. Malouf, and C. de Quillfeldt, 1984. Growth of juvenile *Mercenaria mercenaria* and the effect of re-suspended bottom sediments. *Marine Biology* 84:176-183.
- Bhowmik, N. G., A.C. Miller, and B.S. Payne, 1990. Techniques for studying the physical effects of commercial navigation traffic on aquatic plants. Technical Report EL-90-10, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS., NTIS No. AD A229 834.
- Buzan, D. W. Lee, J. Culbertson, N. Kuhn, and L. Robinson, 2008. Positive relationship between freshwater inflow and oyster abundance in Galveston Bay, Texas. *Estuaries and Coasts* 32:206–212.
- Chose, J.R., 1999. Factors influencing bank erosion in tidal salt marshes of Murrells Inlet and North Inlet, South Carolina. M.S. Thesis, University of Charleston and MUSC. 98pp.
- Coen, L.D., 1995. A review of the potential impacts of mechanical harvesting on subtidal and intertidal shellfish resources. SCDNR-MRRI, 46 pp. + three Appendices.
- Coen, L. D., and A. Fischer, 2002. Managing the future if South Carolina's oysters: an experimental approach to evaluating current harvesting practices and boat wake impacts. *Journal of Shellfish Research* 21:894.
- Coen, L.D., and M. Bolton-Warberg 2003. Evaluating the impacts of harvesting practices, boat wakes and associated shoreline erosion on intertidal creek habitats in the southeastern U.S.: managers and restoration programs take note. *J. Shellfish Res.* 22:325.
- Coen, L.D., and M. Bolton-Warberg, 2005. An examination of the impacts of various harvesting/ management strategies and boat wakes on oyster bed condition, recovery rates, shoreline erosion and restoration. A Marine Recreational Fisheries Stamp Program Final Report, 96pp.
- Crawford, R.E., N. Stolpe and M. Moore, eds., 1998. The environmental impacts of boating. Woods Hole, MA. Proceedings of a Workshop held at Woods Hole Oceanographic Institution, Woods Hole MA USA.
- Cyr, H., 1998. Effects of wave disturbance and substrate slope on sediment characteristics in the littoral zone of small lakes. *Canadian Journal of Fisheries and Aquatic Sciences* 55:967-976.
- Davis, H.C., 1960. Effects of turbidity-producing materials in sea water on eggs and larvae of the clam (*Venus (Mercenaria) mercenaria*). *Biological Bulletin* 118:48-54.
- Department of Fisheries and Oceans Canada, Canadian Heritage, Ontario Ministry of Natural Resources and Conservation Ontario. 1999. Working around water: What you should know about fish habitat and docks, boathouses and boat launches. Fact Sheet #5, Issue Date September 1999. Published by the Fish Habitat Management Program, Fisheries and Oceans Canada. Burlington, ON.

- Ellis, M.M., 1936. Erosion silt as a factor in aquatic environments. *Ecology* 17:29-42.
- Ellis, J., V. Cummings, J. Hewitt, S. Thrush, and A. Norkko, 2002. Determining effects of suspended sediment on condition of a suspension feeding bivalve (*Atrina zelandica*): results of a survey, a laboratory experiment and a field transplant experiment. *J. Exp. Mar. Biol. Ecol.* 267(2):147-174.
- Ellis, J., D. Schneider, and S. Thrush, 2000. Detecting anthropogenic disturbance in an environment with multiple gradients of physical disturbance, Manukau Harbour, New Zealand. *Hydrobiologia* 440:379-391.
- FMRI, 2005. Manatee Mortality - Database Search. [http://research.myfwc.com/manatees/search\\_summary.asp](http://research.myfwc.com/manatees/search_summary.asp).
- Gabet, E.J., 1998. Lateral migration and bank erosion in a salt marsh tidal channel in San Francisco Bay, California. *Estuaries* 21(4B):745-753.
- Greca, P.A., and T.E. Targett, 1996. Effects of turbidity light level and prey concentration on feeding of juvenile weakfish *Cynoscion regalis*. *Marine Ecology Progress Series* 131:11-16.
- Goodwin, L.K., 2007. Evaluating the impacts of environmental parameters on shoreline erosion and related aspects: assessing the current status of vegetation, sediments, and biota. M.S. Thesis, College of Charleston, SC, 117pp.
- Grizzle, R.E., Adams, J.R., and L.J. Walters. 2002. Historical changes in intertidal oyster (*Crassostrea virginica*) reefs in a Florida lagoon potentially related to boating activities. *Journal of Shellfish Research* 21:749-756.
- Hardaway, C.S., 1999. Shoreline management in Chesapeake Bay. VSG-99-11, 54 pp.
- Kennish, M.J., ed., 2002. Impacts of motorized watercraft on shallow estuarine and coastal marine environments. *J. Coastal Res. Special Issue No. 37*:1-202.
- La Peyre, M.K., B. Gossman, and J.F. La Peyre, 2009. Defining optimal freshwater flow for oyster production: effects of freshet rate and magnitude of change and duration on Eastern oysters and *Perkinsus marinus* infection. *Estuaries and Coasts* 32:522-534.
- Lenihan, H.S., and C. H. Peterson, 1997. Effects of harvesting on the habitat value of restored oyster reefs: an experimental analysis. *J. Shellfish Res.* 16(1):270.
- Levinton, J.S., 1991. Variable feeding behavior in three species of *Macoma* (Bivalvia: Tellinacea) as a response to water flow and sediment transport. *Marine Biology* 110:375-383.
- Lunz, R.G., 1938. Oyster culture with reference to dredging operations in South Carolina. Report to U.S. Engineer Office, Charleston, South Carolina, 1-135.
- Maier, P.P., P.H. Wendt, W.A. Roumillat, G.H. Steele, M.V. Levisen, and R. Van Dolah, 1995. Effects of Subtidal Mechanical Clam Harvesting on Tidal Creeks. Harvesting Project Final Report, SCDNR-MRRI, 43 pp. with Appendices.
- Maryland Coastal Program, 2005. Shorelines Online. Department of Natural Resources, Tawes State Building E-2, Annapolis, MD, 21401.

- Meadows, L., G. Meadows, A. Troesch, S. Cohen, K. P. Beier, G. Root, O. M. Griffin, and T. F. Swann, 1994. Lagrangian velocity profiles in the wake of a high speed vessel. *Ocean Engineering* 21:221-242.
- Meeuwig, J.J., J.B. Rasmussen, and R.H. Peters, 1998. Turbid waters and clarifying mussels: their moderation of empirical chl:nutrient relations in estuaries in Prince Edward Island, Canada. *Marine Ecology Progress Series* 171:139-150.
- Meyer, D.L., E.C. Townsend; G.W. Thayer, 1997. Stabilization and erosion control value of oyster cultch for intertidal marsh. *Restoration Ecology* 5:93-99.
- Meyer, D.L., E.C. Townsend; P.L. Murphy, 1996. Final report for the project "The Evaluation of restored wetlands and enhancement methods for existing restorations". NMFS, SEFSC, Beaufort Lab, NC, 115 pp + append.
- Minello, T.J., R.J. Zimmerman, and R.J. Martinez, 1987. Fish predation on juvenile brown shrimp, *Penaeus aztecus* Ives: effects of turbidity and substratum on predation rates. *Fishery Bulletin* 85:59-70.
- Mohlenberg, F., and T. Kiorboe, 1981. Growth and energetics in *Spisula subtruncata* and the effect of suspended bottom material. *Ophelia* 20:79-90.
- Moore, P.G., 1977. Inorganic particulate suspensions in the sea and their effects on marine animals. *Oceanography and Marine Biology Annual Review* 15:225-363.
- Morton, J.W., 1977. Ecological effects of dredging and dredge spoil disposal: a literature review. U.S. Fish. Wildl. Ser. Tech. Pap. 76(20), 1-38.
- Nanson, G.C., A. Von Krusenstierna, E.A. Bryant and M.R. Renilson, 1994. Experimental measurements of river-bank erosion caused by boat-generated waves on the Gordon River, Tasmania. *Regulated Rivers: Research & Management* 9:1-14.
- Neumann, D.A., J.M. O'Connor, J.A. Sherk, and K.V. Wood, 1975. Respiratory and haematological responses of oyster toadfish (*Opsanus tau*) to suspended solids. *Transactions of the American Fisheries Society* 104:775-781.
- National Marine Manufacturers Association, 2004. 2002 U.S. Recreational Boat Registration Statistics, Market Statistics Department, Chicago, IL, 18 pp.
- NRC (National Research Council), 1990. Mitigating coastal erosion. National Academy Press, Washington, D.C., 204pp.
- National Research Council, 2007. Mitigating shore erosion along sheltered coasts. Washington, D.C. National Academies Press, 174pp.
- O'Connor, J.M., D.A. Neumann, and J.A. Sherk, 1976. Lethal effects of suspended sediments on estuarine fish. U.S. Coast Eng. Res. Tech. Pap. 76(20), 1-38.
- O'Connor, J.M., D.A. Neumann, and J.A. Sherk, 1977. Sublethal effects of suspended sediments on estuarine fish. U.S. Coast. Eng. Res. Tech. Pap. 77(3):1-90.
- Palumbi, S.R., 1984. Measuring intertidal wave forces. *Journal Experimental Marine Biology and Ecology* 81:171-179.
- Peterson, C.H., 1985. Patterns of lagoonal bivalve mortality after heavy sedimentation and their paleoecological significance. *Paleobiology* 11:139-153.

- Piazza, B.P., P.D. Banks, and M.K. La Peyre, 2005. The potential for created oyster shell reefs as a sustainable shoreline protection strategy in Louisiana. *Restoration Ecology* 13:499–506.
- Pillay, S., L.R. Gardner, and B. Kjerfve, 1992. The effect of cross-sectional variations in velocity and concentration variations on suspended sediment transport rates in tidal creeks. *Estuarine, Coastal and Shelf Science* 35:331-345.
- Pilskaln, C. H., J. H. Churchill, and L. M. Mayer, 1998. Resuspension of sediment by bottom trawling in the Gulf of Maine and potential geochemical consequences. *Conservation Biology* 12:1223-1229.
- Price, F.D., 2005. Quantification, analysis, and management of intracoastal waterway channel margin erosion in the Guana Tolomato Matanzas National Estuarine Research Reserve, Florida. M.S. Thesis. Florida State University, 70pp.
- Provancha, J.C., R. Hall and D.M. Oddy, 1992. NASA Technical Memorandum 107548, 111 pp.
- Riggs, S.R., 2001. Shoreline erosion in North Carolina estuaries. The Soundfront Series, UNC-SG-01-11. 68pp.
- Rogers, S., and T. Skrabel, 2001. Managing erosion on estuarine shorelines. The Soundfront Series, UNC-SG-01-12, 32pp.
- Salinas, J.I.S., and I.I. Urdangarin, 1994. Response of sublittoral hard substrate invertebrates to estuarine sedimentation in the outer harbour of Bilbao (N. Spain). *Marine Ecology P.S.Z.N.I.* 15:105-131.
- Sanford, L.P., 1994. Wave-forced resuspension of Upper Chesapeake Bay muds. *Estuaries* 17:148-165.
- Sanger, D.M., and A.F. Holland, 2002. Evaluation of the impacts of dock structures of South Carolina estuarine environments. Tech. Report #99, MRRI-SCDNR, 82 pp.
- Sargent, F.J., W.B. Sargent, T.J. Leary, D.W. Crewz, and C.R. Kruer, 1995. Scarring of Florida's Seagrass: Assessment and Management Options. FMRI Technical Report TR-1.
- Schoellhamer, D.H., 1995. Sediment resuspension mechanisms in Old Tampa Bay, Florida. *Estuarine, Coastal and Shelf Science* 40:603-620.
- Scyphers, S.B., S.P. Powers, K.L. Heck, Jr., and D. Byron, 2011. Oyster reefs as natural breakwaters mitigate shoreline loss and facilitate fisheries. *PLoS ONE* 6(8):e22396. doi:10.1371/journal.pone.0022396 See <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0022396>
- Settlemyer, J.L., and L.R. Gardner, 1977. Suspended sediment flux through a salt marsh drainage basin. *Estuarine, Coastal and Shelf Science* 5:653-663.
- Sherk, J.A., Jr., 1972. Current status of the knowledge of the biological effects of suspended and deposited sediments in Chesapeake Bay. *Chesapeake Science Suppl.* 13:S137-S144.

- Shirley, M., V. McGee, T. Jones, B. Anderson, and J. Schmid, 2004. Relative abundance of stenohaline and euryhaline oyster reef crab populations as a tool for managing freshwater inflow to estuaries. *Journal of Coastal Research* 45:195-208.
- Smith, G. F.; D. G. Bruce, E. B. Roach. 2001. Remote Acoustic Habitat Assessment Techniques Used to Characterize the Quality and Extent of Oyster Bottom in the Chesapeake Bay. *Marine Geodesy* 24(3):171-189.
- Smyth, D. D. Roberts, and L. Browne, 2009. Impacts of unregulated harvesting on a recovering stock of native oysters (*Ostrea edulis*). *Mar. Pollut. Bull.* 58:916–922.
- Stricklin, A.G., M.S. Peterson, J.D. Lopez, C.A. May, C.F. Mohrman, and M.S. Woodrey. 2010. Do small, patchy constructed intertidal oyster reefs reduce salt marsh erosion as well as natural reefs? *Gulf and Caribbean Research* 22:21-27
- Strychar, K.B., and B.A. MacDonald, 1999. Impacts of suspended peat particles on feeding and absorption rates in cultured eastern oysters (*Crassostrea virginica* Gmelin). *Journal of Shellfish Research* 18:437-444.
- Telesnicki, G. J., and W. M. Goldberg, 1995. Comparison of turbidity measurement by nephelometry and transmissometry and its relevance to water quality standards. *Bulletin of Marine Science* 57:540-547.
- Thieler, E.R., E.A. Himmelstoss, J.L. Zichichi, and T.L. Miller, 2005. Digital Shoreline Analysis System (DSAS) V3.0: An ArcGIS extension for calculating shoreline change: U.S. Geological Survey Open-File Report 2005-1304.
- Tolley, S.G., A.K. Volety, and M. Savarese, 2005. Influence of salinity on the habitat use of oyster reefs in three southwest Florida estuaries. *Journal of Shellfish Research* 24:127-138.
- Tolley, S.G., A.K. Volety, M. Savarese, L.D. Walls, C. Linardich, and E.M. Everham, 2006. Impacts of salinity and freshwater inflow on oyster-reef communities in SW Florida. *Aquatic Living Resources*. 19: 371-387.
- Turner, E.J., and D.C. Miller, 1991. Behavior and growth of *Mercenaria mercenaria* during simulated storm events. *Marine Biology* 111:55-64.
- Turner, R.E., 2009. Comments on Buzan et al. “positive relationships between freshwater inflow and oyster abundance in Galveston Bay, Texas.” *Estuaries and Coasts* 32:213–217.
- Urban, E. R., Jr., and D. L. Kirchman, 1992. Effect of kaolinite clay on the feeding activity of the eastern oyster *Crassostrea virginica* (Gmelin). *Journal Experimental Marine Biology and Ecology* 160:47-60.
- Underwood, A.J., 1991. Beyond BACI: experimental designs for detecting human environmental impacts on temporal variations in natural populations. *Austr. J. Mar. Freshwater Res.* 42:569-587.
- Underwood, A.J., 1992. Beyond BACI: the detection of environmental impacts on populations in the real, but variable, world. *J. Exp. Mar. Biol. Ecol.* 161: 145-178.

- Underwood, A.J., 1993. The mechanics of spatially replicated sampling programmes to detect environmental impacts in a variable world. *Austr. J. Ecol.* 18: 99-116.
- Underwood, A.J., 1994. Things environmental scientists (and statisticians) need to know to receive (and give) better statistical advice. Pages 33-61 In D. J. Fletcher and B. F. J. Manly, editors. *Statistics in ecology and environmental monitoring*. University of Otago Press, Otago, New Zealand.
- Underwood, A.J., 1994. On beyond BACI: sampling designs that might reliably detect environmental disturbances. *Ecol. Appl.* 4: 3-15.
- Van Dolah, R.F., A.F. Holland, L.D. Coen, A.H. Ringwood, M.V. Levisen, P.P. Maier, G.I. Scott, A.K. Leight, Y. Bobo, D. Richardson, 1999. *Biological Resources, Report on the status of Broad Creek/Okatee River Systems*. DHEC-MRRI-NOAA-Charleston.
- Van Dolah, R.F., D.M. Sanger, A.B. Filipowicz, 2004. *A Baseline Assessment of Environmental and Biological Conditions in the May River, Beaufort County, South Carolina*. Final Report Submitted to The Town of Bluffton by South Carolina Department of Natural, United States Geological, and the National Ocean Service National Oceanic and Atmospheric Administration, Center for Coastal Environmental Health and Biomolecular Research. 243 pp.
- Vernberg, F.J., W.B. Vernberg, D.E. Porter, G.T. Chandler, H.N. McKellar, D. Tufford, T. Siewicki, M. Fulton, G. Scott, D. Bushek and M. Wahl, 1999. Impact of coastal development on land-coastal waters. In *Land-Ocean Interactions: Managing Coastal Ecosystems*. E. Ozhan (ed.) MEDCOAST, Middle East Technical University, Ankara, Turkey. pp. 613-622.
- Volety, A.K., M. Savarese, S.G. Tolley, W.S. Arnold, P. Sime, P. Goodman, R.H. Chamberlain, P.H. Doering, 2009. Eastern oysters (*Crassostrea virginica*) as an indicator for restoration of Everglades Ecosystems. *Ecological Indicators* 9(6) Supplement 1: S120-S136.
- Wall, L., Walters, L., Sacks, P., and R. Grizzle, 2005. Recreational boating activity and its impact on the recruitment and survival of the oyster *Crassostrea virginica* on intertidal reefs in Mosquito Lagoon, FL. *J. Shellfish Res.* 24:965-974.
- Walters, L.J., K. Johnson, L.M. Wall, N. Martinez and R. Grizzle, 2002. Shell movement and juvenile survival of the oyster on intertidal reefs adjacent to waters with intense boating activity in the Indian River Lagoon, Florida. *J. Shellfish Res.* 21:415-416.
- Walters, L., L.D. Coen, P. Sacks, J. Grevert, and J. Stiner, 2004. Boat Wakes on Intertidal Reefs of the Oyster *Crassostrea virginica*. Presented at the 33rd Annual Marine Benthic Ecology Meetings, Mobile, AL, March 2004.
- Weinstein, M.P., and D.A. Kreeger, eds., 2000. *Concepts and controversies in tidal marsh ecology*. Kluwer Academic Publishers, Dordrecht, the Netherlands.
- Wilber, C.G., 1983. *Turbidity in the aquatic environment: an environmental factor in fresh and oceanic waters*. C.G. Thomas, Springfield, IL.

- Wilber, D.H., 1992. Associations between freshwater inflows and oyster productivity in Apalachicola Bay, Florida. *Estuarine, Coastal and Shelf Science* 35:179-190.
- Wilber, D.H., and R. Bass, 1998. Effect of the Colorado River diversion on Matagorda Bay epifauna. *Coastal and Shelf Science* 47:309-318.
- Winterwerp, J.C. and W.G.M. van Kesteren, 2004. Introduction to the physics of cohesive sediment dynamics in the marine environment, *Developments in Sedimentology* 56, Series Editor, T. van Loon, Elsevier, 300p.
- Woolnough, S. J., J. R. L. Allen, and W. L. Wood, 1995. An exploratory numerical model of sediment deposition over tidal salt marshes. *Estuarine, Coastal and Shelf Science* 41:515-543
- Zabawa, C., and C. Ostrum, 1980. Final Report On the role of boat wakes in shore erosion in Anne Arundel Co., MD.

**Remote Sensing, Status and Trends and Mapping Related to Shellfish Resources/Habitats (Subtidal and Intertidal)**

- Allen, Y.C., C.A. Wilson, H.H. Roberts, and J. Supan, 2005. High resolution mapping and classification of oyster habitats in nearshore Louisiana using sidescan sonar. *Estuaries* 28:435–446.
- Anderson, D. W., and Yianopoulos, G. M, 2001. Using GIS, GPS and Digital Photography in Shellfish Management. Proceedings of the 2nd Biennial Coastal GeoTools Conference, Charleston, SC, January 8-11.
- Boswell, K.M., M.P. Wilson, and C.A. Wilson, 2007. Hydroacoustics as a tool for assessing fish biomass and size distribution associated with discrete shallow water estuarine habitats in Louisiana. *Estuaries and Coasts* 30: 607–617.
- Chauvaud, S., C. Bouchon, and R. Maniere, 1998. Remote sensing techniques adapted to high resolution mapping of tropical coastal marine ecosystems (coral reefs, seagrass beds and mangrove). *International Journal of Remote Sensing* 19(18):3625-3639.
- Chose, J.R., 1999. Factors influencing bank erosion in tidal salt marshes of Murrells Inlet and North Inlet, South Carolina. M.S. Thesis, University of Charleston and MUSC, 98 pp.
- Coen, L. D., and A. Fischer, 2002. Managing the future if South Carolina's oysters: an experimental approach to evaluating current harvesting practices and boat wake impacts. *Journal of Shellfish Research* 21:894.
- Cracknell, A.P., 1999. Remote sensing techniques in estuaries and coastal zones – an update. *International Journal of Remote Sensing* 19:485-496.
- CSC, 2003. Pilot investigation of remote sensing for intertidal oyster mapping in coastal South Carolina methods comparison, NOAA Coastal Services Center, Charleston, SC. 32pp.  
[http://www.csc.noaa.gov/benthic/mapping/pdf/oysterreport.pdf#search=%22Pilot%20investigation%20of%20remote%20sensing%20for%20intertidal%20oyster%](http://www.csc.noaa.gov/benthic/mapping/pdf/oysterreport.pdf#search=%22Pilot%20investigation%20of%20remote%20sensing%20for%20intertidal%20oyster%20)

- 20mapping%20in%20coastal%20South%20Carolina%20methods%20comparison%20C%20NOAA%20Coastal%20Services%20Center%20C%22
- Cullen, K.M., G.T. Bourgaux, A. Martin, P.E. Delfico, 2002. The use of GIS in the development of a coastal resources management plan. 03 GeoTools Conference, Charleston, SC.
- Finkbeiner, M., W. Stevenson, W. Anderson, M. Yianopoulos, L. Coen, G. Martin, K. Cullen, 2003. Managing and monitoring intertidal oyster reefs with remote sensing in coastal South Carolina. ICSR'02, Charleston, SC. J. Shellfish. Res. 22
- Gambordella, M., L. McEachron, C. Beals, and W. S. Arnold, 2007. Establishing baselines for monitoring the response of oysters in southeast Florida to changes in freshwater input, Final Report, 176p. (can be downloaded at <ftp://ftp.floridamarine.org/users/fishbio/CESI/>)
- Goshimam, S. and H. Fujiwara, 1994. Distribution and abundance of cultured scallop *Placopecten yessionsis* in extensive sea beds as assessed by underwater camera. Mar. Ecol. Prog. Ser. 110:151-158.
- Grizzle, R.E., 1990. Distribution and abundance of *Crassostrea virginica* (Gmelin, 1791) (eastern oyster) and *Mercenaria* spp. (quahogs) in a coastal lagoon. J. of Shellfish Res. 9:347-358.
- Grizzle, R.E., Adams, J.R., and L.J. Walters, 2002. Historical changes in intertidal oyster (*Crassostrea virginica*) reefs in a Florida lagoon potentially related to boating activities. J. Shellfish Res. 21:749-756.
- Grizzle, R.E., L.G. Ward, R. Langan, G.M. Schnaittacher, J.A. Dijkstra, and J.R. Adams. 2003. Environmental monitoring at an open ocean aquaculture site in the Gulf of Maine: results for 1997-2000. In: Open Ocean Aquaculture: from Research to Reality. Eds.: C.J. Bridger and B.A. Costa-Pierce. The World Aquaculture Society, Baton Rouge, LA, USA.
- Grizzle, R.E. and M. Brodeur, 2004. Oyster (*Crassostrea virginica*) reef mapping in the Great Bay estuary, New Hampshire. Final Report to the New Hampshire Estuaries Project, 19pp.
- Grizzle, R.E., L.G. Ward, J.R. Adams, S.J. Dijkstra, and B. Smith, 2005. Mapping and characterizing oyster reefs using acoustic techniques, underwater videography, and quadrat counts. pp. 153-160, In: Benthic Habitats and the Effects of Fishing. P.W. Barnes and J.P. Thomas (Eds.) American Fisheries Society Symposium 41.
- Grizzle, R. E., M. Brodeur, H. Abeels, and J.K. Greene, 2008. Bottom habitat mapping using towed underwater videography: subtidal oyster reefs as an example application. Journal of Coastal Research 24:103–109.
- Harris, D.C., 1980. Survey of the intertidal and subtidal oyster resources of the Georgia coast. Georgia Department of Natural Resources Coastal Resources Division (Project no. 2-234-R). Brunswick, Georgia, 44 pp.

- Jefferson, W. H., Michener, W.K., Karinshak, D. A., Anderson, W., and Porter, D., 1991. Developing GIS Data Layers for Estuarine Resource Management. Proceedings, GIS/LIS 91, pp. 331-341.
- Lefsky, Michael A., Warren B. Cohen, Geoffrey G. Parker, and David J. Harding, 2002. LiDAR Remote Sensing for Ecosystem Studies. *BioScience* 52:19-30.
- Linton, T.L., 1969. Inventory of the intertidal oyster resources of Georgia. Pages 2-6, In: Linton, T.F. (Ed.) Feasibility study of methods for improving oyster production in Georgia. Final Report, Marine Fisheries Division, Georgia Game and Fish Commission and the University of Georgia.
- Martin, G., K. Cullen, M. Finkbeiner, B. Stevenson, W. Anderson, M. Yianopoulos and L. Coen, 2002. Remote sensing for intertidal oyster reef mapping and change detection in coastal South Carolina, 03 GeoTools Conference, Charleston, SC.
- Meyer, G.R., G.J. Lowe, E. Kim, C.L. Abbott, S.C. Johnson, and S.R. Gilmore, 2010. Health Status of Olympia Oysters (*Ostrea lurida*) in British Columbia, Canada. *J. Shellfish Res.* 29:181–185.
- Paynter, K.T., and T.E. Knoles. 1999. Use of videography to assess differences between restored and non-restored areas in the Chesapeake Bay. 3rd. ICSR Cork, '99. *J. Shellfish. Res.* 18(2):730-731. Paynter has used video for oysters in MD (albeit not as quantitative tool).
- Powell, E.N., J. Song, M.S. Ellis, and E.A. Wilson-Ormond, 1995. The status and long-term trends of oyster reefs in Galveston Bay, Texas. *J. Shellfish Res.* 14:439–457.
- Powers, A., B. Corley, D. Atkinson, R. Walker, D. Harris, J. Manley and T. Johnson, 2010. A caution against interpreting and quantifying oyster habitat loss from historical surveys. *J. Shellfish Res.* 29:927–936.
- Preston, J.M. and W.T. Collins, 2000. Bottom classification in very shallow water by high-speed data acquisition. OCEANS 2000 MTS/IEEE Conference Vol. 2:1277-1282.
- Price, F.D., 2005. Quantification, analysis, and management of intracoastal waterway channel margin erosion in the Guana Tolomato Mantanzas National Estuarine Research Reserve, Florida. Master of Science Thesis. Florida State University, 70pp.
- Quester-Tangent, 2003. Mapping Intertidal Oysters with QTC VIEW North Inlet – Winyah Bay, South Carolina, QTC Technical Report SR41-03, 22pp.
- Ragnarsson, S.A. and G.C. Thórarinsdóttir, 2002. Abundance of ocean quahog, *Arctica islandica*, assessed by underwater photography and hydraulic dredge. *J. Shellfish Res.* 21:673-676.
- Ross, P.G. and M.W. Luckenbach, 2009. Population assessment of Eastern oysters (*Crassostrea virginica*) in the seaside coastal bays. Final Report, submitted to: Laura McKay Coastal Zone Management Program, Virginia Department of Environmental Quality, Richmond, VA, 101pp.

- SCDNR, 2008. Final Report for South Carolina's 2004-05 Intertidal Oyster Survey and Related Reef Restoration/Enhancement Program: An Integrated Oyster Resource/Habitat Management and Restoration Program Using Novel Approaches, by the Marine Resources Division, SCDNR. Final Report Completed for NOAA Award No. NA04NMF4630309 December 2008, 103pp.
- Schill, S.R., D. Porter, L.D. Coen, D. Bushek, and J. Vincent, 2006. Development of an Automated Mapping Technique for Monitoring and Managing Shellfish Distributions. A Final Report Submitted to the NOAA/UNH Cooperative Institute for Coastal and Estuarine Environmental Technology (CICEET), 88pp.
- Schmidt, L., 2000. Classifying oyster reefs using high-resolution multispectral imagery. Unpublished graduate research. University of South Carolina.
- Schulte, K.E., G.M. Yianopoulos, M.W. Vo, L.D. Coen, R.F. Van Dolah, W.D. Anderson, M.A. Finkbeiner, and W.R. Stevenson, 2005. Delineating oyster reefs using airborne multi-spectral imagery: assessing the accuracy of extraction techniques using ground-truthing and related approaches. GeoTools 2005, Myrtle Beach, March, 2005, SC.
- Smith, G.F.; D.G. Bruce, E.B. Roach, 2001. Remote Acoustic Habitat Assessment Techniques Used to Characterize the Quality and Extent of Oyster Bottom in the Chesapeake Bay. *Marine Geodesy* 24(3):171-189.
- Smith, G.F., K.N. Greenhawk, D.G. Bruce, E.B. Roach, and S.J. Jordan, 2001. A digital presentation of the Maryland oyster habitat and associated bottom types in the Chesapeake Bay (1974-1983). *J. Shellfish Res.* 20:197-206.
- Smith, G.F., D. Loy, G. Florence, R. F. Van Dolah, W. D. Anderson, L. D. Coen, M. Finkbeiner, B. Stevenson, 2005. South Carolina oyster bed mapping. A paper submitted to the ASPRS 2005 Annual Conference, Baltimore, Maryland, March 7-11, 2005.
- Soniat, T.M., J.M. Klinck, E.N. Powell, and E.E. Hofmann, 2006. Understanding the success and failure of oyster populations: climatic cycles and *Perkinsus marinus*. *J. Shellfish Res.* 25:83-93.
- Soniat, T.M., L.E. Smith, and M.S. Brody, 1989. Mortality and condition of the American oyster in Galveston Bay, Texas. *Contrib. Mar. Sci.* 31:77-94.
- Twichell, D., B. Andrews, L. Edmiston, and W. Stevenson, in review. Geophysical mapping of oyster habitats in a shallow estuary: Apalachicola Bay, FL: U.S. Geological Survey Open-File Report 2006-1381. ppt from FL Workshop
- U.S.E.S., 1997, Urbanization and Southeastern Estuarine Systems (USES) Study Areas, <http://www.baruch.sc.edu/usesweb/useshome.html>
- Vernberg, F.J., W.B. Vernberg, D.E. Porter, G.T. Chandler, H.N. McKellar, D. Tufford, T. Siewicki, M. Fulton, G. Scott, D. Bushek and M. Wahl. 1999. Impact of coastal development on land-coastal waters. In *Land-Ocean Interactions: Managing Coastal Ecosystems*. E. Ozhan (ed.) MEDCOAST, Middle East Technical University, Ankara, Turkey. pp. 613-622.

- Vincent, J.S., 2006. Mapping shellfish distribution using hyperspectral remote sensing. Ph.D. Dissertation, Department of Geography, University of South Carolina, 161pp.
- Vincent, J.S. D.E. Porter, L. Coen, D. Bushek, and S. Schill, 2003. Assessing and mapping shellfish resources using hyperspectral remote sensing. 03 GeoTools Conference, Charleston, SC.
- Vincent, J.S. D.E. Porter, L. Coen, D. Bushek, and S. Schill, 2002. Assessing and mapping intertidal shellfish resources using remote sensing. SEERS Meeting
- Wildish, D.J., G.B.J. Fader, P. Lawton and A.J. MacDonald, 1998. The acoustic detection and characteristics of sublittoral bivalve reefs in the Bay of Fundy. *Continental Shelf Research*, 18, 105-113.
- Wilson, C.A., H.H. Roberts, J. Supan and W. Winans, 1999. The acquisition and interpretation of digital acoustics for characterizing Louisiana's shallow water oyster habitat. Oyster Geophysics Program. 3rd. ICSR Cork, '99 J. Shellfish. Res. 18(2):730-731.
- Wilson, C.A., H.H. Roberts, J. Supan, 2000. MHACS: marine habitat acoustic characterization systems. A program for the acquisition and interpretation of digital acoustics to characterize marine habitat. *J. Shellfish Res.* 19(1):627

### **Non-Natives**

- Diederich, S., 2005. Differential recruitment of introduced Pacific oysters and native mussels at the North Sea coast: coexistence possible? *Journal of Sea Research* 53:269-281.
- Diederich, S. 2006. High survival and growth rates of introduced Pacific oysters may cause restrictions on habitat use by native mussels in the Wadden Sea. *J. Exp. Mar. Biol. Ecol.* 328:211-227.
- Diederich S., G. Nehls, J.E.E. van Beusekom, K. Reise, 2005. Introduced Pacific oysters (*Crassostrea gigas*) in the northern Wadden Sea: invasion accelerated by warm summers? *Helgoland Marine Research* 59:97-106.
- Drinkwaard, A.C., 1999. Introductions and developments of oysters in the North Sea area: a review. *Helgoländer Meeresunters* 52:301–308.
- Grizel, H., and M. Heral, 1991. Introduction into France of the Japanese oyster (*Crassostrea gigas*). *ICES Journal of Marine Science* 47:399-403.
- Harwell, H.D., P.R. Kingsley-Smith, M.L. Kellogg, S.M. Allen, S.K. Allen, Jr., D.W. Meritt, K.T. Paynter, Jr., and M.W. Luckenbach, 2010. A comparison of *Crassostrea virginica* and *C. ariakensis* in Chesapeake Bay: does oyster species affect habitat function? *J. Shellfish Res.* 29:253–269.
- Kennedy, V.S., 2011. The invasive dark falsemussel *Mytilopsis leucophaeata* (Bivalvia: Dreissenidae): a literature review. *Aquatic Ecology* 45(2):163-183.
- Markert, A., A. Wehrmann and I. Kröncke, 2010. Recently established *Crassostrea*-reefs versus native *Mytilus*-beds: differences in ecosystem engineering affects the

- macrofaunal communities (Wadden Sea of Lower Saxony, southern German Bight). *Biological Invasions* 12:1387-3547.
- Ragueneau, O., L. Chauvaud, B. Moriceau, A. Leynaert, G. Thouzeau, A. Donval, F. Le Loc'h, and F. Jean, 2005. Biodeposition by an invasive suspension feeder impacts the biogeochemical cycle of Si in a Coastal Ecosystem (Bay of Brest, France). *Biogeochemistry* 75:19-41.
- Reise, K., 1998. Pacific oysters invade mussel beds in the European Wadden Sea. *Senckenbergiana Marit.* 28:167-175.
- Siddall, S.E., 1980. A classification of the genus *Perna* (Mytilidae). *Bulletin of Marine Science* 30:858-870.
- Smaal, A., B. Kater, and J. Wijsman, 2009. Introduction, establishment and expansion of the Pacific oyster *Crassostrea gigas* in the Oosterschelde (SW Netherlands). *Helgoland Marine Research* 63:75-83.
- Thieltges, D.W., M. Strasser, and K. Reise, 2006. How bad are invaders in coastal waters? The case of the American slipper limpet *Crepidula fornicata* in western Europe. *Biological Invasions* 8:1673-1680.
- Troosta, K., E. Gelderman, P. Kamermans, A.C. Smaal and W.J. Wolffa, 2009. Effects of an increasing filter feeder stock on larval abundance in the Oosterschelde estuary (SW Netherlands). *J. of Sea Res.* 61:153-164.
- Wrangle, A.-L. J.V., L.S. Harketstad, Ø. Strand, S. Lindegarth, H.T. Christensen, P. Dolmer, P. S. Kristensen and S. Mortensen, 2010. Massive settlements of the Pacific oyster, *Crassostrea gigas*, in Scandinavia. *Biol. Invasions* 12: 1145-1152.

### **Perna viridis and Interactions with Oysters**

- Baker, P. and A. Benson, 2002. Habitat and ecology of green mussels, *Perna viridis*, in Florida. *J. Shellfish Res.* 21:424-425.
- Baker, P., J.S. Fajans, W.S. Arnold, D.A. Ingrao, D.C. Marelli, and S.M. Baker. 2007. Range and dispersal of a tropical marine invader, the green mussel, *Perna viridis*, in subtropical waters of the southeastern United States. *Journal of Shellfish Research* 26: 345-355.
- Baker, P., J. Fajans, and D. Bergquist, 2003. Invasive green mussels, *Perna viridis*, on mangroves and oyster reefs in Florida, University of Florida. *Proceedings of the Third International Conference on Marine Bioinvasions, La Jolla, California, March 16-19, 2003, p. 10.*
- Baker S.M., Baker P., Benson A., Nunez J., Philips E., and J. Williams. 2002. Biopollution by the green mussel, *Perna viridis*, in the southeastern United States. 2002 Progress Report. EPA Grant Number: R828898.
- Benson, A.J., D.C. Marelli, M.E. Frischer, J.M. Danforth, and J.D. Williams, 2001. Establishment of the green mussel, *Perna viridis* (Linnaeus 1758), (Mollusca: Mytilidae) on the west coast of Florida. *J. Shellfish Research* 20(1):21-29.

Power, A.J., R.L. Walker, K. Payne, and D. Hurley, 2004. First occurrence of the nonindigenous green mussel, *Perna viridis* in coastal Georgia, United States. J. Shellfish Res. 23:741-744.

## **Species Specific Information**

### *Boonea impressa*

[http://www.pac.dfo-mpo.gc.ca/sci/shelldis/pages/pyrasnoy\\_e.htm](http://www.pac.dfo-mpo.gc.ca/sci/shelldis/pages/pyrasnoy_e.htm)

<http://erato.acnatsci.org/wasp/search.php/9129>

Bower, S.M., McGladdery, S.E., Price, I.M. (1994): Synopsis of Infectious Diseases and Parasites of Commercially Exploited Shellfish: Pyramidellid Snails of Oysters.

URL: [http://www-sci.pac.dfo-mpo.gc.ca/shelldis/pages/pyrasnoy\\_e.htm](http://www-sci.pac.dfo-mpo.gc.ca/shelldis/pages/pyrasnoy_e.htm)

Cole, H.A., 1951. An *Odostomia* attacking oysters. Nature 168:953-954.

Collin, R and J.B. Wise, 1997. Morphology and development of *Odostomia columbiana* Dall and Bartsch (Pyramidellidae): Dall and Bartsch (Pyramidellidae): implications for the evolution of gastropod development. Biol. Bull. 192: 243-252.

Crook, R., 2003. The Bilbo Site, a 2001 Status Report. Report of Investigations, Antonio J. Waring, Jr. Archaeological Laboratory, State University of West Georgia, Carrollton.

Fradkin, A., 2005. Applying a Seasonality Measure of Oyster Harvesting: A Case Study from the Precolumbian Florida Coast. From M. Russo

Gale, L.D., 1990. Energetic costs to the American oyster, *Crassostrea virginica* (Gmelin) due to parasitism by the ectoparasitic gastropod, *Boonea impressa* (Say). M.S. Thesis, College of Charleston, SC, 49pp.

Gale, L.D., J.J. Manzi, and M.P. Crosby, 1991. Energetic costs to the eastern oyster *Crassostrea virginica* due to recent parasitism by the ectoparasitic gastropod *Boonea impressa*. Marine Ecology Progress Series 79:89-98.

Keene, D.A., 2002. Archaeological and Geophysical Investigations of Grove's Creek Site (9Ch71), Skidaway Island, Georgia. Ph.D. dissertation, University of Georgia, Athens.

Lauckner, G. 1983. Diseases of Mollusca: Bivalvia. In: O. Kinne (ed.) Diseases of Marine Animals. Volume II: Introduction, Bivalvia to Scaphopoda. Biologische Anstalt Helgoland, Hamburg, p. 797-800.

Powell, E.N., M.E. White, E.A. Wilson, and S.M. Ray, 1987a. Change in host preference with age in the ectoparasitic pyramidellid snail *Boonea impressa* (Say). J. Moll. Stud. 53:285-286.

Powell, E.N., M.E. White, E.A. Wilson, and S.M. Ray, 1987b. Small-scale spatial distribution of a pyramidellid snail ectoparasite, *Boonea impressa*, in relation to its host, *Crassostrea virginica*. P.S.N.Z.N.I.: Marine Ecology 8:107-130.

Powell, E.N., G.M. Staff, R.J. Stanton Jr., and W.R. Callender, 2001. Application of trophic transfer efficiency and age structure in the trophic analysis of fossil assemblages. Lethaia 34(2):97-118.

- Prezant, R.S., R.B. Toll, H.B. Rollins and E.J. Chapman, 2002. Marine Macroinvertebrate Diversity of St. Catherines Island, Georgia. *American Museum Novitates* Volume: 367(1): 1-31.
- Quitmyer, I.R., 2002. Faunal Remains of Remnant Mound Column Samples. In *Archeological Investigation of De Soto National Monument*, Margo Schwadron, editor, pp. 158-196. National Park Service, Southeast Archeological Center Technical Report No 8, Tallahassee.
- Russo, M., 1991. Archaic Sedentism on the Florida Coast: A Case Study from Horr's Island. Ph.D. dissertation, Dept. of Anthropology, University of Florida.
- Russo, M., 1991. A method for the measurement of season and duration of oyster collection: two case studies from the prehistoric South-east U.S. coast. *Journal of Archaeological Science* 18:205-221.
- Russo, M., 1992. Chronologies and Cultures of the St. Marys Region of Northeast Florida and Southeast Georgia. *The Florida Anthropologist* 45:107-126.
- Russo, M., 1993. The Timucuan Ecological and Historic Preserve Phase III Final Report. Southeastern Archaeological Center, National Park Service, SEAC Accession Number 899 (with contributions by Ann S. Cordell and Donna L. Ruhl).
- Russo, M., and I. Quitmyer, 1996. Sedentism in Coastal Populations of South Florida. In *Case Studies in Environmental Archaeology*, Elizabeth J. Reitz, Lee A. Newsom, and Sylvia J. Scudder, editors, pp. 215-231. Plenum Press, NY.
- Russo, M., 1998. Measuring Sedentism with Fauna: Archaic Cultures Along the Southwest Florida Coast, Ch 9, (*Boonea impressa* as a Seasonal Indicator of Oyster Collection). In: *Seasonality and Sedentism Archaeological Perspectives from Old and New World Sites*, Thomas R. Rocek, Ofer Bar-Yosef, Eds. Peabody Museum Bulletin #6, Cambridge, MA, 236pp.
- Schander C., Halanych K.M., Dahlgren T., Sundberg P., 2003. Test of the monophyly of Odostomiinae and Turbonilliinae (Gastropoda, Heterobranchia, Pyramidellidae) based on 16S mtDNA sequences. *Zoologica Scripta* 32(3):243-254.
- Ward, J.E., and C.J. Langdon, 1986. Effects of the ectoparasite *Boonea* (= *Odostomia*) *impressa* (Say) (Gastropoda: Pyramidellidae) on the growth rate, filtration rate, and valve movements of the host *Crassostrea virginica* (Gmelin). *Journal Experimental Marine Biology and Ecology* 99:163-180.
- Wells, H.W., 1959. Note on *Odostomia impressa* (Say). *Nautilus* 72:140-144.
- White, M.E., C.L. Kitting and E.N. Powell, 1984. The ectoparasitic gastropod *Boonea impressa* (= *Odostomia impressa*): population ecology and the influence of parasitism on oyster growth rates. *Mar. Ecol.* 5:283-299.
- White, M.E., C.L. Kitting and E.N. Powell, 1985. Aspects of reproduction, larval development and morphometrics in the pyramidellid *Boonea* (= *Odostomia*) *impressa* (Gastropoda: Opisthobranchia). *Veliger* 28:37-51.
- White, M.E., N.E. Powell, S.M. Ray and E.A. Wilson, 1987. Host-to-host transmission of *Perkinsus marinus* in oyster (*Crassostrea virginica*) populations by the

- ectoparasitic snail *Boonea impressa* (Pyramidellidae). Journal of Shellfish Research 6: 1-5.
- White, M.E., N.E. Powell, S.M. Ray, 1988a. Effect of parasitism by the pyramidellid gastropod *Boonea impressa* on the net productivity of oysters *Crassostrea virginica*. Estuarine Coastal Shelf Sci. 26:359-377.
- White, M.E., N.E. Powell, S.M. Ray, E.A. Wilson, and C.E. Zastrow, 1988b. Metabolic changes induced in oysters (*Crassostrea virginica*) by the parasitism of *Boonea impressa* (Gastropoda: Pyramidellidae). Comp. Biochem. Physiol. 90A(2):279-290.
- White, M.E., E.N. Powell, E.A. Wilson and S.M. Ray, 1989. The spatial distribution of *Perkinsus marinus*, a protozoan parasite, in relation to its oyster host (*Crassostrea virginica*) and an ectoparasitic gastropod (*Boonea impressa*). J. Mar. Biol. Assoc. UK, 69:703-17.
- Wilson, E.A., M.E. White, E.N. Powell, S.M. Ray 1988a. Patch formation by the ectoparasitic snail *Boonea impressa* on its oyster hosts, *Crassostrea virginica*. The Veliger 31:101-110.
- Wilson, E.A., M.E. White, E.N. Powell, S.M. Ray 1988b. The effect of the ectoparasitic pyramidellid snail *Boonea impressa*, on the growth and health of oysters, *Crassostrea virginica*, under field conditions. Fish. Bull. 86:553-566.
- Wilson, E.A., E.N. Powell, S.M. Ray, 1991. The effects of host density and parasitic crowding on movement and patch formation of the ectoparasitic snail, *Boonea impressa*: field and modeling results. J. of Anim. Ecology 60:779-804.
- Wise, J. B. 1993. Anatomy and functional morphology of the feeding structures of the ectoparasitic gastropod *Boonea impressa* (Pyramidellidae). Malacologia 35(1):119-134.

### **Geukensia and Other Mussels on Reefs**

For a discussion on *G. demissa* vs. *G. granosissima* see:

- [http://s14.invisionfree.com/Conchologist\\_Forum/index.php?showtopic=1826](http://s14.invisionfree.com/Conchologist_Forum/index.php?showtopic=1826)
- Bertness, M.D. 1980. Growth and mortality in the ribbed mussel *Geukensia demissa* (Bivalvia: Mytilidae). *The Veliger* 23:62-69.
- Bertness, M.D., and E. Grosholz. 1985. Population dynamics of the ribbed mussel, *Geukensia demissa*: The costs and benefits of an aggregated distribution. *Oecologia* 67:192-204.
- Brousseau, D.J., 1982. Gametogenesis and spawning in a population of *Geukensia demissa* (Pelecypoda: Mytilidae) from Westport, Connecticut. *Veliger* 24:247-251.
- Borrero, F.J., and T.J. Hilbish. 1988. Temporal variation in shell and soft tissue growth of the mussel *Geukensia demissa*. *Marine Ecology Progress Series* 42:9-15.
- Brousseau, D.J., 1984. Age and growth rate determinations for the Atlantic ribbed mussel, *Geukensia demissa* Dillwyn (Bivalvia: Mytilidae). *Estuaries* 7:233-241.
- Coen, L.D. and K. Walters, 2005. Species account for ribbed mussel (*Geukensia demissa*). Dept. of Interior, Comprehensive Wildlife Conservation Plan, SCDNR, 8 pp. <http://www.dnr.sc.gov/wcp/soon.htm>
- Charles, F. and R.I.E. Newell, 1997. Digestive physiology of the ribbed mussel *Geukensia demissa* (Dillwyn) held at different tidal heights. *J. Exp. Mar. Biol. Ecol.* 209: 201-213.
- Franz, D.R., 1996. Size and age at first reproduction of the ribbed mussel *Geukensia demissa* (Dillwyn) in relation to shore level in New York salt marsh. *Journal Experimental Marine Biology and Ecology* 205:1-13.
- Franz, D. R., 1997. Resource allocation in the intertidal salt-marsh mussel *Geukensia demissa* in relation to shore level. *Estuaries* 20:134-148.
- Franz, D.R., 2001. Recruitment, survivorship, and age structure of a New York ribbed mussel population (*Geukensia demissa*) in relation to shore level - a nine year study. *Estuaries* 24: 319-327.
- Heffernan, P. B., and R. L. Walker. 1989. Gametogenic cycles of three bivalves in Wassaw Sound, Georgia. 3. *Geukensia demissa* (Dillwyn, 1817). *Journal of Shellfish Research* 8:327-334.
- Hilbish, T.J. 1987. Response of aquatic and aerial metabolic rates in the ribbed mussel *Geukensia demissa* (Dillwyn) to acute and prolonged changes in temperature. *Journal Experimental Marine Biology and Ecology* 105:207-218.
- Huang, S.-C, D.A. Kreeger and R.I.E. Newell, 2003. Seston as a food resource for the ribbed mussel (*Geukensia demissa*) in a North American, mid-Atlantic salt marsh. *Estuarine, Coastal, and Shelf Sci.* 56:561-571.

- Huang, S.-C, D.A. Kreeger and R.I.E. Newell, 2003. Tidal and seasonal variations in the quantity and composition of seston in a North American, mid-Atlantic salt marsh. *Estuarine, Coastal, and Shelf Sci.* 56:547-560.
- Huang, S.-C, and R.I.E. Newell, 2002. Seasonal variations in the rates of aquatic and aerial respiration and ammonium excretion of the ribbed mussel, *Geukensia demissa* (Dillwyn). *J. Exp. Mar. Biol. Ecol.* 270:241-255.
- Jordan, T.E. and I. Valiela, 1982. A nitrogen budget of the ribbed mussel, *Geukensia demissa*, and its significance in nitrogen flow in a New England salt marsh. *Limnology and Oceanography* 27: 75-90.
- Kennedy, V.S., R.I.E. Newell, G.E. Krantz and S. Otto, 1995. Reproductive capacity of the eastern oyster *Crassostrea virginica* (Gmelin) infested with the parasite *Perkinsus marinus*. *Dis. Aquat. Org.* 23:135-144.
- Kennedy, V.S., 2011. The invasive dark falsemussel *Mytilopsis leucophaeata* (Bivalvia: Dreissenidae): a literature review. *Aquatic Ecology* 45(2):163-183.
- Kemp, P.F., S.Y. Newall, and C. Krambeck, 1990. Effects of filter-feeding by the ribbed mussel *Geukensia demissa* on the water-column microbiota of *Spartina alterniflora* saltmarsh. *Marine Ecology Progress Series* 50:119-131.
- Kraus, M. L., and J. H. Crow. 1985. Substrate characteristics associated with the distribution of the ribbed mussel, *Geukensia demissa* (*Modiolus demissus*), on a tidal creek bank in southern New Jersey. *Estuaries* 8(2B):237-243.
- Kreeger, D.A., R.I.E. Newell and C.J. Langdon. 1991. Effect of tidal exposure on utilization of dietary lignocellulose by the ribbed mussel, *Geukensia demissa* (Dillwyn) (Mollusca: Bivalvia). *J. Exp. Mar. Biol. Ecol.* 144:85-100.
- Kreeger, D.A., and R.I.E. Newell, 1997. Ingestion and assimilation of carbon from cellulolytic bacteria and heterotrophic flagellates by the mussels *Geukensia demissa* (Dillwyn) and *Mytilus edulis* (L) (Bivalvia, Mollusca). *Aquat. Microb. Ecol.* 11:205-214. .
- Kreeger, D.A., and R.I.E. Newell. 1999. Trophic complexity between producers and invertebrate consumers in salt marshes. Pages 187 to 220 Chapter 11 In: M. Weinstein and D.A. Kreeger (Eds.) *Concepts and Controversies in Tidal Marsh Ecology*. Kluwer Press, New York.
- Kreeger, D.A., and R.I.E. Newell. 2001. Seasonal utilization of different seston carbon sources by the ribbed mussel, *Geukensia demissa* (Dillwyn) in a mid-Atlantic salt marsh. *J. Exp. Mar. Biol. Ecol.* 260: 71-91.
- Kuenzler, E.J., 1961. Structure and energy flow of a mussel population in a Georgia salt marsh. *Limnology and Oceanography* 6: 191-204.
- Langdon, C. J., and R.I.E. Newell, 1990. Utilization of detritus and bacteria as food sources by two bivalve suspension-feeders, the oyster *Crassostrea virginica* and the mussel *Geukensia demissa*. *Marine Ecology Progress Series* 58:299-310.

- Lee, T. and D. Ó Foighil, 2004. Hidden Floridian biodiversity: mitochondrial and nuclear gene trees reveal four cryptic species within the scorched mussel, *Brachidontes exustus*, species complex. *Molecular Ecology* 13:3527–3542
- Lee, T. and Ó Foighil, 2005. Placing the Floridian marine genetic disjunction into a regional evolutionary context using the scorched mussel, *Brachidontes exustus*, species complex. *Evolution* 59(10):2139–2158
- Lent, C.M., 1967. Effects and adaptive significance of air-gaping by the ribbed mussel, *Modiolus (Arcuatula) demissus* (Dillwyn). Ph.D. Dissertation, Univ. of Del., Newark, DE.
- Lent, C.M., 1969. Adaptations of the ribbed mussel, *Modiolis demissus* (Dillwyn), to the intertidal habitat. *Am. Zool.* 9:283-292.
- Levin, L. A., D. Talley, and G. Thayer. 1996. Succession of macrobenthos in a created salt marsh. *Marine Ecology Progress Series* 141:67-82
- Luckenbach, M.W., L.D. Coen, P.G. Ross, Jr., and J.A. Stephen, 2005. Oyster reef habitat restoration: relationships between oyster abundance and community development based on two studies in Virginia and South Carolina. *J. of Coastal Research Special Issue* 40:64-78.
- Lin, J. 1989. Importance of location in the salt marsh and clump size on growth of ribbed mussels. *Journal Experimental Marine Biology and Ecology* 128:75-86.
- Lin, J., 1989. Influence of location in a salt marsh on survivorship of ribbed mussels. *Marine Ecology Progress Series* 56:105-110.
- Lin, J., 1990. Mud crab predation on ribbed mussels in salt marshes. *Marine Biology* 107:103-109.
- Lin, J., 1991. Predator-prey interactions between blue crabs and ribbed mussels living in clumps. *Estuarine, Coastal and Shelf Science* 32:61-69.
- Lutz, R. A., and M. Castagna. 1980. Age composition and growth rate of a mussel (*Geukensia demissa*)- population in a Virginia salt marsh. *Journal of Molluscan Studies* 46:106-115.
- Lutz, R. A., and G. R. Clark II, 1984. Seasonal and geographic variation in the shell microstructure of a salt-marsh bivalve (*Geukensia demissa* [Dillwyn]). *Journal of Marine Research* 42:943-956.
- Newell, S.Y., and C. Krambeck, 1995. Responses of bacterioplankton to tidal inundations of a saltmarsh in a flume and adjacent mussel enclosures. *J. Exp. Mar. Biol. Ecol.* 190:79-95.
- Newell, S.Y. and D. Porter, 2000. Microbial secondary production from salt marsh-grass shoots, and its known and potential fates. pp. 159-185, in Weinstein & Kreeger, Eds., *Concepts and Controversies in Tidal Marsh Ecology*, Kluwer Academic Publishers.
- Nicchitta, C. V., and W. R. Ellington. 1983. Energy metabolism during air exposure and recovery in the high intertidal bivalve mollusc *Geukensia demissa granosissima*

- and the subtidal bivalve mollusc *Modiolus squamosus*. Biological Bulletin 165:708-722.
- Nielsen, K.J. and D.R. Franz, 1995. The influence of adult conspecifics and shore level on recruitment of the ribbed mussel *Geukensia demissa* (Dillwyn) in Jamaica Bay, NY. Journal Experimental Marine Biology Ecology 188: 89-98.
- Riisågrd, H.U., 1988. Efficiency of particle retention and filtration rate in 6 species of Northeast American bivalves. Marine Ecology Progress Series 45:217-223.
- Ringwood, A.H., D.E. Connors and J. Hoguet. 1998a. The effects of natural and anthropogenic stressors on lysosomal destabilization in oysters, *Crassostrea virginica*. Marine Ecology Progress Series 166:163-171.
- Ringwood, A.H., D.E. Connors and A. DiNovo. 1998b. The effects of copper exposures on cellular responses in oysters. Marine Environmental Research. 46:591-595.
- Ringwood, A.H., D.E. Connors and C.J. Keppler. 1999a. Cellular responses of oysters, *Crassostrea virginica*, to metal-contaminated sediments. Marine Environmental Research. 48:427-437.
- Ringwood, A.H., D.E. Connors, C.J. Keppler and A. DiNovo. 1999b. Biomarker studies with juvenile oysters (*Crassostrea virginica*) deployed in-situ. Biomarkers 4:400-414.
- Ringwood, A.H., 1999. Preliminary studies regarding the use of cellular responses in marsh mussels, *Geukensia demissa*, as potentially valuable indicators of habitat condition. Final Report, SC Sea Grant "Seed" Project, 18pp.
- Sarver, S.K., M.C. Landrum, and D.W. Foltz, 1992. Genetics and taxonomy of ribbed mussels (*Geukensia* spp.). Marine Biology 113:385-390.
- Scott, P.J.B., 1988a. Initial settlement behavior and survivorship of *Lithophaga bisculata* (d'Orbigny) (Mytilidae:Lithophaginae). Journal of Molluscan Studies 54:97-108.
- Scott, P.J.B., 1988b. Distribution, habitat and morphaology of the Caribbean coral- and rock-boring bivalve, *Lithophaga bisculata* (d'Orbigny) (Mytilidae:Lithophaginae). Journal of Molluscan Studies 54:83-95.
- Seed, R., 1980. A note on the relationship between shell shape and life habits in *Geukensia demissa* and *Brachidontes exustus* (Mollusca: Bivalvia). Journal of Molluscan Studies 46:293-299.
- Seed, R., 1980. Predator-prey relationships between the mud crab *Panopeus herbstii*, the blue crab, *Callinectes sapidus* and the Atlantic ribbed mussel *Geukensia* (= *Modiolus*) *demissa*. Estuarine, Coastal and Shelf Science 11:445-458.
- Smith, J.M., 1984. Biodeposition by and paleoecological significance of the ribbed mussel *Geukensia demissa* in a salt marsh, Sapelo Island, Georgia. Ph.D. Dissertation. University of Georgia, Athens.
- Stiven, A.E., 1992. Genetic structure in a population of the ribbed mussel *Geukensia demissa* (Dillwyn) in a North Carolina salt marsh tidal gradient. Journal Experimental Marine Biology and Ecology 164:36-44.

- Stiven, A.E., and S.A. Gardner, 1992. Population processes in the ribbed mussel *Geukensia demissa* (Dillwyn) in a North Carolina salt marsh tidal gradient: spatial pattern, predation, growth and mortality. *Journal Experimental Marine Biology and Ecology* 160:81-102.
- Taehwan, T., and D.O' . Foighil, 2005. Placing the Floridian marine genetic disjunction into a regional evolutionary context using the scorched mussel, *Brachidontes exustus*, species complex. *Evolution* 59:2139–2158.
- Ward, J.E., L.P. Sanford, R.I.E. Newell, and B.A. MacDonald. 2000. The utility of in vivo observations for describing particle capture processes in suspension-feeding bivalve molluscs. *Limnol. Oceanogr.* 45:1203-1210.
- Wilbur, A.E., and T.J. Hilbish. 1989. Physiological energetics of the ribbed mussel *Geukensia demissa* (Dillwyn) in response to increased temperature. *Journal Experimental Marine Biology and Ecology* 131:161-170.

### **Palaemonetes-related**

- Adams, S. M., and J. W. Angelovic. 1970. Assimilation of detritus and its associated bacteria by three species of estuarine animals. *Chesapeake Science* 11:249-254.
- Alon, N. C., and S. E. Stancyk. 1982. Variation in life-history patterns of the grass shrimp *Palaemonetes pugio* in two South Carolina estuarine systems. *Marine Biology* 68:265-276.
- Anderson, G. 1985. Species Profiles: Life Histories and Environmental Requirements of Coastal Fishes and Invertebrates (Gulf of Mexico) -- Grass Shrimp. U.S. Fish and Wildlife Service Biol. Rep. 82(11.35) pp. 19.
- Arnold, G. L., M. W. Luckenbach, and M. A. Unger. 2004. Runoff from tomato cultivation in the estuarine environment: biological effects of farm management practices. *Journal Experimental Marine Biology and Ecology* 298:323-346.
- Beck, J.T., and B. C. Cowell, 1976. Life history and ecology of the freshwater caridean shrimp, *Palaemonetes paludosus* (Gibbes). *The American Midland Naturalist* 96:52-65.
- Bell, S. S., and B. C. Coull. 1978. Field evidence that shrimp predation regulates meiofauna. *Oecologia (Berlin)* 35:141-148.
- Berg, A.V. and P.A. Sandifer. 1984. Mating behavior of the grass shrimp *Palaemonetes pugio* Holthuis (Decapoda, Caridea). *Journal of Crustacean Biology*. 4:417-424.
- Boesch, D.F. and R.E. Turner. 1984. Dependence of fishery species on salt marshes: the role of food and refuge. *Estuaries* 7:460-468.
- Boston, M.A., and A.J. Provenzano, 1982. Attempted hybridization of the grass shrimp *Palaemonetes* (Caridea, Palaemonidae) with an evaluation of taxonomic characters of juveniles. *Estuaries* 5:165-174.
- Carson, M.L., and H. Merchant, 2005. A laboratory study of the behavior of two species of grass shrimp (*Palaemonetes pugio* Holthuis and *Palaemonetes vulgaris* Holthuis) and the killifish (*Fundulus heteroclitus* Linnaeus). *Journal of Experimental Marine Biology and Ecology* 314:187-201.
- Coen, L.D., K.L. Heck, and L.G. Able, 1981. Experiments on competition and predation among shrimps of seagrass meadows. *Ecology* 62:1484-1493.
- Coen, L.D., D.M. Knott, E.L. Wenner, N.H. Hadley, A.H. Ringwood, 1999a. Intertidal Oyster Reef Studies in South Carolina: Design, Sampling and Experimental Focus for Evaluating Habitat Value and Function. Pages 131-156, In: M.W. Luckenbach, R. Mann, J.A. Wesson (eds.), *Oyster Reef Habitat Restoration: A Synopsis and Synthesis of Approaches*. Virginia Institute of Marine Science Press, Gloucester Point, VA.
- Coen, L.D., M.W. Luckenbach, and D.L. Breitburg, 1999b. The role of oyster reefs as essential fish habitat: a review of current knowledge and some new perspectives. Pages 438\_454, in L. R. Benaka, editor. *Fish habitat: essential fish habitat and rehabilitation*. American Fisheries Society, Symposium 22, Bethesda, Maryland.

- Coen, L.D. and E.L. Wenner, 2005. Species account for grass shrimp (*Palaemonetes* spp.). Dept. of Interior, Comprehensive Wildlife Conservation Plan, SCDNR, 9pp. <http://www.dnr.sc.gov/wcp/soon.htm>
- Finley, D.B., G.I. Scott, J.W., S.L. Layman, L.A. Reed, M. Sanders, S.K. Sivertsen, and E.D. Strozier. 1999. Case study: Ecotoxicological assessment of urban and agricultural nonpoint source runoff effects on the grass shrimp, *Palaemonetes pugio*. In: Ecotoxicology and Risk Assessment for Wetlands. M.A. Lewis, F.L. Mayer, R.L. Powell, M.K. Nelson, S.J. Klaine, M.G. Henry, and G.W. Dickson, eds. SETAC PRESS, USA, pp. 243-274.
- Fleming, L. E. 1969. Use of male external genitalic details as taxonomic characters in some species of *Palaemonetes* (Decapoda, Palaemonidae). Proceedings of the Biological Society of Washington 82:443-452.
- Fulton, M.H., G.I. Scott, A. Fortner, T.F. Bidleman, and B. Ngabe. 1993. The effects of urbanization on small high-salinity estuaries of the southeastern United States. Arch. Environ. Contam. Toxicol. 25:476-484.
- Fulton, M.H., G.T. Chandler, G.I. Scott. 1997. Urbanization effects on the fauna of a southeastern U.S.A. bar-built estuary. In: *Sustainable development in the southeastern coastal zone*, F.J. Vernberg and W.B. Vernberg eds. Belle Baruch Library in Marine Science, University of South Carolina Press. Vol. 20:477-504.
- Gregg, C. S., and J. W. Fleeger, 1998. Grass shrimp *Palaemonetes pugio* predation on sediment- and stem-dwelling meiofauna: field and laboratory experiments. Marine Ecology Progress Series 175:77-86.
- Haertel-Borera, S.S., D.M. Allen, and R.F. Dame, 2004. Fishes and shrimps are significant sources of dissolved inorganic nutrients in intertidal salt marsh creeks. Journal of Experimental Marine Biology and Ecology 311:79– 99.
- Heck, K. L., Jr., and T. A. Thoman, 1981. Experiments on predator-prey interactions in vegetated aquatic habitats. Journal Experimental Marine Biology and Ecology 53:125-134.
- Heck, K. L. J., and L. B. Crowder, 1991. Habitat structure and predator-prey interactions in vegetated aquatic systems. Pages 281-295 in S. S. Bell, E. D. McCoy and H. R. Mushinsky, editors. Habitat structure: the physical arrangement of objects in space. Chapman and Hall, London.
- Holthuis, L.B., 1952. A general revision of the Palaemonidae (Crustacea: Decapoda, Natantia) of the Americas. II. The subfamily Palaemoninae. Allan Hancock Foundation Publications, Occasional Paper 12:1-396.
- Key, P.B. and M.H. Fulton. 1993. Lethal and sub-lethal effects of chlorpyrifos exposure on adult and larval stages of the grass shrimp, *Palaemonetes pugio*. Journal of Environmental Science and Health. B28(5):621-640.
- Key, P.B., Fulton, M.H., Scott, G.I., Layman, S.L., & Wirth, E.F. (1998). Lethal and sublethal effects of malathion on three life stage of the grass shrimp, *Palaemonetes pugio*. Aquatic Toxicology, 40, 311-322.

- Khan, R.N., H.C. Merchant, and R.E. Knowlton, 1997. Effects of macrophytic cover on the distribution of grass shrimps, *Palaemonetes pugio* and *P. vulgaris*. *Invertebrate Biology* 116:243-247.
- Kneib, R. T. 1997. Early life stages of resident nekton in intertidal marshes. *Estuaries* 20:214-230.
- Lerberg, S.B., A.F. Holland and D.M. Sanger, 2000. Responses of tidal creek macrobenthic communities to the effects of watershed development. *Estuaries*, 23, 838-853.
- Leight, A.K., G.I. Scott, M.H. Fulton, and J.W. Daugomah, in press, 2005. Long term monitoring of grass shrimp, *Palaemonetes* spp., population metrics at sites with agricultural runoff influences. *Integrative and Comparative Biology*
- Luckenbach, M.W., L.D. Coen, P.G. Ross, Jr., and J.A. Stephen, 2005. Oyster reef habitat restoration: relationships between oyster abundance and community development based on two studies in Virginia and South Carolina. *J. of Coastal Research Special Issue* (in press).
- Lund, S. A., 1997. The effects of chlorpyrifos and malathion exposure on acetylcholinesterase activity in the embryos of the grass shrimp, *Palaemonetes pugio*. M.S. Thesis. University of Charleston.
- Morgan, M. D. 1980. Grazing and predation of the grass shrimp *Palaemonetes pugio*. *Limnology and Oceanography* 25:896-902.
- Orth, R. J., K. L. J. Heck, and J. Van Montfrans. 1984. Faunal communities in seagrass beds: a review of the influence of plant structure and prey characteristics on predator-prey relationships. *Estuaries* 7:339-350.
- Porter, D., D. Edwards, G.I. Scott, B. Jones, W.S. Street, 1997. Assessing the impacts of anthropogenic and physiographic influences on grass shrimp in localized saltmarsh estuaries. *Aquatic Botany*. 58:289-306.
- Ruiz, G. M., A. H. Hines, and M. H. Posey. 1993. Shallow water as a refuge habitat for fish and crustaceans in non-vegetated estuaries: an example from Chesapeake Bay. *Marine Ecology Progress Series* 99:1-16.
- Ruppert, E. and R. Fox. 1988. *Seashore animals of the southeast*. University of South Carolina Press, Columbia, SC.
- Scott, G.I., M.H. Fulton, M.C. Crosby, P.B. Key, J.W. Daugomah, J.T. Walden, E.D. Strozier, C.J. Loudon, G.T. Chandler, T.F. Fidleman, K.L. Jackson, T.W. Hampton, T. Hoffman, A. Shultz and M. Bradford. 1992. Agricultural nonpoint runoff effects on estuarine organisms: correlating laboratory and field bioassays and ecotoxicological biomonitoring. Final Report. U.S EPA, Gulf Breeze, FL, 281p.
- Smith, D. L., and B.C. Coull. 1987. Juvenile spot (Pisces) and grass shrimp predation on meiobenthos in muddy and sandy substrates. *Journal Experimental Marine Biology and Ecology* 105:123-126.

- Thorp, J.H., 1976. Interference competition as a mechanism of coexistence between two sympatric species of the grass shrimp *Palaemonetes* (Decapoda: Palaemonidae). *Journal Experimental Marine Biology and Ecology* 25:19-35.
- Trent, L., E.J. Pullen, and R. Proctor, 1976. Abundance of macrocrustaceans in a natural marsh and a marsh altered by dredging, bulkheading and filling. *U.S. Natl. Mar. Fish. Serv. Fish. Bull.* 74:195-200.
- Uguccione, D. M., and M. H. Posey. 1992. Predation by grass shrimp, *Palaemonetes pugio*, on hard clams, *Mercenaria mercenaria*: size and substrate interactions. *The Journal of the Elisha Mitchell Scientific Society* 108:29-34.
- Van Dolah, R.F., A.F. Holland, L.D. Coen, A.H. Ringwood, M.V. Levisen, P.P. Maier, G.I. Scott, A.K. Leight, Y. Bobo, D. Richardson, 1999. Biological Resources, Report on the status of Broad Creek/Okatee River Systems. DHEC-MRRI-NOAA-Charleston.
- Vernberg, F.J., and S. Piyatiratitivorakul, 1998. Effects of salinity and temperature on the bioenergetics of adult stages of the grass shrimp (*Palaemonetes pugio* Holthuis) from the North Inlet estuary, South Carolina. *Estuaries* 21:176-193.
- Weaver, J.E. and L.F. Hollaway, 1974. Community structure of fishes and macrocrustaceans in ponds of a Louisiana tidal marsh influenced by weirs. *Contrib. Mar. Sci.* 18:57-69.
- Welsh, B., 1975. The role of grass shrimp, *Palaemonetes pugio*, in a tidal marsh ecosystem. *Ecology* 56:513-530.
- Wenner, E., H.R. Beatty and L. Coen. 1996. A quantitative system for sampling nekton on intertidal oyster reefs. *J. Shellfish Res.* 15:769-775.
- Williams, A. B. 1984. Shrimps, lobsters and crabs of the Atlantic coast of the eastern United States, Maine to Florida. Smithsonian Institution Press, Washington, DC.
- Wood, C.E., 1967. Physioecology of the grass shrimp, *Palaemonetes pugio*, in Galveston Bay estuarine system. *Contributions in Marine Science* 12:54-79.