

Non-Native Marine Species Impacts (focus on Shellfish, Especially Molluscs, Some Ballast Water and Plant Literature)

(Not Exhaustive)

Non-Native Impacts (includes mussels)

See <http://www.nobanis.org/MarineIdkey/Bivalvia/LitCrassostrea.htm>

See <http://www.cabi.org/isc/default.aspx?site=144&page=4066>

Allen, F.E., 1953. Distribution of marine invertebrates by ships. Austral. Journal of Mar. F.W. Res. 4:307-316.

Andrews, J. 1980. A review of introductions of exotic oysters and biological planning for new importations. Marine Fisheries Review 42:1-11.

Apte, S., B.S. Holland, L.S. Godwin, and J.P.A. Gardner, 2000. Jumping ship: a stepping stone event mediating transfer of a non-indigenous species via a potentially unsuitable environment. Biological Invasions 2:75-79.

Armonies, W., and K. Reise, 1999. On the population development of the introduced razor clam *Ensis americanus* near the island of Sylt (North Sea). Helgoländer Meeresunt. 52:291-300.

ASMFC, 2007. The Importance of Habitat Created by Shellfish and Shell Beds Along the Atlantic Coast of the U.S., prepared by Coen, L.D., and R. Grizzle, with contributions by J. Lowery and K.T. Paynter, Jr., 106pp.

Audemard, C., R.B. Carnegie, M.J. Bishop, C.H. Peterson, and E.M. Burreson, 2008. Interacting effects of temperature and salinity on *Bonamia* sp. parasitism in the Asian oyster *Crassostrea ariakensis*. Journal of Invertebrate Pathology 98:344-350.

Audemard, C., R.B. Carnegie, N.A. Stokes, M.J. Bishop, C.H. Peterson, and E.M. Burreson, 2008. Effects of salinity on *Bonamia* sp. survival in the Asian oyster *Crassostrea ariakensis*. Journal of Shellfish Research 27:535-540.

Baker, P. and A. Benson, 2002. Habitat and ecology of green mussels, *Perna viridis*, in Florida. J. Shellfish Res. 21:424-425.

Baker, S.M., Baker P., Benson A., Nunez J., Philips E., and J. Williams. 2002. Biopollution by the green mussel, *Perna viridis*, in the southeastern United States. 2002 Progress Report. EPA Grant Number: R828898.

Baldwin, J.R., and J.R. Lovvorn, 1993. Expansion of seagrass habitat by the exotic *Zostera japonica*, and its use by dabbling ducks and brant in Boundary Bay, British Columbia. Marine Ecology Progress Series 103:119-127.

Baldwin, T.P. 1992. Cargo vessel ballast water as a vector for the spread of toxic phytoplankton species to New Zealand. J. R. Soc. N.Z. 22:229-242.

Baltz, D.M., 1991. Introduced fishes in marine systems and inland seas. Biol. Conserv. 56:151-177.

- Barber, B.J., J.S. Fajans, S.M. Baker, and P.K. Baker, 2005. Gametogenesis in the non-native green mussel, *Perna viridis*, and the native scorched mussel, *Brachidontes exustus*, in Tampa Bay, Florida. *Journal of Shellfish Research* 24: 1087-1095.
- Baker, P., J.S. Fajans, W.S. Arnold, D.A. Ingrao, D.C. Marelli, and S.M. Baker, 2007. Range and dispersal of a tropical marine invader, the green mussel, *Perna viridis*, in subtropical waters of the southeastern United States. *Journal of Shellfish Research* 26:345-355.
- Barrett, E.M., 1963. The California oyster industry. *Fisheries Bull.* 123:2-103.
- Beatley,T., 1991. Protecting biodiversity in coastal environments: introduction and overview. *Coastal Management* 19:1-19.
- Beck, M.W., R.D. Brumbaugh, L. Aioldi, A. Carranza, L.D. Coen, C. Crawford, O. Defeo, G.J. Edgar, B. Hancock, M. Kay, H. Lenihan, M.W. Luckenbach, C.L. Toropova, and G. Zhang, 2009. Shellfish reefs at risk: a global analysis of problems and solutions, 52pp.
- Beck, M.W., R.D. Brumbaugh, L. Aioldi, A. Carranza, L.D. Coen, C. Crawford, O. Defeo, G.J. Edgar, B. Hancock., M.C. Kay, H.S. Lenihan, M.W. Luckenbach, C.L. Toropova, G. Zhang, and X. Guo, 2011. Oyster reefs at risk and recommendations for conservation, restoration and management. *BioScience* 61:107–116.
- Beninger, P.G., P. Decottignies, F. Guiheneuf, L. Barillé, and Y. Rincé, 2007. Comparison of particle processing by two introduced suspension feeders: selection in *Crepidula fornicata* and *Crassostrea gigas*. *Marine Ecology Progress Series* 334:165-177.
- Benson, A.J., D.C. Marelli, M.E. Frischer, J.M. Danforth, and J.D. Williams, 2001. Establishment of the green mussel, *Perna viridis* (Linnaeus 1758), (Mollusca: Mytilidae) on the west coast of Florida. *J. Shellfish Research* 20:21-29.
- Berghahn, R. and M. Ruth, 2005. The disappearance of oysters from the Wadden Sea: a cautionary tale for no-take zones. *Aquatic Conservation: Marine and Freshwater Ecosystems* 15: 91-104.
- Bergquist, D.C., J.A. Hale, P. Baker, and S.M. Baker, 2006. Development of ecosystem indicators for the Suwannee River Estuary: oyster reef habitat along a salinity gradient. *Estuaries and Coasts* 29: 353-360.
- Berman, J, and J.T. Carlton, 1991. Marine invasion processes: interactions between native and introduced marsh snails. *J. Exp. Mar. Biol. Ecol.* 150:267-281.
- Bertness, M.D., 1984. Habitat and community modification by an introduced herbivorous snail. *Ecology* 65:370-381.
- Bishop, M.J. and C.H. Peterson, 2006. When r-selection may not predict introduced-species proliferation: predation of a nonnative oyster. *Ecol Appl.* 346:16:718–730.
- Bishop, M.J., R.B. Carnegie, N.A. Stokes, C.H. Peterson, and E.M. Burreson, 2006. Predicting the outcome of a non-native oyster introduction: facilitation of an enzootic parasite. *Marine Ecology Progress Series*, 325:145-152.
- Boudouresque, C.F., 1999. The Red Sea-Mediterranean link: unwanted effects of canals, pp. 213-228. In: O.T. Sandlund, P.J. Schei, A. Viken, Eds. *Invasive species and biodiversity management*, Kluwer Academic Publishers, NY.

- Boudry, P., Heurtebise, S., Collet, B., Cornetto, F. and Gérard, A. 1998. Differentiation between populations of the Portuguese oyster, *Crassostrea angulata* (Lamark[sic!]) and the Pacific oyster, *Crassostrea gigas* (Thunberg), revealed by mtDNA RFLP analysis. *J. Exp. Mar. Biol. Ecol.* 226:279-291.
- Bowden, G., 1978. Law, politics and biology: aquaculture in the primordial ooze, pp. 306-321. In: R. Mann, Ed., Exotic species in mariculture. MIT Press, Cambridge, M.A.
- Boyles, L.C., and R. N. Lipcius, 1997. Potential for population regulation of the zebra mussel by finfish and the blue crab in North American estuaries. *J. Shellfish Res.* 16:179-186.
- Brandt, G., A. Wehrmann, and K.W. Wirtz, 2008. Rapid invasion of *Crassostrea gigas* into the German Wadden Sea dominated by larval supply. *Journal of Sea Research* 59:279-296.
- Brenchley, G., and J.T. Carlton, 1983. Competitive displacement of native mudsnails by introduced periwinkles in the New England intertidal zone. *Biol. Bull.* 165:543-558.
- Brown, C.L., and S.N. Luoma, 1995. Use of the euryhaline bivalve *Potamocorbula amurensis* as a biosentinel species to assess trace metal contamination in San Francisco Bay. *Mar. Ecol. Prog. Ser.* 124:129-142.
- Burreson, E.M. and S.E. Ford, 2004. A review of recent information on the Haplosporidia, with special reference to *Haplosporidium nelsoni* (MSX disease). *Aquat. Living Resources* 17:499-517.
- Briggs, J.C., 1967. Dispersal of tropical marine shore animals: Coriolis parameters or competition? *Nature* 216:350.
- Briggs, J.C., 1968. Panama's sea-level canal. *Letters. Science* 162:511-513.
- Burreson, E.M., N.A. Stokes, R.B. Carnegie, and M.J. Bishop, 2004. *Bonamia* sp. (Haplosporidia) found in non-native oysters, *Crassostrea ariakensis*, in Bogue Sound, North Carolina. *Journal of Aquatic Animal Health* 16:1-9.
- Byers, J.E., 2000a. The distribution of an introduced mollusc and its role in the long-term demise of a native confamilial species. *Biological Invasions* 1:339-352.
- Byers, J.E., 2000b. Competition between two estuarine snails: implications for invasions of exotics. *Ecology* 81:1225-1239.
- Byers, J.E., 2000c. Effects of body size and resource availability on dispersal in a native and non-native estuarine snail. *J. Exp. Mar. Biol. Ecol.* 248:133-150.
- Byers, J.E., 2002. Physical habitat attribute mediates biotic resistance to non-indigenous species invasion. *Oecologia* 130:146-156.
- Cardoso, J.F.M.F., D. Langlet, J.F. Loff, A.R. Martins, J.I.J. Witte, P.T. Santos, and H.W. van der Veer, 2007. Spatial variability in growth and reproduction of the Pacific oyster *Crassostrea gigas* (Thunberg, 1793) along the west European coast. *Journal of Sea Research* 57:303-315.
- Carlton, J.T., 1985. Transoceanic and interoceanic dispersal of coastal marine organisms: the biology of ballast water. *Oceanogr. Mar. Biol. Ann. Rev.* 23:313-371.

- Carlton, J.T., 1987. Patterns of transoceanic marine biological invasions in the Pacific Ocean. Bull. Mar. Sci. 41:452-465.
- Carlton, J.T., 1989. Man's role in changing the face of the ocean: biological invasions and implications for conservation of near-shore environments. Conservation Biology 3:265-273.
- Carlton, J.T., 1992a. Dispersal of living organisms into aquatic ecosystems as mediated by aquaculture and fisheries activities, pp. 13-46. In Rosenfeld, A. and R. Mann, eds., Dispersal of living organisms into aquatic ecosystems. Maryland Sea Grant, College Park
- Carlton, J.T., 1992b. Overview of the issues concerning marine species introductions and transfers. Pp. 65-67, In R. DeVoe, Ed. Introductions and transfers of marine species: achieving a balance between economic development and resource protection. South Carolina Sea Grant Consortium, Charleston, SC.
- Carlton, J.T., 1992c. Introduced marine and estuarine molluscs of North America: an end of the 20th Century perspective. J. Shell. Res. 11:489-505.
- Carlton, J.T., and J.A. Scanlon, 1985. Progression and dispersal of an introduced alga: *Codium fragile* ssp. *tomentosoides* (Chlorophyta) on the Atlantic coast of North America. Botanica Marina 28:155-165.
- Carlton, J.T., J.K. Thompson, L.E. Schemel, and F.H. Nichols, 1990. Remarkable invasion of San Francisco Bay (California, USA) by the Asiatic clam *Potamocorbula amurensis*. I. Introduction and dispersal. Mar. Ecol. Prog. Ser. 66:81-94.
- Carlton, J.T. 1994. Keynote Address--Biological invasions and biodiversity in the sea: the ecological and human impacts of nonindigenous marine and estuarine organisms, pp. 5-11. In: Anonymous, Proceedings of the conference and workshop on Nonindigenous Estuarine and Marine Organisms (NEMO), Seattle, WA. U.S. Dept. of Commerce
- Carlton, J.T., 1996. Biological invasions and cryptogenic species. Ecology 77:1653-1655.
- Carlton, J.T., 1999. The scale and ecological consequences of biological invasions in the world's oceans, pp. 195-212. In: O.T. Sandlund, P.J. Schei, A. Viken, eds. Invasive species and biodiversity management, Kluwer Academic Publishers, N.Y.
- Carlton, J.T., and J. Geller, 1993. Ecological roulette: the global transport and invasion of nonindigenous marine organisms. Science 21:78-82.
- Carlton, J.T. and J. Hodder, 1995. Biogeography and dispersal of coastal marine organisms: experimental studies on a replica of a sixteenth century sailing vessel. Mar. Biol. 121:721-730.
- Carlton, J.T., and R. Mann, 1996. Transfers and world-wide introductions. In: V.S. Kennedy, et al., Eds. Pp. 691-706, The Eastern Oyster *Crassostrea virginica*. Maryland Sea Grant, College Park, MD.
- Carlton, J.T. and M.H. Ruckelshaus, 1997. Nonindigenous marine invertebrates and algae. In: D. Simberloff, D.C. Schmitz, and T.C. Brown, Eds., Pp. 187-201. Strangers in paradise: impact and management of non-indigenous species in Florida. Island Press, Washington, D.C.

- Carlton, J.T., and B.A. Holohan, 1998. USA Ballast Book, 1998-1999, Ballast Research in the United States of America. Edited by above, prepared for ICES, IMO, IOC Study Group on Ballast Water and Sediments, Laws and Procedures, Committees, Ballast Research, Management, Education, Appendices I-III.
- Carlton, J.T., J.B. Geller, M.L. Reaka-Kudla, and E.A. Norse, 1999. Historical extinctions in the sea. *Ann. Rev. Ecol. Syst.* 30:515-538.
- Carnegie, R.B., E.M. Burreson, P.M. Hine, N.A. Stokes, C. Audemard, M.J. Bishop, and C.H. Peterson, 2006. *Bonamia perspora* n. sp. (Haplosporidia), a parasite of the oyster *Ostreola equestris*, is the first *Bonamia* species known to produce spores. *Journal of Eukaryotic Microbiology* 53:232-245.
- Carnegie, R.B., N.A. Stokes, C. Audemard, M.J. Bishop, A.E. Wilbur, T.D. Alphin, M.H. Posey, C.H. Peterson, and E.M. Burreson, 2008. Strong seasonality of *Bonamia* sp. infection and induced *Crassostrea ariakensis* mortality in Bogue and Masonboro Sounds, North Carolina, USA. *Journal of Invertebrate Pathology* 98:335-343.
- Ceccherelli, G., and F. Cinelli, 1997. Short-term effects of nutrient enrichment of the sediment and interactions between the seagrass *Cymodocea nodosa* and the introduced green alga *Caulerpa taxifolia* in a Mediterranean bay. *J. Exp. Mar. Biol. Ecol.* 217:165-177.
- Carriker, M. R., 1992. Introductions and transfers of molluscs: risk consideration and implications. *Journal of Shellfish Research* 11:507-510.
- Ceccherelli, G., and F. Cinelli, 1999. The role of vegetative fractionation in dispersal of the invasive alga *Caulerpa taxifolia* in the Mediterranean. *Mar. Ecol. Prog. Ser.* 182:299-303.
- Chapman, J.W., and J.T. Carlton, 1991. A test of criteria for introduced species: the global invasion by the isopod *Synidotea laevidorsalis* (Miers, 1881). *J. Crust. Biol.* 11:386-400.
- Chapman, J.W., and J.T. Carlton, 1994. Predicted discoveries of the introduced isopod *Synidotea laevidorsalis* (Miers, 1881). *J. Crust. Biol.* 14:700-714.
- Chew, K.K., 1990. Global bivalve shellfish introductions. *World Aquaculture* 21:9-22.
- Cohen, A.N., 1998. Ship's ballast water and the introduction of exotic organisms in San Francisco estuary: current status of the problem and options for management. S.F. Estuary Institute, CA.
- Cohen, A.N., J.T. Carlton, and M.C. Fountain, 1995. Introduction, dispersal, and potential impacts of the green crab *Carcinus maenas* in San Francisco Bay, California. *Mar. Biol.* 122:225-237.
- Cohen, A.N., and J.T. Carlton, 1997. Transoceanic transport mechanisms: the introduction of the Chinese mitten crab, *Erocheir sinensis* to California. *Pac. Sci.* 51:1-11
- Cohen, A.N., and J.T. Carlton, 1998. Accelerating invasion rate in a highly invaded estuary. *Science* 279:555-557.
- Cohen, A.N., and C.J. Zabin, 2009. Oyster shells as vectors for exotic organisms. *J. Shellfish Res.* 28:163-167.

- Coles, S. L., R. C. DeFelice, and R. Aknin-Herrmann, 1999. Historical and recent introductions of non-indigenous marine species into Pearl Harbor, Oahu, Hawaiian Islands. *Marine Biology* 135:147-158.
- Courtney, W.R., Jr. and C.R. Robbins, 1989. Fish introductions: good management, mismanagement, or no management? *Rev. Aquatic Sci.* 1:159-172.
- Crooks, J. A., 1996. The population ecology of an exotic mussel, *Musculista senhousia*, in a southern California bay. *Estuaries* 19:42-50.
- Crooks, J. A., 1998. Habitat alteration and community-level effects of an exotic mussel, *Musculista senhousia*. *Mar. Ecol. Prog. Ser.* 162:137-152.
- Daehler, C.C., and D.R. Strong, 1996. Status, prediction, and prevention of introduced cordgrass *Spartina* spp. invasions in Pacific estuaries, USA. *Biological Conserv.* 78:51-58.
- Daehler, C.C., and D.R. Strong, 1997. Reduced herbivore resistance in introduced smooth cordgrass (*Spartina alterniflora*) after a century of herbivore-free growth. *Oecologia* 110:99-108.
- David, E., A. Tanguy, K. Pichavant, and D. Moraga, 2005. Response of the Pacific oyster *Crassostrea gigas* to hypoxia exposure under experimental conditions. *FEBS Journal* 272(21):5635-5652.
- Decottignies, P., P.G. Beninger, Y. Rincé, R.J. Robins, and P. Riera, 2007. Exploitation of natural food sources by two sympatric, invasive suspension-feeders: *Crassostrea gigas* and *Crepidula fornicata*. *Mar. Ecol. Prog. Ser.* 334: 179-192.
- Decottignies, P., P.G. Beninger, Y. Rincé, and P. Riera, 2007. Trophic interactions between two introduced suspension-feeders, *Crepidula fornicata* and *Crassostrea gigas*, are influenced by seasonal effects and qualitative selection capacity. *J. Exp. Mar. Biol. Ecol.* 342:231-241.
- DeVoe, R., Ed., 1992. Introductions and transfers of marine species: achieving a balance between economic development and resource protection. South Carolina Sea Grant, Charleston, SC.
- di Castri, F., A.J. Hansen and M. Debussche, 1990, Eds.. Biological invasions in Europe and the Mediterranean basin. Kluwer Academic Publ., The Netherlands.
- Diederich, S., 2005. Differential recruitment of introduced Pacific oysters and native mussels at the North Sea coast: coexistence possible? *J. Sea Res.* 53:269-281.
- Diederich, S., G. Nehls, J.E.E. van Beusekom, and K. Reise, 2005. Introduced Pacific oysters (*Crassostrea gigas*) in the northern Wadden Sea: invasion accelerated by warm summers? *Helgoland Marine Research* 59:97-106.
- Diederich S., G. Nehls, J.E.E. van Beusekom, K. Reise, 2005. Introduced Pacific oysters (*Crassostrea gigas*) in the northern Wadden Sea: invasion accelerated by warm summers? *Helgoland Mar. Res.* 59:97-106.
- Diederich, S. 2006. High survival and growth rates of introduced Pacific oysters may cause restrictions on habitat use by native mussels in the Wadden Sea. *J. Exp. Mar. Biol. Ecol.* 328:211-227.

- D'Itri, F. M., Ed., 1997. Zebra mussels and aquatic nuisance species. Ann Arbor Press, Michigan, 638pp.
- Drinkwaard, A.C., 1999. Introductions and developments of oysters in the North Sea area: a review. *Helgoland Meeresuntersuchungen* 52:301-308.
- Druehl, L.D., 1973. Marine transplantations. *Science* 179:12.
- Dumbauld, B.R., J.L. Ruesink, and S.S. Rumrill, 2009. The ecological role of bivalve shellfish aquaculture in the estuarine environment: A review with application to oyster and clam culture in West Coast (USA) estuaries. *Aquaculture* 290:196–223.
- Dutertre, M., P.G. Beninger, L. Barille, M. Papin, and J. Haure, 2010. Rising water temperatures, reproduction and recruitment of an invasive oyster, *Crassostrea gigas*, on the French Atlantic coast. *Mar Environ Res.* 69:1–9.
- Drinkwaard, A.C., 1999. Introductions and developments of oysters in the North Sea area: a review. *Helgoländer Meeresunters* 52:301–308.
- Dumbauld, B. R., D. A. Armstrong, and T. L. McDonald, 1993. Use of oyster shell to enhance intertidal habitat and mitigate loss of dungeness crab (*Cancer magister*) caused by dredging. *Can. J. Fish. Aquat. Sci.* 50:381-390.
- Elton, C., 1958. The ecology of invasions by animals and plants. Methuen & Co., Ltd., London, 181 pp., reissued in 2000, with new forward by D. Simberloff. Chicago University Press.
- Eno, N.C., 1996. Non-native marine species in British waters: effects and controls. *Aq. Conserv.: Marine and Freshwater Ecosystems* 6:215-228.
- Epifanio, C. E., A. I. Dittel, S. Park, S. Schwalm, and A. Fouts, 1998. Early life history of *Hemigrapsus sanguineus*, a non-indigenous crab in the Middle Atlantic Bight (USA). *Mar. Ecol. Prog. Ser.* 170:231-238.
- Feist, B.E. C.A. Simenstad, 2000. Expansion rates and recruitment frequency of exotic smooth cordgrass, *Spartina alterniflora* (Loisel), colonizing unvegetated littoral flats in Willapa Bay, Washington. *Estuaries* 23, 267-274.
- Firth, L.B., A.M. Knights and S. Bell, 2011. The role of climate change on the persistence and range expansion of the invasive mussel, *Perna viridis*. *J. Exp. Mar. Biol. Ecol.* 400: 250-256.
- Foighil, D.O., B.A. Marshall, T.J. Hilbish, and M.A. Pino, 1999. Trans-Pacific range extension by rafting is inferred for the flat oyster *Ostrea chilensis*. *Biol. Bull.* 196:122-126.
- Frid, C. L. J., W. U. Chandrasekara, and P. Davey, 1999. The restoration of mud flats invaded by common cord-grass (*Spartina angelica*, CE Hubbard) using mechanical disturbance and its effects on the macrobenthic fauna. *Aquatic Conservation: Marine and Freshwater Ecosystems* 9:47-61.
- Gaffney, P.M., 2006. The role of genetics in shellfish restoration. *Aquat. Living Resources* 19:277-282.
- Galtsoff, P.S., 1932. Introduction of Japanese oysters into the United States. *U.S. Fishery Circular* 12:1-16.

- Geller, J.B., 1996. Molecular approaches to the study of marine biological invasions. Pp.119-132, in Molecular zoology: advances, strategies and protocols, J.D. Ferraris and S. Palumbi, Eds. Wiley-Liss, N.Y.
- Geller, J.B., 2000. Tracking patterns of invasion. Ballast Exchange Vol. 3, Fall pp. 6,7 & 9.
- Geller, J.B., J.T. Carlton, and D.A. Powers, 1994. PCR-based detection of mtDNA haplotypes of native and invading mussels on the northeastern Pacific coast: latitudinal pattern of invasions. Mar. Biol. 119:243-249.
- Geller, J.B., E.D. Walton, E.D. Grosholz, and G.M. Ruiz, 1997. Cryptic invasion of *Carcinus* detected by molecular phylogeography. Molecular Ecology 6:901-906.
- Gerard, V.A., R.M. Cerrato, and A.A. Larson, 1999. Potential impacts of a western Pacific grapsid crab on intertidal communities of the northwestern Atlantic Ocean. Biological Invasions 1:353-361.
- Glynn, P. W. 1982. Coral communities and their modifications relative to past and prospective Central American seaways. Advances in Marine Biology 19:91-132.
- Gollasch, S., 1999. The asian decapod *Hemigrapsus penicillatus* (de Haan, 1835) (Grapsidae, Decapoda) introduced in European waters: status quo and future perspective. Helgol. Meeresunt. 52:359-366.
- Gottlieb, S.J., and M.E. Schweigofer, 1996. Oyster and the Chesapeake Bay ecosystem: a case for exotic species introduction to improve environmental quality? Estuaries 19:639-650.
- Gouletquer, P., M. Wolowicz, A. Latala, P. Geairon, A. Huvet, and P. Boudry, 1999. Comparative analysis of oxygen consumption rates between cupped oyster spat of *Crassostrea gigas* of French, Japanese, Spanish and Taiwanese origins. Aquatic Living Resources 12:271-277
- Grabowski, J.H., C.H. Peterson, M.J. Bishop, and R. Conrad, 2007. The bioeconomic feasibility of culturing *Crassostrea ariakensis* in North Carolina. J Shellfish Res 26: 529-542.
- Grizel, H., and M. Heral, 1991. Introduction into France of the Japanese oyster (*Crassostrea gigas*). ICES Journal of Marine Science 47:399-403.
- Grosholz, E.D., 1996. Contrasting rates of spread for introduced species in terrestrial and marine systems. Ecology 77:1680-1686.
- Grosholz, E.D., and G.M. Ruiz, 1995a. Spread and potential impact of the recently introduced European green crab, *Carcinus maenas*, in central California. Mar. Biol. 122:239-247.
- Grosholz, E.D., and G.M. Ruiz, 1995b. Does spatial heterogeneity and genetic variation in populations of the xanthid crab *Rhithropanopeus harrisii* (Gould) influence the prevalence of an introduced parasitic castrator? J. Exp. Mar. Biol. Ecol. 187:129-145.
- Grosholz, E.D., G.M. Ruiz, C.A. Dean, K.A. Shirley, J.L. Maron, and P.G. Connors, 2000. The impacts of a nonindigenous marine predator in a California Bay. Ecology 81:1206-1224.
- Hallegraeff, G.M., and C.J. Bolch, 1992. Transport of diatom and dinoflagellate resting spores in ships' ballast water: implications for plankton biogeography and aquaculture. J. Plankton Res. 14:1067-1084.

- Hallegraeff, G.M., 1998. Transport of toxic dinoflagellates via ships' ballast water: bioeconomic risk assessment and efficacy of possible ballast water management strategies. Mar. Ecol. Prog. Ser. 168:297-309.'
- Harbison, G.R., and S.P. Volovik, 1994. The ctenophore, *Mnemiopsis leidyi*, in the Black Sea: a holoplanktonic organism transported in the ballast water of ships, pp. 25-36. In : Anonymous, Proceedings of the conference and workshop on Nonindigenous Estuarine and Marine Organisms (NEMO), Seattle, WA. U.S. Dept. of Commerce
- Harding, J. M., and R. Mann, 1999. Observations on the biology of the veined rapa whelk, *Rapana venosa* (Valenciennes, 1846) in the Chesapeake Bay. J. Shellfish Res. 18:9-17.
- Harwell, H.D., P.R. Kingsley-Smith, M.L. Kellogg, S.M. Allen, S.K. Allen, Jr., D.W. Meritt, K.T. Paynter, Jr., and M.W. Luckenbach, 2010. A comparison of *Crassostrea virginica* and *C. ariakensis* in Chesapeake Bay: does oyster species affect habitat function? J. Shellfish Res. 29:253–269.
- Hay, M.E., and S.D. Gaines, 1984. Geographic differences in herbivore impact: do Pacific herbivores prevent Caribbean seaweeds from colonizing via Panama Canal? Biotropica 6:24-30.
- Hebert, P.D.N., B.W. Muncaster, and G.L. Mackie, 1989. Ecological and genetic studies on *Dreissena polymorpha* (Pallas); a new mollusk in the Great Lakes. Can J. Fish. Aq. Sci. 46:1857-1951.
- Hedgecock, D., 2011. Genetics of shellfish on a human-dominated planet Ch. 12, 339-357, In: Shellfish aquaculture and the environment, S.E. Shumway, Ed., Wiley-Blackwell.
- Hedgpeth, J.W., 1994. Nonanthropogenic dispersals and colonization in the sea, pp. 45-62. In : Anonymous, Proceedings of the conference and workshop on Nonindigenous Estuarine and Marine Organisms (NEMO), Seattle, WA. U.S. Dept. of Commerce.
- Hines, A.H., F. Alvarez, and S.A. Reed. 1997. Introduced and native populations of a marine parasitic castrator: variation in prevalence of the rhizocephalan *Loxothylacus panopaei* in xanthid crabs. Bull. Mar. Sci. 61: 197-214.
- Kennedy, V.S., 2011. The invasive dark falsemussel *Mytilopsis leucophaeata* (Bivalvia: Dreissenidae): a literature review. Aquatic Ecology 45:163-183.
- Hu, Y.-P., C. Fuller, M. Castagna, R.C. Vrijenhoek, and R.A. Lutz, 1993. Shell morphology and identification of early life history stages of congeneric species of *Crassostrea* and *Ostrea*. Journal of the Marine Biological Association of the United Kingdom 73: 471-496.
- Huvet, A., A. Gérard, C. Ledu, P. Phélypot, S. Heurtebise, and P. Boudry, 2002. Is fertility of hybrids enough to conclude that the two oysters *Crassostrea gigas* and *Crassostrea angulata* are the same species? Aquatic Living Resources 15:45-52.
- Johnson, L.E., and J.T. Carlton, 1996. Post-establishment spread in large-scale invasions: dispersal mechanisms of the zebra mussel *Dreissena polymorpha*. Ecology 77:1686-1690.
- Jokiel, P.L., 1984. Long distance dispersal of reef corals by rafting. Coral Reefs ?? :113-116.

- Jousson, O., J. Pawlowski, L. Zaninetti, F.W. Zechman, F. Dini, G. Du Guiseppe, R. Woodfield, A. Millar, and A. Meinesz, 2000. Invasive alga reaches California. *Nature* 408:157-158.
- Kaiser, J., 2000. California algae may be feared European species. *Science* 289:222-223.
- Kelly, J. M. 1993. Ballast water and sediments as mechanisms for unwanted species introductions into Washington State. *J. Shellfish Res.* 12:405-410.
- Kern, F.G., 1994. Research strategies and protocols established for international molluscan shellfish introductions, pp. 85-92. In: Anonymous, Proceedings of the conference and workshop on Nonindigenous Estuarine and Marine Organisms (NEMO), Seattle, WA. U.S. Dept. of Commerce.
- Kimbrough, D.L., J. Largier, and E.D. Grosholz, 2009a. Coastal oceanographic processes influence the growth and size of a key estuarine species, the Olympia oyster. *Limnol. Oceanogr.* 54:1425-1437.
- Kimbrough, D. L. E. D. Grosholz, A. Baukus, N. Nesbitt, N. Travis, S. Attoe, and C. Coleman-Hulbert. 2009b. Invasive species cause large-scale loss of native California oysters by disrupting trophic cascades. *Oecologia* 160: 563-575.
- Kimmerer, W. J., E. Gartside, and J. J. Orsi, 1994. Predation by an introduced clam as the likely cause of substantial declines in zooplankton of San Francisco Bay. *Mar. Ecol. Prog. Ser.* 113:81-93.
- Kingsley-Smith, P.R., and M.W. Luckenbach, 2008. Post-settlement survival and growth of the Suminoe oyster, *Crassostrea ariakensis*, exposed to simulated emersion regimes. *J. of Shellfish Res.* 27:609-618.
- Kingsley-Smith, P.R., H.D. Harwell, M.L. Kellogg, S.M. Allen, S.K. Allen, Jr., D.W. Meritt, K.T. Paynter, Jr., and M.W. Luckenbach, 2009. Survival and growth of triploid *Crassostrea virginica* (Gmelin, 1791) and *C. ariakensis* (Fujita, 1913) in bottom environments of Chesapeake Bay: implications for an introduction. *J. Shellfish Res.* 28:169-184.
- Kittelson, P. M., and M. J. Boyd, 1997. Mechanisms of expansion for an introduced species of cordgrass, *Spartina densiflora*, in Humboldt Bay, California. *Estuaries* 20:770-778.
- Klinger, T., D.K. Padilla, and K. Britton-Simmons, 2006. Two invaders achieve higher densities in reserves. *Aquatic Conservation: Marine and Freshwater Ecosystems* 16:301-311.
- Kochmann, J., C. Buschbaum, N. Volkenborn and K. Reise, 2008. Shift from native mussels to alien oysters: Differential effects of ecosystem engineers. *J. Exp. Mar. Biol. Ecol.* 364:1-10.
- Krassoi, F.R., K.R. Brown, M.J. Bishop, B.P. Kelaher, and S. Summerhayes, 2008. Condition-specific competition allows coexistence of competitively superior exotic oysters with native oysters. *J. Anim. Ecol.* 77:5-15.
- Lafferty, K.D., J.W. Porter, and S.E. Ford, 2004. Are diseases increasing in the ocean? *Ann. Rev. Ecol. Syst.* 35:31-54.
- Lambert, W.J., P.S. Levin, and J. Berman, 1992. Changes in the structure of a New England (USA) kelp bed: the effects of an introduced species? *Mar. Ecol. Prog. Ser.* 88:303-307.

- Lavoie, D.M., L.D. Smith, and G.M. Ruiz, 1999. The potential for intracoastal transfer of non-indigenous species in the ballast water of ships. *Estuarine, Coastal and Shelf Sci.* 48:551-564.
- Leppäkoski, E., 1994. The Baltic and the Black Sea- seriously contaminated by nonindigenous species? pp. 37-44. In: Anonymous, Proceedings of the conference and workshop on Nonindigenous Estuarine and Marine Organisms (NEMO), Seattle, WA. U.S. Dept. of Commerce.
- Lightner, D.V., R.M. Redman, T.A. Bell, and R.B. Thurman, 1992. Geographic dispersion, of the viruses IHHN, MBV, and HPV as a consequence of transfers and introductions of penaeid shrimp to new regions for aquaculture purposes, pp. 155-173. In: Rosenfeld, A. and R. Mann, Eds., *Dispersal of living organisms into aquatic ecosystems*. Maryland Sea Grant, College Park, MD.
- Litvak, M.K., and N.E. Mandrak, 1999. Baitfish trade as a vector of aquatic introductions, pp. 163-200. In: R. Claudi, and J. Leach, Eds. *Nonindigenous fresh water organisms: vectors, biology, and impact*. Lewis Publishers, Boca Raton, FL.
- Lohrer, A.M., Y. Fukui, K. Wada, and R.B. Whitlatch, 2000a. Structural complexity and vertical zonation of intertidal crabs, with focus on habitat requirements of the invasive Asian shorecrab, *Hemigrapsus sanguineus* (de Haan). *Journal Experimental Marine Biology and Ecology* 244:203-217.
- Lohrer, A.M., R.B. Whitlatch, K. Wada, and Y. Fukui, 2000b. Home and away: comparisons pf resource utilization by a marine species in native and invaded habitats. *Biological Invasions* 2:41-57.
- McDermott, J.J., 1998a. The western Pacific brachyuran *Hemigrapsus sanguineus* (Grapsidae) in its new habitat along the Atlantic coast of the United States: reproduction. *Journal of Crustacean Biology* 18:308-316.
- McDermott, J. J., 1998b. The western Pacific brachyuran (*Hemigrapsus sanguineus*: Grapsidae), in its new habitat along the Atlantic coast of the United States: geographic distribution and ecology. *ICES Journal of Marine Science* 55:289-298.
- McDonald, J.H., and R.T. Koehn, 1988. The mussels *Mytilus galloprovincialis* and *M. trossulus* on the Pacific coast of North America. *Mar. Biol.* 111-118.
- Mann, R., Ed., 1978. Exotic species in mariculture. MIT Press, Cambridge, MA, 363pp.
- Mann, R., E.M. Burreson, and P.K. Baker, 1992. The decline of the Virginia oyster fishery in Chesapeake Bay: considerations for introduction of a non-endemic species, *Crassostrea gigas* (Thunberg), pp. 107-120, R. DeVoe, Ed. *Introductions and transfers of marine species: achieving a balance between economic development and resource protection*. South Carolina Sea Grant, Charleston, SC.
- Mann, R. and J.M. Harding, 2000. Invasion of the North American Atlantic coast by a large predatory Asian mollusc. *Biological Invasions* 2:7-22.
- Markert, A., A. Wehrmann and I. Kröncke, 2010. Recently established *Crassostrea*-reefs versus native *Mytilus*-beds: differences in ecosystem engineering affects the macrofaunal

- communities (Wadden Sea of Lower Saxony, southern German Bight). *Biological Invasions* 12:1387-3547.
- Meehan, B. W., J. T. Carlton, and R. Wenne, 1989. Genetic affinities of the bivalve *Macoma balthica* from the Pacific coast of North America: evidence for recent introduction and historical distribution. *Marine Biology* 102:235-241.
- Meinesz, A., 1999. Killer algae. Translated by D. Simberloff. Chicago University Press, Chicago, IL, 360 pp.
- Mills, E.L., J.R. Chrisman, and K.T. Holeck, 1999. The role of canals in the spread of non-indigenous species in North America, pp. 347-379. In: R. Claudi, and J. Leach, Eds. Nonindigenous fresh water organisms: vectors, biology, and impact. Lewis Publishers, Boca Raton, FL.
- Minchin, D. and H. Rosenthal, 2002. Exotics for stocking and aquaculture, making correct decisions. In: *Invasive Aquatic Species in Europe*, Eds., E. Leppäkoski, S. Gollasch and S. Olenin, pp. 206-216. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- Minchin, D., 1996. Tar pellets and plastics as attachment surfaces for lepadid cirripedes in the North Atlantic ocean. *Mar. Poll. Bull.* 32:855-859.
- Mineur, F., T. Belsher, M.P. Johnson, C.A. Maggs, and M. Verlaque, 2007. Experimental assessment of oyster transfers as a vector for macroalgal introductions. *Biological Conservation* 137: 237-247.
- Mitchem, E., J.S. Fajans, and S.M. Baker, 2007. Contrasting responses of two native crustacean predators to non-indigenous prey, the green mussel, *Perna viridis*. *Florida Scientist* 70: 180-188.
- Molnar, J.L., R.L Gamboa, C. Revenga, and M.D Spalding, 2008. Assessing the global threat of invasive species to marine biodiversity. *Frontiers in Ecology and the Environment* 6:485-492.
- Murphy, N.E., and C.L. Goggin, 2000. Genetic discrimination of sacculinid parasites (Cirripedia, Rhizocephala): implications for control of introduced green crabs (*Carcinus maenas*). *J. Crust. Biol.* 20:153-157.
- Murphy, R. C., 1985. Factors affecting the distribution of the introduced bivalve, *Mercenaria mercenaria*, in a California lagoon- the importance of bioturbation. *Journal of Marine Research* 43:673-692.
- Mutlu, E., F. Bingel, A. Gorban, A. D. Gordina, A. C. Gucu, A. E. Kideys, A. Konsulov, G. Radu, A. A. Subbotin, and V. E. Zaika, 1998. Distribution of the new invader *Mnemiopsis* sp. and the resident *Aurelia aurita* and *Pleurobrachia pileus* populations in the Black Sea in the years 1991-1993. *ICES Journal of Marine Science* 51:407-421.
- Nalepa, T. F., and D. W. Schloesser, Eds., 1993. Zebra mussels: biology, impacts and control. Lewis Publishers, Boca Raton, FL., 810 pp.
- National Research Council (NRC), 2004. Nonnative Oysters in the Chesapeake Bay. National Academies Press. Washington, D.C., 325pp.

- National Research Council (NRC), 2009. Shellfish mariculture in Drakes Estero, Point Reyes National Seashore, California. Committee on Best Practices for Shellfish Mariculture and the Effects of Commercial Activities in Drakes Estero, Pt. Reyes National Seashore, California, 139pp.
- National Research Council (NRC), 2010. Ecosystem concepts for sustainable bivalve mariculture. Committee on Best Practices for Shellfish Mariculture and the Effects of Commercial Activities in Drakes Estero, Pt. Reyes National Seashore, California, 198pp.
- Nehls, G., S. Diederich, D.W. Thielges, and M. Strasser, 2006. Wadden Sea mussel beds invaded by oysters and slipper limpets: competition or climate control? *Helgoland Mar. Res.* 60:135-143.
- Nehls, G. and H. Büttger, 2007. Spread of the Pacific oyster *Crassostrea gigas* in the Wadden Sea. Causes and consequences of a successful invasion. HARBASINS report. The Common Wadden Sea Secretariat, Wilhelmshaven, 54pp. see <http://www.waddensea-secretariat.org/news/symposia/oyster2007/Pacific-oyster-report-April-2007>
- Newkirk, G.F., 1978. Genetic aspects of the introduction and culture of nonindigenous species for aquaculture, pp. 192-211. In: R. Mann, ed. Exotic species in mariculture. MIT Press, Cambridge, M.A.
- Nicastro, A. M.J. Bishop, B. P. Kelaher, and L. Benedetti-Cecchi, 2009. Export of non-native gastropod shells to a coastal lagoon: Alteration of habitat structure has negligible effects on infauna. *J. Exp. Mar. Biol. Ecol.* 374:31-36.
- Nichols, F. H., and J. K. Thompson, 1985. Persistence of an introduced mudflat community in South San Francisco Bay, California. *Mar. Ecol. Prog. Ser.* 24:83-97.
- Nichols, F.H., J.K. Thompson, and L.E. Schemel, 1990. Remarkable invasion of San Francisco Bay (California, USA) by the Asiatic clam *Potamocorbula amurensis*. II. Displacement of a former community. *Mar. Ecol. Prog. Ser.* 66:95-101.
- North, W.J., 1973. Regulating marine transplantation. *Science* 179:1181
- O'Foighil, D., P.M. Gaffney, A.E. Wilbur, and T.J. Hilbish, 1998. Mitochondrial cytochrome oxidase I gene sequences support an Asian origin for the Portuguese oyster *Crassostrea angulata*. *Marine Biology* 131:497-503.
- Padilla, D.K., M.J. McCann and S.E. Shumway, 2011. Marine invaders and bivalve aquaculture: sources, impacts, and consequences, Ch. 14, 395-424, In: *Shellfish aquaculture and the environment*, S.E. Shumway, Ed., Wiley-Blackwell, NY.
- Palacios, R., D.A. Armstrong, and J. Orensanz, 2000. Fate and legacy of an invasion: extinct and extant populations of the soft-shell clam (*Mya arenaria*) in Grays Harbor (Washington). *Aq. Conserv.: Marine and Freshwater Ecosystems.* 10:279-303.
- Pechenik, J.A., O.V. Ambrogio, and S. Untersee, 2010. Predation on juveniles of *Crepidula fornicata* by two crustaceans and two gastropods. *J. Exp. Mar. Biol. Ecol.* 384:91–98.
- Perry, D.M., and R.C. Brusca, 1989. Effects of root-boring isopod *Sphaeroma terrebrans* on red mangrove forests. *Mar. Ecol. Prog. Ser.* 57:287-292.

- Phelps, H. L., 1994. The asiatic clam (*Corbicularia fluminea*) invasion and system-level ecological change in the Potamac River estuary near Washington, D.C. *Estuaries* 17:614-621.
- Pierce, R. W., J. T. Carlton, D. A. Carlton, and J. B. Geller, 1997. Ballast water as a vector for tintinnid transport. *Mar. Ecol. Prog. Ser.* 149:295-297.
- Pillay, T.V.R., 1992. Aquaculture and the environment. Halstead Press, 189pp.
- Por, F.D., 1971. One hundred years of Suez Canal- a century of Lessepsian migration: retrospect and viewpoints. *Syst. Zool.* 20:138-159.
- Posey, M. H. 1988. Community changes associated with the spread of an introduced seagrass, *Zostera japonica*. *Ecology* 69:974-983.
- Power, A.J., R.L. Walker, K. Payne, and D. Hurley, 2004. First occurrence of the nonindigenous green mussel, *Perna viridis* in coastal Georgia, United States. *J. Shellfish Res.* 23:741-744.
- Pritchard, D.W., 1952. Distribution of oyster larvae in relation to hydrographic conditions. Proceedings of the Gulf and Caribbean Fisheries Institute, Fifth Annual Session, Miami Beach, Nov. University of Miami Lab, Coral Gables, FL.
- Race, M.S., 1982. Competitive displacement and predation between introduced and native mud snails. *Oecologia* 54:337-347.
- Ragueneau, O., L. Chauvaud, B. Moriceau, A. Leynaert, G. Thouzeau, A. Donval, F. Le Loc'h, and F. Jean, 2005. Biodeposition by an invasive suspension feeder impacts the biogeochemical cycle of Si in a Coastal Ecosystem (Bay of Brest, France). *Biogeochemistry* 75:19-41.
- Rajagopal, S., G. van der Velde, J. Jansen, M. van der Gaag, G. Atsma, J.P.M. Janssen-Mommen, H. Polman, and H.A. Jenner, 2005. Thermal tolerance of the invasive oyster *Crassostrea gigas*: Feasibility of heat treatment as an antifouling option. *Water Research* 39:4335-4342.
- Reece, K.S., J.F. Cordes, J.B. Stubbs, E. Francis, and K. Hudson, 2008. Molecular phylogeny of *Crassostrea* spp. as inferred from mitochondrial and nuclear DNA sequences. *Mar. Biol.* 153:709-721.
- Reise, K., 1998. Pacific oysters invade mussel beds in the European Wadden Sea. *Senckenbergiana Marit.* 28:167-175.
- Reusch, T. B. H., 1998. Native predators contribute to invasion resistance to the non-indigenous bivalve *Musculista senhousia* in southern California. *Marine Ecology Progress Series* 170:159-168.
- Reusch, T.H.B. and S.L. Williams. 1999. Macrophyte canopy structure and the success of an invasive marine bivalve. *Oikos* 84:398-416.
- Ribi, G. 1981. Does the wood boring isopod *Sphaeroma terrebrans* benefit red mangroves (*Rhizophora mangle*)? *Bull. Mar. Sci.* 31:925-928.

- Rice, M.A., 2001. Environmental impacts of shellfish aquaculture: filter feeding to control eutrophication. pp. 77-86 in: M. Tlusty, D. Bengtson, H.O. Halvorson, S. Oktay, J. Pearce, and R. Rheault, (Eds.), *Marine Aquaculture and the Marine Environment: A Meeting for the Stakeholders in the Northeast*. Held January 11-13, 2001, at the University of Massachusetts Boston. Cape Cod Press, Falmouth, MA.
- Rigby, G.R., G.M. Hallegraeff, and C. Sutton, 1999. Novel ballast water heating technique offers cost-effective treatment to reduce the risk of global transport of harmful marine organisms. *Mar. Ecol. Prog. Ser.* 191:289-294.
- Robinson, T.B., C.L Griffiths, A. Tonin, P. Bloomer, and M.P. Hare, 2005. Naturalized populations of oysters, *Crassostrea gigas* along the South African coast: Distribution, abundance and population structure. *Journal of Shellfish Research* 24:443-450.
- Rosenfield, A., and F.G. Kern, 1979. Molluscan imports and the potential for introduction of disease organisms. Pp. 165-191 in R.Mann, Ed., *Exotic species in mariculture*. MIT Press, Cambridge, MA.
- Rosenfeld, A. and R. Mann, Eds., 1992. *Dispersal of living organisms into aquatic ecosystems*. Maryland Sea Grant, College Park, MD.
- Rubinoff, I., 1968. Central American sea-level canal: possible biological effects. *Science* 161:857-861.
- Ruesink, J.L., I.M. Parker, M.J. Groom, and P.K. Kareiva, 1995. Reducing the risks of nonindigenous species introductions: guilty until proven innocent. *BioScience* 45:465-477.
- Ruesink, J.L., 2007. Biotic resistance and facilitation of a non-native oyster on rocky shores. *Mar. Ecol. Prog. Ser.* 331:1-9.
- Ruesink, J.L., H.S. Lenihan, A.C. Trimble, K.W. Heiman, F. Micheli, J.E. Byers, and M.C. Kay, 2005. Introduction of non-native oysters: ecosystem effects and restoration implications. *Ann. Rev. Ecol. Evol. Syst.* 36:643-689.
- Ruiz, G.M., J.T. Carlton, E.D. Grosholz, and A.H. Hines, 1997. Global invasions of marine and estuarine habitats by non-indigenous species: mechanisms, extent, and consequences. *Am. Zool.* 37:621-632.
- Ruiz, G.M., P. Fofonoff, and A.H. Hines, 1999. Non-indigenous species as stressors in estuarine and marine communities: assessing invasion impacts and interactions. *Limnol. Oceanogr.* 44:950-972.
- Ruiz, G.M., T.K. Rawlings, F.C. Dobbs, L.A. Drake, RT. Mullady, A. Huq, and R.R. Colwell, 2000a. Global spread of microorganisms by ships. *Nature* 408:49-50.
- Ruiz, G.M., P.W. Fofonoff, J.T. Carlton, M.J. Wonham, and A.H. Hines, 2000b. Invasion of coastal marine communities in North America: apparent patterns, processes, and biases. *Ann. Rev. Ecol. Syst.* 31:481-531.
- Scarratt, D., 1999. Veined Rapa whelk invades Chesapeake Bay. *Shellfish World* 1(1):5-5-7.

- Schmidt, A., A. Wehrmann, and S. Dittmann, 2008. Population dynamics of the invasive Pacific oyster *Crassostrea gigas* during the early stages of an outbreak in the Wadden Sea (Germany). *Helgoland Marine Research* 62:367-376.
- Schmidt, A., A. Wehrmann, and S. Dittmann, 2010. Low mortality rates of juvenile Pacific oysters in the German Wadden Sea are characteristic for invasive species: a reply to Beukema and Dekker. *Helgol. Mar. Res.* 64:71–73.
- Shatkin, G., S. E. Shumway, and R. Hawes, 1997. Considerations regarding the possible introduction of the Pacific oyster (*Crassostrea gigas*) to the Gulf of Maine: a review of global experience. *J. Shellfish Res.* 16:463-477.
- Shumway, S.E., Ed., 2011. *Shellfish aquaculture and the environment*, Wiley-Blackwell.
- Siddall, S.E., 1980. A classification of the genus *Perna* (Mytilidae). *Bulletin of Marine Science* 30:858-870.
- Simberloff, D., D.C. Schmitz, and T.C. Brown, 1997. *Strangers in paradise: impact and management of non-indigenous species in Florida*. Island Press, Washington, D.C. 467pp.
- Sindermann, C.J., 1988. Disease problems caused by introduced species, pp. 394-398. In C.J. Sindermann and D.V. Lightner, Eds. *Disease diagnosis and control in North American marine aquaculture*. Elsevier, Amsterdam.
- Smaal, A., van Stralen, M. and Craeymeersch, J. 2005. Does the introduction of the Pacific oyster *Crassostrea gigas* lead to species shifts in the Wadden Sea? In: The comparative role of suspension-feeders in ecosystems, Eds., R.F. Dame and S. Olenin, pp. 277-289. NATO Science Series IV – Earth and Environmental Sciences, volume 47. Springer, Dordrecht, The Netherlands.
- Smaal, A., B. Kater, and J. Wijsman, 2009. Introduction, establishment and expansion of the Pacific oyster *Crassostrea gigas* in the Oosterschelde (SW Netherlands). *Helgoland Marine Research* 63:75–83.
- Smith, L.D., M.J. Wonham, L.D. McCann, G.M. Ruiz, A.H. Hines and J. T. Carlton. 1999. Invasion pressure to a ballast-flooded estuary and an assessment of inoculant survival. *Biological Invasions* 1:67-87.
- Sousa, R., JL. Gutiérrez and D.C. Aldridge, 2009. Non-indigenous invasive bivalves as ecosystem engineers. *Biol. Invasions* 11: 2367-2385.
- Spencer, B.E., D.B. Edwards M.J. Kaiser, and C.A. Richardson, 1994. Spatfalls of the non-native Pacific oyster, *Crassostrea gigas*, in British waters. *Aquatic Conserv. Mar. Freshwater Ecosyst.* 4:203–217.
- Stachowitz, J.J., R.B. Whitlach, and R.W. Osman, 1999. Species diversity and invasion resistance in a marine ecosystem. *Science* 286:1577-1579.
- Steele, S. and M.F. Mulcahy, 2001. Impact of the copepod *Mytilicola orientalis* on the Pacific oyster *Crassostrea gigas* in Ireland. *Diseases of Aquatic Organisms* 47:145-149.

- Stokesbury, K.D.E., E.P. Baker, B.P. Harris, and R.B. Rheault, 2011. Environmental impacts related to mechanical harvest of cultured shellfish, Ch. 11, 319-338, In: Shellfish aquaculture and the environment, S.E. Shumway, Ed., Wiley-Blackwell.
- Strasser, M., 1999. *Mya arenaria*- an ancient invader of the North Sea coast. *Helgoländer Meeresunt.* 52:309-324.
- Suchanek, T., J.B. Geller, B. Kreiser, and J.B. Mitton, 1997. Zoogeographic distributions on the sibling species *Mytilus galloprovincialis* and *M. trossulus* (Bivalvia: Mytilidae) and their hybrids in the North Pacific. *Biol. Bull.* 193:187-194.
- Summerhayes, S.A., M.J. Bishop, A. Leigh, and B.P. Kelaher a, 2009. Effects of oyster death and shell disarticulation on associated communities of epibionts. *J. Exp. Mar. Biol. Ecol.* 379:60–67.
- Sutherland, T.F., C.D. Levings, C.C. Elliott, and W.W. Hesse, 2001. Effect of a ballast water treatment system on survivorship of natural populations of marine plankton. *Mar. Ecol. Prog. Ser.* 210:139-148.
- Tamburri, M.N., M.W. Luckenbach, D.L. Breitburg, and S.M. Bonniwell, 2008. Settlement of *Crassostrea ariakensis* larvae: effects of substrate, biofilms, sediment and adult chemical cues. *J. of Shellfish Res.* 27:601-608.
- Thielges, D.W., M. Strasser, and K. Reise, 2006. How bad are invaders in coastal waters? The case of the American slipper limpet *Crepidula fornicata* in western Europe. *Biological Invasions* 8:1673-1680.
- Thompson, J.D., 1991. The biology of an invasive plant. What makes *Spartina anglica* so successful? *BioScience* 41:393-401.
- Travis, J., 1993. Invader threatens Black, Azov Seas. *Science* 262:1366-1367.
- Troost, K., E. Gelderman, P. Kamermans, A.C. Smaal and W.J. Wolff, 2009. Effects of an increasing filter feeder stock on larval abundance in the Oosterschelde estuary (SW Netherlands). *J. of Sea Res.* 61:153-164.
- Troost, K., E.J. Stadhuis, L. van Duren, and W.J. Wolff, 2009. Feeding current characteristics of three morphologically different bivalve suspension feeders, *Crassostrea gigas*, *Mytilus edulis* and *Cerastoderma edule*, in relation to food competition. *Marine Biology* 156: 355-372.
- Troost, K., 2010. Causes and effects of a highly successful marine invasion: Case study of the introduced pacific oyster *Crassostrea gigas* in continental NW European estuaries. *J. Sea Res.* 64:145–165.
- Vermiej, G.J. 1982a. Environmental change and the evolutionary history of the periwinkle *Littorina littorea* in North America. *Evolution* 36:561-580.
- Vermiej, G.J. 1982b. Phenotypic evolution in a poorly dispersing snail after arrival of a predator. *Nature* 299:349-350.
- Vermeij, G.J., 1991a. Anatomy of an invasion: the trans-Artic interchange. *Palaebiology* 17:281-307.

- Vermeij, G.J., 1991b. When biotas meet: understanding biotic exchange. *Science* 253:1099-1104.
- Vermeij, G.J., 1996. An agenda for invasion biology. *Biol. Conserv.* 78:3-9.
- Wang, Y., M. Hu, W.H. Wong, S.G. Cheung and P.K. S. Shin, 2011. Combined effects of dissolved oxygen and salinity on growth and body composition of juvenile green-lipped mussel *Perna viridis*. *J. Shellfish Res.* 30:851-857.
- Waters, S.C., ed. 1998. Veined Rapa whelk, *Rapa venosa*, found in Virginia waters. VSGMRA-#69, G-98-04, 2pp.
- Weidenmann, J., A. Baumstark, T.L. Pillen, A. Meinesz, and W. Vogel, 2001. DNA fingerprints of *Caulerpa taxifolia* provide evidence for the introduction of an aquarium strain into the Mediterranean Sea and its close relationship to an Australian population. *Mar. Bio.* 138:229-234.
- Wenner, E.L., and D.M. Knott, 1992. Occurrence of Pacific white shrimp, *Penaeus vannamei*, in coastal waters of South Carolina, pp. 173-181, In: R. DeVoe, Ed. Introductions and transfers of marine species: achieving a balance between economic development and resource protection. South Carolina Sea Grant, Charleston, SC.
- Williams, R.J., F.B. Griffiths, E.J. van der Wal, and J. Kelly, 1988. Cargo vessel ballast water as a vector for the transport of non-indigenous marine species. *Estuarine, Coastal Shelf Sci.* 26:409-420.
- Winston, J.E., 1982. Drift plastic- an expanded niche for a marine invertebrate? *Mar. Poll. Bull.* 10:348-351.
- Wolff, W.J. and K. Reise, 2002. Oyster imports as a vector for the introduction of alien species into northern and western European coastal waters. In: *Invasive Aquatic Species in Europe* (E. Leppäkoski, S. Gollasch and S. Olenin, Eds.), pp. 193-205. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- Wonham, M.J., J.T. Carlton, G.M. Ruiz and L.D. Smith, 2000. Fish and ships: relating dispersal frequency to success in biological invasions. *Mar. Biol.* 136:1111-1121.
- Wrangle, A.-L. J.V., L.S. Harkestad, Ø. Strand, S. Lindegarth, H.T. Christensen, P. Dolmer, P. S. Kristensen and S. Mortensen, 2010. Massive settlements of the Pacific oyster, *Crassostrea gigas*, in Scandinavia. *Biol. Invasions* 12: 1145-1152.
- Zhang, F., 1999. Mid-ocean exchange of container vessel ballast water. 1: Seasonal factors affecting the transport of harmful diatoms and dinoflagellates. *Mar. Ecol. Prog. Ser.* 176:243-251.
- Zolotarev, V., 1996. The Black Sea ecosystem changes related to the introduction of new mollusc species. *P.S.Z.N. I: Marine Ecology* 17:227-236.